

PRN: 2421100256

Name:Ghadge Dhanshri Prakash

Class:MCA-I

Roll No:12

ASSIGNMENT NO :1

Q. Write HTML Program to create Class TimeTable.

```
<!DOCTYPE html>
<html>
<head>
  <title>Time Table</title>
  <style>
    body {
      background-color: lightgrey;
    }
    h2 {
      text-align: center;
      color: red;
    }
    h3 {
      text-align: center;
      color: green;
    }
    table {
      text-align: center;
      border-collapse: collapse;
    }
    th {
      background-color: lightSalmon;
    }
  </style>
</head>
<body>
  <h2>Time Table</h2>
  <table>
    <tr>
      <th>Time</th>
      <th>Class</th>
    </tr>
    <tr>
      <td>8:00 AM</td>
      <td>Math</td>
    </tr>
    <tr>
      <td>9:00 AM</td>
      <td>Science</td>
    </tr>
    <tr>
      <td>10:00 AM</td>
      <td>History</td>
    </tr>
    <tr>
      <td>11:00 AM</td>
      <td>English</td>
    </tr>
    <tr>
      <td>12:00 PM</td>
      <td>Break</td>
    </tr>
    <tr>
      <td>1:00 PM</td>
      <td>Math</td>
    </tr>
    <tr>
      <td>2:00 PM</td>
      <td>Science</td>
    </tr>
    <tr>
      <td>3:00 PM</td>
      <td>History</td>
    </tr>
    <tr>
      <td>4:00 PM</td>
      <td>English</td>
    </tr>
  </table>
</body>
</html>
```

```

    td {
        background-color: lightPink;
    }
</style>
</head>
<body>
    <h2>BHARATI VIDYAPEETH TO BE UNIVERSITY, PUNE<br>
        YASHWANTRAO MOHITE INSTITUTE OF MANAGEMENT KARAD
    </h2>
    <h3>ACADEMIC YEAR 2024-25<br> MCA-I SEM-II (2024-25)</h3>
    <hr>
    <h3 style="color:red">Time Table</h3>
    <center>
        <table border="1">
            <tr>
                <th></th>
                <th>MON</th>
                <th>TUE</th>
                <th>WED</th>
                <th>THU</th>
                <th>FRI</th>
                <th>SAT</th>
                <th>Lecture hall/Lab</th>
            </tr>
            <tr>
                <td>10:30-11:30PM</td>
                <td>CC<br>[ppp]</td>
                <td>CC<br>[ppp]</td>
                <td>CC<br>[ppp]</td>
                <td>PYTHON<br>[AS]</td>
                <td>PYTHON<br>[AS]</td>
                <td>PYTHON<br>[AS]</td>
            </tr>
        </table>
    </center>

```

<td>Multi</td></tr>

<tr>

<td>11:30-12:30PM</td>

<td>PYTHON-Lab
[AS]</td>

<td>PYTHON-Lab
[AS]</td>

<td>PYTHON-Lab
[AS]</td>

<td>WST Lab
[AAP]</td>

<td>WST Lab
[AAP]</td>

<td>WST Lab
[AAP]</td>

<td>Lab-3</td>

</tr>

<tr>

<td>12:30-1:30PM</td>

<td>WST
[AJ]</td>

<td>WST
[AJ]</td>

<td>WST
[AJ]</td>

<td>OOSE
[PRR]</td>

<td>OOSE
[PRR]</td>

<td>OOSE
[PRR]</td>

<td>Lab-3</td>

</tr>

<tr>

<td>1:30-2:00PM</td>

<th colspan="7">BREAK</th>

</tr>

<tr>

<td>2:00-3:00</td>

<td>DWDM
[SVD]</td>

<td>DWDM
[SVD]</td>

<td>DWDM
[SVD]</td>

<td>DT
[PRR]</td>

<td>DT
[PRR]</td>

<td>DWDM
[SVD]</td>

<td>Lab-3</td>

</tr> </table>

<table border="1">

<tr>

<th>SR.NO</th>

<th></th>

<th>Subject Name</th>

<th>Faculty Name</th>

</tr>

<tr>

<td>201</td>

<td>OOSE</td>

<td>Object Oriented Software Engineering</td>

<td>Prof. P.R. Rasal</td>

</tr>

<tr>

<td>202</td>

<td>CC</td>

<td>Cloud Computing Concepts</td>

<td>Dr. P.P. Patil
Class Coordinator</td>

</tr>

<tr>

<td>203</td>

<td>DS</td>

<td>Data Structure using Python</td>

<td>Mrs. Ashwini Sarate</td>

</tr>

<tr>

<td>204</td>

<td>DWDM</td>

<td>Data Warehouse and Data Mining</td>

<td>Dr. Mrs. Sheetal Deshmukh</td>

</tr>

<tr>

<td>205</td>

<td>WST</td>

<td>Web Supporting Technologies</td>

<td>Mrs. Archana Jadhav</td>

</tr>

<tr>

<td>206</td>

<td>Lab on DS</td>

<td>Lab on Data Structure using Python</td>

<td>Mrs. Ashwini Sarate</td>

</tr>

<tr>

<td>207</td>

<td></td>

<td>Minor Project-I</td>

<td>Dr. P.P. Patil</td>

</tr>

<tr>

<td>208
<hr>209</td>

<td></td>

<td>

MOOCS-II*

Open Course-II** - Digital Technology

</td>

<td>

Dr. P.P. Patil

<hr>

Prof. P.R. Rasal

</td>

</tr>

</table>

</center>

</body>

</html>

OUTPUT

BHARATI VIDYAPEETH TO BE UNIVERSITY,PUNE
YASHWANTRAO MOHITE INSTITUTE OF MANAGEMENT KARAD
ACADEMIC YEAR 2024-25
MCA-I SEM-II(2024-25)

Time Table

	MON	TUE	WED	THU	FRI	SAT	Lecture hall/Lab
10:30-11:30PM	CC [ppp]	CC [ppp]	CC [ppp]	PYTHON [AS]	PYTHON [AS]	PYTHON [AS]	Multi
11:30-12:30PM	PYTHON-Lab [AS]	PYTHON-Lab [AS]	PYTHON-Lab [AS]	WST Lab [AAP]	WST Lab [AAP]	WST Lab [AAP]	Lab-3
12:30-1:30PM	WST [AJ]	WST [AJ]	WST [AJ]	OOSE [PRR]	OOSE [PRR]	OOSE [PRR]	Lab-3
1:30-2:00PM	BREAK						
2:00-3:00	DWDM [SVD]	DWDM [SVD]	DWDM [SVD]	DT [PRR]	DT [PRR]	DWDM [SVD]	Lab-3

SR.NO		Subject Name	Faculty Name
201	OOSE	Object Oriented Software Engineering	Prof.P.R.Rasal
202	CC	Cloud Computing Concepts	Dr.P.P.Patil Class Coordinator
203	DS	Data Structure using Python	Mrs.Ashwini Sarate
204	DWDM	Data Warehouse and Data Minig	Dr.Mrs.Sheetal Deshmukh
205	WST	Web Supporting Technologies	Mrs.Archana Jadhav
206	Lab on DS	Lab on Data Structure using Python	Mrs.Ashwini Sarate
207		Minor Project-I	Dr.P.P.Patil
208		MOOCS-II*	Dr.P.P.Patil
209		Open Courde-II*-Digital Technology	Prof.P.R.Rasal

PRN: 2421100256

Name:Ghadge Dhanshri Prakash

Class:MCA-I

Roll No:12

ASSIGNMENT NO :2

Q. Write HTML Program to Design Admmision Portal.

```
<!DOCTYPE html>
<html>
<head>
  <title>BVDU</title>
  <style>
    .BVDU {
      display: flex;
      align-items: left;}
    .ymim {
      display: flex;
      align-items: right;}
    h1 {
      text-align: center;
      font-size: 38px;}
    .mainBVDU img {
      height: 78vh;
      width: 55rem;
    }
    marquee {
      background-color: green;
      color: white;
      font-weight: bold;
      font-size: 38px;
    }
  }
```

```

.mainBVDU {
    /* Empty class, add styles if needed */
}
</style>
</head>
<body>
    <div class="BVDU">
        
        <span>
            <h1>BHARATI VIDYAPEETH<br>YASHWANTRAO MOHITE INSTITUTE OF MANAGEMENT KARAD</h1>
            <hr></span>
        <div class="ymim">
            
        </div>
    </div>
    <center>
        <div class="mainBVDU">
            <a href="C:\Users\Admin\Desktop\tableBVDU.html">
                
                <marquee direction="right" scrollamount="20">
                    Admission Open 2025 Click here.....
                </marquee></a></div></center>
        </body>
    </html>

```

OUTPUT:



PRN: 2421100256

Name:Ghadge Dhanshri Prakash

Class:MCA-I

Roll No:12

ASSIGNMENT NO :3

Q. Demonstrate Frames Using HTML.

```
<!DOCTYPE html>

<html>

<head>

    <title>Frame tag</title>

</head>

<frameset cols="25%, 50%, 25%">

    <frame src="https://www.javatpoint.com/html-table">

    <frame src="https://www.javatpoint.com/css-table">

    <frame src="https://www.javatpoint.com/html-table">


</frameset>

<body>

</body>

</html>
```

OUTPUT



PRN: 2421100256

Name:Ghadge Dhanshri Prakash

Class:MCA-I

Roll No:12

ASSIGNMENT NO :4

Q. Write HTML Program that embeds and Plays Both Audio & Video Files.

```
<!DOCTYPE html>

<html>

<head>

  <title>Page Title</title>

  <style>

    h1 {

      text-align: center;

    }

  </style></head>

<body>

  <h1>AUDIO AND VIDEO</h1>

  <h2>Click play button to play audio</h2>

  <audio src="./test.mp3" controls></audio>

  <h2>Click play button to play video</h2>

  <video src="./test.mp4" controls></video>

</body>

</html>
```


OUTPUT

AUDIO AND VIDEO"

Click play button to play audio



Click play button to play video



PRN: 2421100256

Name:Ghadge Dhanshri Prakash

Class:MCA-I

Roll No:12

ASSIGNMENT NO :5

Q. Write HTML Program to demonstrate List tag.

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>MCA - i</title>

  <style>

    body{

      background-color: rgba(255, 145, 0, 0.842);

    }

    h1{

      color: red;

      font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;

      margin-left: 30% ;

    }

    h2{

      color: green;

      font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;

    }

    div {

      background-color: lightblue;

      margin-left: 15%;

      padding: 20px;

      width: 70%;

      margin-top: 5%;
```

```

}

div h2{

    margin-left: 32%;

}

ul{

    margin-left: 30%;

}

</style>

</head>

<body>

    <h1>Subject : WEB SUPPORTING TECHNOLOGIES</h1>

    <hr>

    <div>

        <h2>Syllabus</h2>

        <ul type="square">

            <li>Unit 1: Introduction to Web Technologies

                <ul>

                    <li>HTML Basics</li>

                    <li>CSS Basics</li>

                    <li>JavaScript Basics</li>

                </ul>

            </li>

            <li>Unit 2: Advanced HTML and CSS

                <ul>

                    <li>HTML5 Features</li>

                    <li>CSS3 Features</li>

                    <li>Responsive Design</li>

                </ul>

            </li>

            <li>Unit 3: JavaScript and DOM Manipulation

                <ul>

                    <li>JavaScript Functions</li>

                    <li>Event Handling</li>

                </ul>

            </li>

        </ul>

    </div>

</body>
</html>

```

```
        <li>DOM Manipulation</li>
    </ul>
</li>
<li>Unit 4: Web Hosting and Deployment
    <ul>
        <li>Web Hosting Basics</li>
        <li>FTP and File Management</li>
        <li>Deploying a Website</li>
    </ul>
</li>
</ul>
</div>
</body>
</html>
```

OUTPUT

Subject : WEB SUPPORTING TECHNOLOGIES

Syllabus

- Unit 1: Introduction to Web Technologies
 - HTML Basics
 - CSS Basics
 - JavaScript Basics
- Unit 2: Advanced HTML and CSS
 - HTML5 Features
 - CSS3 Features
 - Responsive Design
- Unit 3: JavaScript and DOM Manipulation
 - JavaScript Functions
 - Event Handling
 - DOM Manipulation
- Unit 4: Web Hosting and Deployment
 - Web Hosting Basics
 - FTP and File Management
 - Deploying a Website

PRN: 2421100256

Name:Ghadge Dhanshri Prakash

Class:MCA-I

Roll No:12

ASSIGNMENT NO :6

Q. Design Student Registration Form using HTML.

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Login and Registration Form</title>

  <style>

    * {

      margin: 0;

      padding: 0;

      box-sizing: border-box;

      font-family: Arial, Helvetica, sans-serif; }

    body {

      font-family: Arial, sans-serif;

      background-color: #f4f4f4;

      margin: 0;

      padding: 0; }

    .clg-name {

      text-align: center;

      margin: 20px 0;  }

    .container {

      display: flex;

      justify-content: center;

      gap: 120px;

      width: 1300px;
```

```
margin: 0 auto;

padding: 20px; }

.main-div {

background-color: #fff;

width: 1300px;

height: 700px;

box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);

padding: 20px;

margin: 0 auto;

margin-bottom: 80px; }

form {

display: flex;

flex-direction: column; }

label {

margin-top: 10px;

font-weight: bold; }

input[type="text"],

input[type="date"],

input[type="tel"],

input[type="email"],

textarea {

padding: 10px;

margin-top: 5px;

border: 1px solid #ccc;

border-radius: 5px; }

textarea {

resize: vertical; }

input[type="radio"] {

margin-right: 50px;

}

select {

width: 364px;

padding: 10px;

margin-top: 5px;
```

```
border: 1px solid #ccc;

border-radius: 5px;

background-color: #fff;
}

button {

margin-top: 20px;

padding: 10px;

border: none;

border-radius: 5px;

cursor: pointer;
}

button[type="submit"] {

background-color: #4CAF50; }

button[type="reset"] {

background-color: #f44336; }

button[type="Exit"] {

background-color: #0d24a3;}

button[type="button"] {

background-color: #555; }

button:hover {

background-color: #bea61b; }

h2 {

padding: 10px; }

h1{

margin-top: 20px;
}

.subjects {

display: flex;
}

.form-1 , .form-2{

margin-top: 10px;
}

input {

width: 364px;
```



```

    }

    .buttons{
        margin-left: 50%;
    }
</style></head>
<body>
    <div class="clg-name">
        <h2>BHARATI VIDYAPEETH DEEMED TO BE UNIVERSITY, PUNE</h2>
        <h3>YASHWANTRAO MOHITE INSTITUTE OF MANAGEMENT KARAD</h3>
        <h1>Student Registration Form</h1>
    </div>
    <div class="main-div">
        <div class="container">
            <form action="" class="form-1">
                <!-- Username -->
                <label for="fname">FirstName : </label>
                <input type="text" name="fname" id="fname" placeholder="Enter your first name">
                <!-- Middle Name -->
                <label for="mname">MiddleName : </label>
                <input type="text" name="mname" id="mname" placeholder="Enter your middle name">
                <!-- Last Name -->
                <label for="lname">LastName : </label>
                <input type="text" name="lname" id="lname" placeholder="Enter your last name">
                <!-- Mother's Name -->
                <label for="mname">Mother's Name : </label>
                <input type="text" name="mname" id="mname" placeholder="Enter your mother's name">
                <!-- Gender -->
                <label for="Gender">Gender : </label>
                <label for="male">Male</label>
                <input type="radio" name="gender" value="male" id="male">
                <label for="female">Female</label>
                <input type="radio" name="gender" value="female" id="female">
                <!-- Date of Birth -->
                <label for="dob">Date of Birth : </label>

```

```
<input type="date" name="dob" id="dob">

<!-- Address -->

<label for="address">Address : </label>

<textarea name="address" id="address" placeholder="Enter your address"></textarea>

</form>

<form action="" class="form-2">

  <!-- Mobile Number -->

  <label for="mobile">Mobile No : </label>

  <input type="tel" name="mobile" id="mobile" placeholder="Enter your mobile number">

  <!-- Email -->

  <label for="email">Email : </label>

  <input type="email" name="email" id="email" placeholder="Enter your email">

  <!-- Department -->

  <label for="department">Department : </label>

  <select name="department" id="department">

    <option value="Management">Management</option>

    <option value="Computer Application">Computer Applications</option>

  </select>

  <!-- Course -->

  <label for="course">Course : </label>

  <select name="course" id="course">

    <option value="MBA">MBA</option>

    <option value="MCA">MCA</option>

    <option value="BCA">BCA</option>

    <option value="BBA">BBA</option>

  </select>

  <!-- Subject -->

  <label for="subject">Subjects : </label>

  <div class="subjects">

    <div id="subject-1">

      <input type="checkbox" name="subject" value="Mathematics">Mathematics <br>

      <input type="checkbox" name="subject" value="Physics"> Physics<br>

      <input type="checkbox" name="subject" value="Chemistry"> Chemistry<br>

      <input type="checkbox" name="subject" value="Biology"> Biology<br>
```

```

<input type="checkbox" name="subject" value="Computer Science"> Computer Science<br>
    </div>
    <div id="subject-2">
        <input type="checkbox" name="subject" value="Economics"> Economics<br>
            <input type="checkbox" name="subject" value="History"> History<br>
        <input type="checkbox" name="subject" value="Geography"> Geography<br>
            <input type="checkbox" name="subject" value="English"> English<br>
    <input type="checkbox" name="subject" value="Political Science"> Political Science<br>
        </div></div>
    </form></div>
    <div class="buttons">
        <button type="submit">Submit</button>
        <button type="reset">Reset</button>
        <button type="Exit">Exit</button>
    </div>
</div>
</body>
</html>

```

OUTPUT

BHARATI VIDYAPEETH DEEMED TO BE UNIVERSITY, PUNE
YASHWANTRAO MOHITE INSTITUTE OF MANAGEMENT KARAD
Student Registration Form

FirstName :

MiddleName :

LastName :

Mother's Name :

Gender :
Male ☐
Female ☐

Date of Birth :

Address :

Mobile No :

Email :

Department :

Course :

Subjects :

Mathematics	☐	Economics	☐
Physics	☐	History	☐
Chemistry	☐	Geography	☐
Biology	☐	English	☐
Computer Science	☐	Political Science	☐

Submit
Reset
Exit

PRN: 2421100256

Name:Ghadge Dhanshri Prakash

Class:MCA-I

Roll No:12

ASSIGNMENT NO :7

Q. Demonstrate CSS using Inline, Internal & External CSS.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Internal & External CSS Demo</title>
  <!-- Linking External CSS -->
  <link rel="stylesheet" href="styles.css">
  <!-- Internal CSS -->
  <style>
    h1 {
      color: darkblue;
      text-align: center;
    }
    .internal-style {
      background-color: lightgray;
      padding: 10px;
      text-align: center;
      font-size: 18px;
    }
  </style>
</head>
<body>
  <h1>Internal & External CSS Example</h1>
  <div class="internal-style">
    This is styled using **Internal CSS**.
```

```
</div>
```

```
<p class="external-style">
```

This paragraph is styled using **External CSS**.

```
</p>
```

```
</body>
```

```
</html>
```

Styles.css:

```
.external-style {
```

```
background-color: lightblue;
```

```
color: darkred;
```

```
padding: 15px;
```

```
text-align: center;
```

```
font-size: 18px;
```

```
}
```

OUTPUT

Internal & External CSS Example

This is styled using **Internal CSS**.

This paragraph is styled using **External CSS**.

PRN: 2421100256

Name: Ghadge Dhanshri Prakash

Class: MCA-I

Roll No: 12

ASSIGNMENT NO :8

Q. Develop Basic Calculator Using HTML, CSS, JavaScript that Performs Arithmetic Operations.

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Simple Calculator</title>

  <style>

    body {

      font-family: Arial, sans-serif;

      text-align: center;

      margin: 20px;

    }

    input {

      margin: 10px;

      padding: 5px;

      width: 150px;

    }

    button {

      margin: 5px;

      padding: 10px 20px;

      cursor: pointer;

    }

    #result {

      margin-top: 20px;
```

```
    font-size: 1.2em;

    font-weight: bold;
}

input {

    display: list-item;

    border-radius: 10px;

    width: 250px;
}

.main {

    background-color: aqua;

    padding: 20px;

    border-radius: 10px;

    height: 250px;

    width: 300px;

    margin-top: 10vh;

    margin-left: 40vw;
}


#operation {

    width: 265px;

    padding: 5px;

    border-radius: 10px;

    margin-right: 20px;
}

button {

    margin-top: 20px;

    padding: 10px 20px;

    border-radius: 10px;

    background-color: blue;

    color: white;

    font-weight: bold;
}

</style>
</head>
```

```
<body>

  <div class="main">

    <h1>Calculator</h1>

    <div class="input">

      <input type="number" id="num1" placeholder="Enter first number">

    </div>

    <div class="input">

      <input type="number" id="num2" placeholder="Enter second number">

    </div>

    <div class="operation">

      <select id="operation">

        <option value="+>Add</option>

        <option value="->Subtract</option>

        <option value="*>Multiply</option>

        <option value="/>Divide</option>

      </select>

    </div>

    <div class="button">

      <button onclick="performOperation()">Calculate</button>

    </div>

    <div id="result"></div>

  </div>

  <script>

    function performOperation() {

      const num1 = parseFloat(document.getElementById('num1').value);

      const num2 = parseFloat(document.getElementById('num2').value);

      const operator = document.getElementById('operation').value;

      let result;

      if (isNaN(num1) || isNaN(num2)) {

        result = "Please enter valid numbers.";

      } else {
```




```
switch (operator) {  
  case '+':  
    result = num1 + num2;  
    break;  
  case '-':  
    result = num1 - num2;  
    break;  
  case '*':  
    result = num1 * num2;  
    break;  
  case '/':  
    result = num2 !== 0 ? num1 / num2 : "Cannot divide by zero.";  
    break;  
  default:  
    result = "Invalid operation.";  
}  
}  
  
document.getElementById('result').innerText = `Result: ${result}`;  
}
```

</script>

</body>

</html>

OUTPUT



Calculator

Enter first number

Enter second number

Add ▼

Calculate

PRN: 2421100256

Name:Ghadge Dhanshri Prakash

Class:MCA-I

Roll No:12

ASSIGNMENT NO :9

Q. Create MarkList Application Using HTML,CSS, JavaScript.

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Marks, Grade, and Result Calculation</title>

  <style>

    body {

      font-family: Arial, sans-serif;

      padding: 20px;

      background-color: #f4f4f4;

    }

    .container {

      max-width: 600px;

      margin: 0 auto;

      padding: 20px;

      background-color: #fff;

      border-radius: 8px;

      box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);

    }

    h2 {

      text-align: center;

      color: #333;

    }

    label {

      margin: 10px 0;
```

```
    font-weight: bold;

    display: block;
}
input {
    width: 100%;

    padding: 10px;

    margin: 8px 0;

    border: 1px solid #ccc;

    border-radius: 4px;
}
button {
    width: 100%;

    padding: 10px;

    background-color: #4CAF50;

    color: white;

    border: none;

    border-radius: 4px;

    font-size: 16px;
}
button:hover {
    background-color: #45a049;
}
.result {
    margin-top: 20px;

    font-size: 18px;

    text-align: center;
}
.result input {
    font-weight: bold;

    text-align: center;
}
</style>
</head>
<body>
```

```
<div class="container">

  <h2>Marks, Grade, and Result Calculation</h2>

  <label for="marks1">Subject 1 Marks:</label>

  <input type="number" id="marks1" placeholder="Enter marks for Subject 1" required>

  <label for="marks2">Subject 2 Marks:</label>

  <input type="number" id="marks2" placeholder="Enter marks for Subject 2" required>

  <label for="marks3">Subject 3 Marks:</label>

  <input type="number" id="marks3" placeholder="Enter marks for Subject 3" required>

  <label for="marks4">Subject 4 Marks:</label>

  <input type="number" id="marks4" placeholder="Enter marks for Subject 4" required>

  <label for="marks5">Subject 5 Marks:</label>

  <input type="number" id="marks5" placeholder="Enter marks for Subject 5" required>

  <button onclick="calculateResult()">Calculate Result</button>

  <div class="result">

    <label for="totalMarks">Total Marks:</label>

    <input type="text" id="totalMarks" readonly>

    <label for="percentage">Percentage:</label>

    <input type="text" id="percentage" readonly>

    <label for="grade">Grade:</label>

    <input type="text" id="grade" readonly>

    <label for="result">Result:</label>

    <input type="text" id="result" readonly>

  </div>

</div>

<script>

function calculateResult() {

  // Get the marks from the input fields

  var marks1 = parseFloat(document.getElementById("marks1").value);

  var marks2 = parseFloat(document.getElementById("marks2").value);

  var marks3 = parseFloat(document.getElementById("marks3").value);

  var marks4 = parseFloat(document.getElementById("marks4").value);

  var marks5 = parseFloat(document.getElementById("marks5").value);

  // Validate input to ensure marks are entered

  if (isNaN(marks1) || isNaN(marks2) || isNaN(marks3) || isNaN(marks4) || isNaN(marks5)) {
```

```
        alert("Please enter valid marks for all subjects.");
        return;
    }
    // Calculate total marks and percentage
    var totalMarks = marks1 + marks2 + marks3 + marks4 + marks5;
    var percentage = (totalMarks / 500) * 100;
    // Determine grade based on percentage
    var grade = "";
    if (percentage >= 90) {
        grade = "A+";
    } else if (percentage >= 80) {
        grade = "A";
    } else if (percentage >= 70) {
        grade = "B+";
    } else if (percentage >= 60) {
        grade = "B";
    } else if (percentage >= 50) {
        grade = "C";
    } else if (percentage >= 40) {
        grade = "D";
    } else {
        grade = "F";
    }
    // Determine result (Passed or Failed)
    var result = percentage >= 40 ? "Passed" : "Failed";
    // Display the results in textboxes
    document.getElementById("totalMarks").value = totalMarks;
    document.getElementById("percentage").value = percentage.toFixed(2) + "%";
    document.getElementById("grade").value = grade;
    document.getElementById("result").value = result;
}
</script>
</body>
</html>
```

OUTPUT

Marks, Grade, and Result Calculation

Subject 1 Marks:

90

Subject 2 Marks:

98

Subject 3 Marks:

95

Subject 4 Marks:

89

Subject 5 Marks:

96

Calculate Result

Total Marks:

468

Percentage:

93.60%

Grade:

A+

Result:

Passed

PRN: 2421100256

Name:Ghadge Dhanshri Prakash

Class:MCA-I

Roll No:12

ASSIGNMENT NO :10

Q. Demonstration of Mathematical functions using JavaScript.

```
<!DOCTYPE html>

<html>

<head>

  <title>JavaScript Math Functions</title>

  <style>

    body {

      font-family: Arial, sans-serif;

      padding: 20px;

      background-color: #eef2f3;

    }

    h2 {

      text-align: center;

    }

    .output {

      background-color: #fff;

      padding: 15px;

      margin: 20px auto;

      width: 80%;

      border-radius: 8px;

      box-shadow: 0 0 10px rgba(0,0,0,0.1);

    }

    button {

      padding: 10px 15px;

      font-size: 16px;

      margin-top: 10px;

      display: block;
```

```

        margin-left: auto;
        margin-right: auto;
    }
    pre {
        background-color: #f4f4f4;
        padding: 10px;
        border-radius: 5px;
    }
</style>
</head>
<body>
    <h2>Demonstration of JavaScript Mathematical Functions</h2>
    <button onclick="showMathFunctions()">Show Math Functions</button>
    <div class="output" id="outputBox">
        <pre id="result">Click the button to see the output...</pre>
    </div>
    <script>
        function showMathFunctions() {
            let x = 5.7;
            let y = 4;
            let output = `

```

Original Numbers:

```

x = ${x}
y = ${y}
Math.round(x): ${Math.round(x)}
Math.floor(x): ${Math.floor(x)}
Math.ceil(x): ${Math.ceil(x)}
Math.trunc(x): ${Math.trunc(x)}
Math.pow(x, y): ${Math.pow(x, y)}
Math.sqrt(25): ${Math.sqrt(25)}
Math.cbrt(27): ${Math.cbrt(27)}
Math.max(10, 20, 30): ${Math.max(10, 20, 30)}
Math.min(10, 20, 30): ${Math.min(10, 20, 30)}
Math.abs(-50): ${Math.abs(-50)}

```



```
Math.sign(-10): ${Math.sign(-10)}  
  
Math.sign(0): ${Math.sign(0)}  
  
Math.sign(10): ${Math.sign(10)}  
  
Random Number (0-1): ${Math.random().toFixed(4)}  
  
Random Integer (1-100): ${Math.floor(Math.random() * 100) + 1};  
  
    document.getElementById("result").innerText = output;  
  
    }  
  
</script>  
  
</body>  
  
</html>
```

OUTPUT

Demonstration of JavaScript Mathematical Functions

Show Math Functions

```
Original Numbers:  
x = 5.7  
y = 4  
  
Math.round(x): 6  
Math.floor(x): 5  
Math.ceil(x): 6  
Math.trunc(x): 5  
  
Math.pow(x, y): 1055.6001  
Math.sqrt(25): 5  
Math.cbrt(27): 3  
  
Math.max(10, 20, 30): 30  
Math.min(10, 20, 30): 10  
  
Math.abs(-50): 50  
Math.sign(-10): -1  
Math.sign(0): 0  
Math.sign(10): 1  
  
Random Number (0-1): 0.8857  
Random Integer (1-100): 77
```

PRN: 2421100256

Name:Ghadge Dhanshri Prakash

Class:MCA-I

Roll No:12

ASSIGNMENT NO :11

Q. Demonstration of strings functions using Javascript.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>String Functions Demo</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      padding: 20px;
      background: #f0f8ff;
    }
    .container {
      max-width: 600px;
      margin: auto;
      background: white;
      border-radius: 10px;
      padding: 20px;
      box-shadow: 0 0 10px rgba(0,0,0,0.1);
    }
    h2 {
      text-align: center;
      color: #333;
    }
    button {
      padding: 10px 20px;
      background-color: #4CAF50;
```

```
    color: white;

    font-size: 16px;

    border: none;

    border-radius: 5px;

    cursor: pointer;

    display: block;

    margin: 20px auto;
}

button:hover {

    background-color: #45a049;

}

.output {

    margin-top: 20px;

    background: #f9f9f9;

    padding: 15px;

    border-radius: 5px;

    line-height: 1.6;

}

</style>
</head>
<body>

<div class="container">

    <h2>Demonstration of String Functions using JavaScript</h2>

    <button onclick="showStringFunctions()">Show String Functions</button>

    <div class="output" id="result"></div>

</div>

<script>

function showStringFunctions() {

    let str = " Hello JavaScript! ";

    let output = "";

    output += "Original String: " + str + "<br>";

    output += "Length: " + str.length + "<br>";

    output += "Uppercase: " + str.toUpperCase() + "<br>";

    output += "Lowercase: " + str.toLowerCase() + "<br>";
```

```
output += "Trimmed: '" + str.trim() + "'<br>";  
output += "Substring (0, 5): " + str.substring(0, 5) + "<br>";  
output += "Char at 6: " + str.charAt(6) + "<br>";  
output += "Index of 'Java': " + str.indexOf("Java") + "<br>";  
output += "Replace 'JavaScript' with 'World': " + str.replace("JavaScript", "World") + "<br>";  
output += "Split by space: " + str.trim().split(" ") + "<br>";  
output += "Includes 'Script': " + str.includes("Script") + "<br>";  
document.getElementById("result").innerHTML = output;  
}  
</script>  
</body>  
</html>
```

OUTPUT

Demonstration of String Functions using JavaScript

Show String Functions

Original String: ' Hello JavaScript! '
Length: 21
Uppercase: HELLO JAVASCRIPT!
Lowercase: hello javascript!
Trimmed: 'Hello JavaScript!'
Substring (0, 5): Hel
Char at 6: o
Index of 'Java': 8
Replace 'JavaScript' with 'World': Hello World!
Split by space: Hello,JavaScript!
Includes 'Script': true

PRN: 2421100256

Name:Ghadge Dhanshri Prakash

Class:MCA-I

Roll No:12

ASSIGNMENT NO :12

Q. Demonstration JavaScript Events.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>JavaScript Events Demo</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      padding: 30px;
      background-color: #f0f0f0;
    }
    .container {
      max-width: 600px;
      margin: auto;
      background-color: white;
      padding: 20px;
      border-radius: 10px;
      box-shadow: 0 0 10px rgba(0,0,0,0.2);
    }
    button, input {
      padding: 10px;
      margin: 10px 0;
      font-size: 16px;
      border-radius: 5px;
      border: 1px solid #ccc;
    }
```

```
#hoverBox {  
  width: 100%;  
  padding: 20px;  
  background-color: #d1ecf1;  
  text-align: center;  
  margin-top: 10px;  
  border-radius: 5px;  
  transition: background 0.3s;  
}  
.output {  
  margin-top: 15px;  
  font-weight: bold;  
}  
</style>  
</head>  
<body>  
  <div class="container">  
    <h2>JavaScript Events Demonstration</h2>  
    <button onclick="onClickEvent()">Click Me</button><br>  
    <input type="text" id="textInput" onkeyup="onKeyUpEvent()" placeholder="Type something..."><br>  
    <div id="hoverBox" onmouseover="onMouseOver()" onmouseout="onMouseOut()">  
      Hover over this box  
    </div>  
    <p class="output" id="outputText"></p>  
  </div>  
  <script>  
    function onClickEvent() {  
      document.getElementById("outputText").innerHTML = "Button was clicked!";  
    }  
    function onKeyUpEvent() {  
      let input = document.getElementById("textInput").value;  
      document.getElementById("outputText").innerHTML = "You typed: " + input;  
    }  
  }  
</script>  
</body>  
</html>
```

```
function onMouseOver() {  
    document.getElementById("hoverBox").style.backgroundColor = "#c3e6cb";  
    document.getElementById("outputText").innerHTML = "Mouse is over the box!";  
}  
function onMouseOut() {  
    document.getElementById("hoverBox").style.backgroundColor = "#d1ecf1";  
    document.getElementById("outputText").innerHTML = "Mouse left the box.";  
}  
</script>  
</body>  
</html>
```

OUTPUT

JavaScript Events Demonstration

Click Me

cgbhdhdh

Hover over this box

Mouse left the box.

PRN: 2421100256

Name:Ghadge Dhanshri Prakash

Class:MCA-I

Roll No:12

ASSIGNMENT NO :13

Q. Write a javascript Code to display Pyramid

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Star Pyramid</title>
  <style>
    body {
      font-family: monospace;
      background-color: #f4f4f4;
      padding: 20px;
    }
    h2 {
      text-align: center;
    }
    .pyramid {
      white-space: pre;
      text-align: center;
      font-size: 18px;
      background-color: #fff;
      margin: 0 auto;
      padding: 20px;
      border-radius: 10px;
      max-width: 300px;
      box-shadow: 0 0 10px rgba(0,0,0,0.1);
    }
  </style>
```



```
</head>
<body>
  <h2>Star Pyramid Pattern</h2>
  <div class="pyramid" id="pyramidOutput"></div>
  <script>
    function generatePyramid(rows) {
      let pyramid = "";
      for (let i = 1; i <= rows; i++) {
        let spaces = ' '.repeat(rows - i);
        let stars = '*'.repeat(2 * i - 1);
        pyramid += spaces + stars + "\n";
      }
      document.getElementById("pyramidOutput").innerText = pyramid;
    }
    // Change the number inside to get different sized pyramids
    generatePyramid(6);
  </script>
</body>
</html>
```

OUTPUT

Star Pyramid Pattern

```
      *
     ***
    *****
   *********
  ***********
 *****
*****
```

PRN: 2421100256

Name:Ghadge Dhanshri Prakash

Class:MCA-I

Roll No:12

ASSIGNMENT NO :14

Q. Write a HTML , Javascript code to accept number and check whether it is 1) Palindrome number 2) Armstrong

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <title>Number Check: Palindrome & Armstrong</title>

  <style>

    body {

      font-family: Arial, sans-serif;

      padding: 20px;

      background-color: #f9f9f9;

    }

    .container {

      max-width: 500px;

      margin: auto;

      padding: 30px;

      background-color: #fff;

      border-radius: 10px;

      box-shadow: 0 0 10px rgba(0,0,0,0.1);

    }

    h2 {

      text-align: center;

      color: #333;

    }

    input, button {

      width: 100%;

      padding: 10px;
```

```
margin: 10px 0;

font-size: 16px;

}

.result {

margin-top: 20px;

font-weight: bold;

text-align: center;

}

</style>

</head>

<body>

<div class="container">

  <h2>Palindrome & Armstrong Checker</h2>

  <input type="number" id="numInput" placeholder="Enter a number" />

  <button onclick="checkNumber()">Check</button>

  <div class="result" id="result"></div>

</div>

<script>

function checkNumber() {

  let num = document.getElementById("numInput").value;

  let resultText = "";

  if (num === "") {

    document.getElementById("result").innerText = "Please enter a number.";

    return;

  }

  // Convert to number

  let originalNum = parseInt(num);

  // Check for Palindrome

  let reversed = num.split("").reverse().join("");

  let isPalindrome = (num === reversed);

  // Check for Armstrong

  let sum = 0;

  let temp = originalNum;

  let digits = num.length;
```

```
while (temp > 0) {  
    let digit = temp % 10;  
    sum += Math.pow(digit, digits);  
    temp = Math.floor(temp / 10);  
}  
let isArmstrong = (sum === originalNum);  
  
// Output results  
resultText += `Number: ${originalNum}<br>`;  
resultText += `Palindrome: ${isPalindrome ? "Yes  " : "No  "<br>`;  
resultText += `Armstrong: ${isArmstrong ? "Yes  " : "No  "`;  
document.getElementById("result").innerHTML = resultText;  
}  
</script>  
</body>  
</html>
```

OUTPUT

Palindrome & Armstrong Checker

121

Check

Number: 121
Palindrome: Yes 
Armstrong: No 

PRN: 2421100256

Name:Ghadge Dhanshri Prakash

Class:MCA-I

Roll No:12

ASSIGNMENT NO :15

Q. Demonstration of PHP control structure.

```
<!DOCTYPE html>

<html>

<head>

    <title>PHP Control Structures Demo</title>

</head>

<body>

    <h2>PHP Control Structure Demonstration</h2>

    <?php

        // Example 1: if-else

        $num = 10;

        echo "<h3>1. if-else Statement</h3>";

        if ($num > 0) {

            echo "$num is a positive number.<br>";

        } else {

            echo "$num is not a positive number.<br>";

        }

        // Example 2: switch

        echo "<h3>2. switch Statement</h3>";

        $day = "Wed";

        switch ($day) {

            case "Mon":

                echo "Today is Monday";

                break;

            case "Tue":

                echo "Today is Tuesday";

                break;
```

```
case "Wed":
    echo "Today is Wednesday";
    break;
default:
    echo "Some other day";
}

// Example 3: for loop
echo "<h3>3. for Loop</h3>";
for ($i = 1; $i <= 5; $i++) {
    echo "Iteration: $i <br>";
}

// Example 4: while loop
echo "<h3>4. while Loop</h3>";
$count = 1;
while ($count <= 3) {
    echo "Count is: $count <br>";
    $count++;
}

// Example 5: foreach loop
echo "<h3>5. foreach Loop</h3>";
$colors = ["Red", "Green", "Blue"];
foreach ($colors as $color) {
    echo "Color: $color <br>";
}
?>
</body>
</html>
```

OUTPUT



localhost/wst/control-demo.php

PHP Control Structure Demonstration

1. if-else Statement

10 is a positive number.

2. switch Statement

Today is Wednesday

3. for Loop

Iteration: 1

Iteration: 2

Iteration: 3

Iteration: 4

Iteration: 5

4. while Loop

Count is: 1

Count is: 2

Count is: 3

5. foreach Loop

Color: Red

Color: Green

Color: Blue