Who are Stake holders?
==========
family - > everyone part of the system are stakeholders

parents,us ,our kids,relatives society, friends,colleagues,etec..

bank - > customers, employees, management and leadership, investors, RBI, IT department
marketing, sales operation, security team , admin teams, partners, etc.

school > students, teaching staff, non teaching staff, leadrship, inverstors, educaion deaprtment, etc

devops -> team members, management, developers, testing team operations team admin team

SDLC - > software development lifecycle

client perspective
end user prespective

house construction

- requirements gathering
- planning and analysis -> analysing the requiremnts given by client
- design -> house plan
- development - > construction
- testing -> Accordiing to plan
- deployment -> start living in the house
- maintainace -> mofications

Implementations
==========
waterfall -> you can't back

school management system
==========
100 years back -> gurukuls

year and final exam

DAY 1 - > students are not serious from DAY-1, teachers are also not serious from DAY-1

parents are serious from DAY-1
OUT of 100 MAX 20-30 are pass. 20% are failure

only one exam -- > only one chance
then come up with a new solution
UNIT I , UNIT II, UNIT III, UNIT IV,Quaterly, halfyerly,grand test anuvarly - >

UNIT I -> 9
UNIT II -> 20

At final exam - > 36

why we need multiple environments ?
==========

DEV,SI,UAT,PRE POD,PERF,SEC,PROD

We taste it
family members
relatives
small crod
outsource employee

FASAI
=====

MARKET Release --> 10 percent market share, 90% cocola

1. faster release
2. less defects

whatsap VS Arratai
==========

1.understand their process
2. work with that process
3. find the improvements
4. do a simple POC - > Prove it
5. implement in DEV , SIT ,UAT
6. TAKE IT TO PROD

Restareunt application
==========
1 year
developers,testing,deployemnt(build,relase),management team
3-4 months only discussion
start developing 3 months
start testing 2 months

testers found 100 defects - > send to developers
2 invalid defects

final product is Delevered

Agile mode
========
sprints
=======

singnup page - > one month
development - > two weeks

testing and deployment - > two weeks

100 defects
20 invalid defects

because it short period developers remember the what developed they can fix fast

product catelogue -- > 2nd month-- previous months defects clear move to new development module
cart ---> 3rd month
filters ---> 4 month
order tracking -->5th month
payent gateway -->6th month

slip/daily tests
==========
we can conduct tests - > easy now
200 tests

AGILE WITH DEVOPS
==========
1 month singnup and sign in

1 day - >
enter first name ----------
enter last name----------

test the application daily base
positive test case - > positive - > sucess
negative test case - > negative input - > failure

2nd Day - >

10 defects
1 invalid defect

highly available,auto scale,security
cost optimization

build and relase - > develop process devops teams