

CSA-0963

## JAVA PROGRAMMING FOR SYSTEM INTERFACES

### Java Fundamentals

#### Section 4: Creating an Inventory Project

##### PROJECT 01:

##### PROGRAM:

```
Product {  
    // Instance field declarations  
    private int itemNumber;    // Unique identifier for the product  
    private String name;      // Name of the product  
    private int numberOfUnitsInStock; // Number of units currently in stock  
    private double price;      // Price of each unit  
  
    // Default constructor  
    // This constructor initializes the fields to their default values  
    public Product() {  
        this.itemNumber = 0;  
        this.name = "";  
        this.numberOfUnitsInStock = 0;  
        this.price = 0.0;  
    }  
  
    // Overloaded constructor with parameters  
    // This constructor initializes the fields with the provided values  
    public Product(int number, String name, int qty, double price) {  
        this.itemNumber = number;  
        this.name = name;  
        this.numberOfUnitsInStock = qty;  
        this.price = price;  
    }  
}
```

```
// Getter for itemNumber  
// Returns the item number of the product  
public int getItemNumber() {  
    return itemNumber;  
}
```

```
// Setter for itemNumber  
// Sets the item number of the product  
public void setItemNumber(int itemNumber) {  
    this.itemNumber = itemNumber;  
}
```

```
// Getter for name  
// Returns the name of the product  
public String getName() {  
    return name;  
}
```

```
// Setter for name  
// Sets the name of the product  
public void setName(String name) {  
    this.name = name;  
}
```

```
// Getter for numberOfUnitsInStock  
// Returns the quantity of the product in stock  
public int getNumberOfUnitsInStock() {  
    return numberOfUnitsInStock;  
}
```

```
// Setter for numberOfUnitsInStock  
// Sets the quantity of the product in stock
```

```

public void setNumberOfUnitsInStock(int numberOfUnitsInStock) {
    this.numberOfUnitsInStock = numberOfUnitsInStock;
}

// Getter for price
// Returns the price of the product
public double getPrice() {
    return price;
}

// Setter for price
// Sets the price of the product
public void setPrice(double price) {
    this.price = price;
}

// Overrides the toString method to provide product details
@Override
public String toString() {
    return "Item Number: " + itemNumber +
        "\nName: " + name +
        "\nQuantity in stock: " + numberOfUnitsInStock +
        "\nPrice: " + price;
}
}

// ProductTester.java
public class ProductTester {
    public static void main(String[] args) {
        // Creating Product objects
        Product product1 = new Product(); // Default constructor
        Product product2 = new Product(); // Default constructor
        Product product3 = new Product(1, "Wireless Mouse", 150, 25.99);
        Product product4 = new Product(2, "USB Flash Drive (64GB)", 75, 12.49);
    }
}

```

```
Product product5 = new Product(3, "Notebook (A5, 100 pages)", 200, 4.99);  
Product product6 = new Product(4, "Headphones (Over-ear, Noise-canceling)", 50, 89.99);
```

```
// Displaying details of each product to the console
```

```
System.out.println(product1.toString());  
System.out.println();  
System.out.println(product2.toString());  
System.out.println();  
System.out.println(product3.toString());  
System.out.println();  
System.out.println(product4.toString());  
System.out.println();  
System.out.println(product5.toString());  
System.out.println();  
System.out.println(product6.toString());
```

```
}
```

```
}
```

OUTPUT:

## Output

```
java -cp /tmp/kBSpeQ4Chr/ProductTester
```

```
Item Number: 0
```

```
Name:
```

```
Quantity in stock: 0
```

```
Price: 0.0
```

```
Item Number: 0
```

```
Name:
```

```
Quantity in stock: 0
```

```
Price: 0.0
```

```
Item Number: 1
```

```
Name: Wireless Mouse
```

```
Quantity in stock: 150
```

```
Price: 25.99
```

```
Item Number: 2
```

```
Name: USB Flash Drive (64GB)
```

```
Quantity in stock: 75
```

```
Price: 12.49
```

```
Item Number: 3
```

```
Name: Notebook (A5, 100 pages)
```

```
Quantity in stock: 200
```

```
Price: 4.99
```

```
Price: 4.99
```

```
Item Number: 4
```

```
Name: Headphones (Over-ear, Noise-canceling)
```

```
Quantity in stock: 50
```

```
Price: 89.99
```

```
=== Code Execution Successful ===
```

## PROJECT 02

### SECTION 5

#### PROGRAM:

```
Import java.util.Scanner;
```

```
public class Product {  
  
    private int itemNumber;  
  
    private String name;  
  
    private int qty;  
  
    private double price;  
  
    private boolean active = true; // Default value is true  
  
    // Constructor with parameters  
    public Product(int itemNumber, String name, int qty, double price) {  
  
        this.itemNumber = itemNumber;  
  
        this.name = name;  
  
        this.qty = qty;  
  
        this.price = price;  
    }  
  
    // Getter and setter for active  
    public boolean isActive() {  
  
        return active;  
    }  
  
    public void setActive(boolean active) {  
  
        this.active = active;  
    }  
  
    // Calculate inventory value  
    public double getInventoryValue() {  
  
        return price * qty;  
    }  
  
    // String representation of the Product  
    @Override  
    public String toString() {  
  
        return "Item Number : " + itemNumber + "\n" +
```

```

        "Name : " + name + "\n" +
        "Quantity in stock: " + qty + "\n" +
        "Price : " + price + "\n" +
        "Stock Value : " + getInventoryValue() + "\n" +
        "Product Status : " + (active ? "Active (true)" : "Discontinued (false)");
    }
}

```

```

public class ProductTester {
    public static void main(String[] args) {
        Scanner in = new Scanner(System.in);

        // Temporary variables for product attributes
        int tempNumber;
        String tempName;
        int tempQty;
        double tempPrice;

        // Input for p1
        System.out.println("Enter Item Number: ");
        tempNumber = in.nextInt();

        // Clear the input buffer
        in.nextLine();

        System.out.println("Enter Name: ");
        tempName = in.nextLine();

        System.out.println("Enter Quantity: ");
        tempQty = in.nextInt();

        System.out.println("Enter Price: ");
    }
}

```

```
tempPrice = in.nextDouble();

// Create p1
Product p1 = new Product(tempNumber, tempName, tempQty, tempPrice);
System.out.println(p1); // Display p1 information

// Clear the input buffer before getting values for p2
in.nextLine();

// Input for p2
System.out.println("Enter Item Number for second product: ");
tempNumber = in.nextInt();

// Clear the input buffer
in.nextLine();

System.out.println("Enter Name for second product: ");
tempName = in.nextLine();

System.out.println("Enter Quantity for second product: ");
tempQty = in.nextInt();

System.out.println("Enter Price for second product: ");
tempPrice = in.nextDouble();

// Create p2
Product p2 = new Product(tempNumber, tempName, tempQty, tempPrice);
System.out.println(p2); // Display p2 information

// Set active status for p2 to false
p2.setActive(false);

System.out.println(p2); // Display p2 with updated active status
```



```
//Close Scanner  
in.close();  
}  
}
```

OUTPUT:

```
Enter Item Number:  
1  
Enter Name:  
BOOK  
Enter Quantity:  
2  
Enter Price:  
30  
Item Number: 1  
Name: BOOK  
Quantity in stock: 2  
Price: 30.0  
Enter Item Number for second product:  
2  
Enter Name for second product:  
PEN  
Enter Quantity for second product:  
10  
Enter Price for second product:  
5  
Item Number: 2  
Name: PEN  
Quantity in stock: 10  
Price: 5.0  
  
=== Code Execution Successful ===
```

## PROJECT-03

### SECTION-06 CREATE ANA INVENTORY PROJECT

PROGRAM:

```
import java.util.Scanner;  
  
import java.util.InputMismatchException;  
  
class Product {  
    private String name;  
    private int quantity;  
    private double price;
```

```

private int itemNumber;

// Constructor
public Product(String name, int quantity, double price, int itemNumber) {
    this.name = name;
    this.quantity = quantity;
    this.price = price;
    this.itemNumber = itemNumber;
}

@Override
public String toString() {
    return "Product Name: " + name + ", Quantity: " + quantity +
        ", Price: $" + price + ", Item Number: " + itemNumber;
}
}

public class ProductTester {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        int maxSize = -1; // Initializing with a value to force a correct input later

        // Prompt for the number of products
        System.out.println("Enter the number of products you would like to add");
        System.out.println("Enter 0 (zero) if you do not wish to add products");

        // Input loop
        do {
            try {
                maxSize = scanner.nextInt();

                if (maxSize < 0) {
                    System.out.println("Incorrect Value entered");
                }
            }
        }
    }
}

```

```

    }

    } catch (InputMismatchException e) {
        System.out.println("Incorrect data type entered!");
        scanner.next(); // Clear the input buffer
        // Continue the loop after clearing the buffer
    }
} while (maxSize < 0); // Exit on 0 or greater

// Handle the case of no products
if (maxSize == 0) {
    System.out.println("No products required!");
} else { // Handle positive maxSize
    // Create an array to store Product objects
    Product[] products = new Product[maxSize];

    // Populate the array with product details
    for (int i = 0; i < maxSize; i++) {
        scanner.nextLine(); // Clear the input buffer

        System.out.print("Enter the name of product " + (i + 1) + ": ");
        String name = scanner.nextLine();

        System.out.print("Enter the quantity of product " + (i + 1) + ": ");
        int quantity = scanner.nextInt();

        System.out.print("Enter the price of 2) + ": ");
        double price = scanner.nextDouble();

        System.out.print("Enter the item number of product " + (i + 1) + ": ");
        int itemNumber = scanner.nextInt();

        // Create a new product object and place it in the array
    }
}

```

```


        products[i] = new Product(name, quantity, price, itemNumber);
    }

    // Display the products using a for-each loop
    System.out.println("\nProducts Added:");
    for (Product product : products) {
        System.out.println(product);
    }
}

//Close the scanner
scanner.close();
}
}

```

OUTPUT:



The screenshot shows a Java IDE's output window titled "Output". It displays the execution of a Java program. The program prompts the user to enter the number of products to add (3), then for each product, it prompts for the name, quantity, price, and item number. The output shows the products added: BAG, CAMERA, and IPHONE, each with their respective quantities, prices, and item numbers. The program ends with a success message: "=== Code Execution Successful ===".

```

Output
java -cp /tmp/Zsp6TnrQRy/ProductTester
Enter the number of products you would like to add
Enter 0 (zero) if you do not wish to add products
3
Enter the name of product 1: BAG
Enter the quantity of product 1: 1
Enter the price of product 1: 400
Enter the item number of product 1: 2143
Enter the name of product 2: CAMERA
Enter the quantity of product 2: 1
Enter the price of product 2: 50000
Enter the item number of product 2: 345678654
Enter the name of product 3: IPHONE
Enter the quantity of product 3: 1
Enter the price of product 3: 60000
Enter the item number of product 3: 2135466

Products Added:
Product Name: BAG, Quantity: 1, Price: $400.0, Item Number: 2143
Product Name: CAMERA, Quantity: 1, Price: $50000.0, Item Number: 345678654
Product Name: IPHONE, Quantity: 1, Price: $60000.0, Item Number: 2135466

=== Code Execution Successful ===

```

PROJECT-04

PART-01

SECTION-07

PROGRAM:

```
import java.util.Scanner;
```

```
class Product {
```

```
    private int number;
```

```
    private String name;
```

```
    private int quantity;
```

```
    private double price;
```

```
    // Constructor
```

```
    public Product(int number, String name, int quantity, double price) {
```

```
        this.number = number;
```

```
        this.name = name;
```

```
        this.quantity = quantity;
```

```
        this.price = price;
```

```
    }
```

```
    // Getters
```

```
    public String getName() {
```

```
        return name;
```

```
    }
```

```
    public int getQuantity() {
```

```
        return quantity;
```

```
    }
```

```
    // Method to add quantity
```

```
    public void addToInventory(int quantity) {
```

```
        if (quantity > 0) {
```

```
            this.quantity += quantity;
```

```
        } else {
```

```
            System.out.println("Quantity must be greater than zero.");
```

```

    }
}

// Method to deduct quantity
public void deductFromInventory(int quantity) {
    if (quantity > 0 && quantity <= this.quantity) {
        this.quantity -= quantity;
    } else {
        System.out.println("Invalid quantity for deduction.");
    }
}
}

```

```

public class ProductTester {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        int maxSize = getNumProducts(scanner);
        Product[] products = new Product[maxSize];

        addToInventory(products, scanner);
        displayInventory(products);

        int option;
        do {
            option = getMenuOption(scanner);
            switch (option) {
                case 1:
                    displayInventory(products);
                    break;
                case 2:
                    addInventory(products, scanner);
                    break;
                case 3:

```

```

        deductInventory(products, scanner);

        break;
    case 4:
        discontinueProduct(products, scanner);
        break;
    }
} while (option != 0);

scanner.close();
}

public static void displayInventory(Product[] products) {
    System.out.println("Current Inventory:");
    for (int i = 0; i < products.length; i++) {
        if (products[i] != null) {
            System.out.println(i + ": " + products[i].getName() + " - Quantity: " + products[i].getQuantity());
        }
    }
}

public static void addToInventory(Product[] products, Scanner scanner) {
    int tempNumber;
    String tempName;
    int tempQty;
    double tempPrice;

    for (int i = 0; i < products.length; i++) {
        System.out.print("Enter product number: ");
        tempNumber = scanner.nextInt();

        System.out.print("Enter product name: ");
        tempName = scanner.next();
    }
}

```

```

        System.out.print("Enter product quantity: ");

        tempQty = scanner.nextInt();

        System.out.print("Enter product price: ");

        tempPrice = scanner.nextDouble();

        products[i] = new Product(tempNumber, tempName, tempQty, tempPrice);
    }
}

public static int getNumProducts(Scanner scanner) {
    int maxSize;

    do {
        System.out.print("Enter max number of products: ");

        maxSize = scanner.nextInt();
    } while (maxSize <= 0);

    return maxSize;
}

public static int getMenuOption(Scanner scanner) {
    int option = -1;

    while (option < 0 || option > 4) {
        System.out.println("1. View Inventory");
        System.out.println("2. Add Stock");
        System.out.println("3. Deduct Stock");
        System.out.println("4. Discontinue Product");
        System.out.println("0. Exit");

        System.out.print("Please enter a menu option: ");

        try {
            option = scanner.nextInt();
        } catch (Exception e) {
            System.out.println("Invalid input. Please enter a number between 0 and 4.");

            scanner.next(); // Clear the invalid input
        }
    }
}

```



```

    }
}
return option;
}

```

```

public static int getProductNumber(Product[] products, Scanner scanner) {
    int productChoice = -1;
    while (productChoice < 0 || productChoice >= products.length) {
        System.out.println("Select a product by number:");
        for (int i = 0; i < products.length; i++) {
            if (products[i] != null) {
                System.out.println(i + ": " + products[i].getName());
            }
        }
        try {
            productChoice = scanner.nextInt();
        } catch (Exception e) {
            System.out.println("Invalid input. Please enter a valid product number.");
            scanner.next(); // Clear the invalid input
        }
    }
    return productChoice;
}

```

```

public static void addInventory(Product[] products, Scanner scanner) {
    int productChoice;
    int updateValue = -1;

    productChoice = getProductNumber(products, scanner);

    while (updateValue < 0) {
        System.out.print("Enter quantity to add: ");
        updateValue = scanner.nextInt();
    }
}

```

```

    }

    products[productChoice].addToInventory(updateValue);
}

public static void deductInventory(Product[] products, Scanner scanner) {
    int productChoice;
    int updateValue = -1;

    productChoice = getProductNumber(products, scanner);

    while (updateValue < 0) {
        System.out.print("Enter quantity to deduct: ");
        updateValue = scanner.nextInt();
    }

    products[productChoice].deductFromInventory(updateValue);
}

public static void discontinueProduct(Product[] products, Scanner scanner) {
    int productChoice = getProductNumber(products, scanner);
    products[productChoice] = null; // Setting the product to null to discontinue it
    System.out.println("Product discontinued.");
}
}

```

OUTPUT:

```
java -cp /tmp/VIHKbsiLSz/ProductT
Enter max number of products: 3
Enter product number: 2556
Enter product name: CAMERA
Enter product quantity: 2
Enter product price: 5000
Enter product number: 2557
Enter product name: LAPTOPBAG
Enter product quantity: 2
Enter product price: 60000
Enter product number: 3559
Enter product name: WATCH
Enter product quantity: 4
Enter product price: 6000
Current Inventory:
0: CAMERA - Quantity: 2
1: LAPTOPBAG - Quantity: 2
2: WATCH - Quantity: 4
1. View Inventory
2. Add Stock
3. Deduct Stock
4. Discontinue Product
0. Exit
Please enter a menu option: 2
Select a product by number:
0: CAMERA
```

## Output

```
3. Deduct Stock
4. Discontinue Product
0. Exit
Please enter a menu option: 2
Select a product by number:
0: CAMERA
1: LAPTOPBAG
2: WATCH
1
Enter quantity to add:
1
1. View Inventory
2. Add Stock
3. Deduct Stock
4. Discontinue Product
0. Exit
Please enter a menu option: 3
Select a product by number:
0: CAMERA
1: LAPTOPBAG
2: WATCH
2
Enter quantity to deduct: 1
1. View Inventory
2. Add Stock
3. Deduct Stock
4. Discontinue Product
```

PROJECT

SECTION 7 PART -02

PROGRAM:

```
import java.util.ArrayList;
```

```
import java.util.Scanner;
```

```
class Product {
```

```
    protected String name;
```

```
    protected double price;
```

```
    protected int quantity;
```

```
    protected int itemNumber;
```

```
protected String status = "Available";
```

```
public Product(String name, double price, int quantity, int itemNumber) {  
    this.name = name;  
    this.price = price;  
    this.quantity = quantity;  
    this.itemNumber = itemNumber;  
}
```

```
public double calculateInventoryValue() {  
    return price * quantity;  
}
```

```
@Override
```

```
public String toString() {  
    return "Item Number: " + itemNumber + "\n" +  
        "Name: " + name + "\n" +  
        "Quantity in stock: " + quantity + "\n" +  
        "Price: " + price + "\n" +  
        "Stock Value: " + String.format("%.2f", calculateInventoryValue()) + "\n" +  
        "Product Status: " + status;  
}  
}
```

```
class DVD extends Product {
```

```
    private int length;  
    private int ageRating;  
    private String filmStudio;
```

```
    public DVD(String name, double price, int quantity, int itemNumber, int length, int ageRating, String  
filmStudio) {  
        super(name, price, quantity, itemNumber);  
        this.length = length;
```

```

        this.ageRating = ageRating;

        this.filmStudio = filmStudio;
    }

    @Override
    public String toString() {
        return super.toString() + "\n" +
            "Movie Length: " + length + " minutes\n" +
            "Age Rating: " + ageRating + "\n" +
            "Film Studio: " + filmStudio;
    }
}

class CD extends Product {
    private String artist;
    private int numSongs;
    private String label;

    public CD(String name, double price, int quantity, int itemNumber, String artist, int numSongs, String label) {
        super(name, price, quantity, itemNumber);
        this.artist = artist;
        this.numSongs = numSongs;
        this.label = label;
    }

    @Override
    public String toString() {
        return super.toString() + "\n" +
            "Artist: " + artist + "\n" +
            "Songs on Album: " + numSongs + "\n" +
            "Record Label: " + label;
    }
}

```

```

class ProductTester {

    private ArrayList<Product> products = new ArrayList<>();

    private Scanner scanner = new Scanner(System.in);

    public void addToInventory() {
        int stockChoice = -1;

        while (stockChoice != 1 && stockChoice != 2) {
            System.out.println("1: CD\n2: DVD");
            System.out.print("Please enter the product type: ");
            stockChoice = scanner.nextInt();
            scanner.nextLine(); // Consume newline

            if (stockChoice != 1 && stockChoice != 2) {
                System.out.println("Only numbers 1 or 2 allowed!");
            }
        }

        if (stockChoice == 1) {
            addCDToInventory();
        } else {
            addDVDToInventory();
        }
    }

    private void addCDToInventory() {
        System.out.print("Please enter the CD name: ");
        String name = scanner.nextLine();

        System.out.print("Please enter the artist name: ");
        String artist = scanner.nextLine();
    }
}

```

```
System.out.print("Please enter the record label name: ");
```

```
String label = scanner.nextLine();
```

```
System.out.print("Please enter the number of songs: ");
```

```
int numSongs = scanner.nextInt();
```

```
System.out.print("Please enter the quantity of stock for this product: ");
```

```
int quantity = scanner.nextInt();
```

```
System.out.print("Please enter the price for this product: ");
```

```
double price = scanner.nextDouble();
```

```
System.out.print("Please enter the item number: ");
```

```
int itemNumber = scanner.nextInt();
```

```
CD cd = new CD(name, price, quantity, itemNumber, artist, numSongs, label);
```

```
products.add(cd);
```

```
System.out.println("CD added to inventory.");
```

```
}
```

```
private void addDVDToInventory() {
```

```
    System.out.print("Please enter the DVD name: ");
```

```
    String name = scanner.nextLine();
```

```
    System.out.print("Please enter the film studio name: ");
```

```
    String filmStudio = scanner.nextLine();
```

```
    System.out.print("Please enter the age rating: ");
```

```
    int ageRating = scanner.nextInt();
```

```
    System.out.print("Please enter the length in minutes: ");
```

```
    int length = scanner.nextInt();
```



```

        System.out.print("Please enter the quantity of stock for this product: ");

        int quantity = scanner.nextInt();

        System.out.print("Please enter the price for this product: ");

        double price = scanner.nextDouble();

        System.out.print("Please enter the item number: ");

        int itemNumber = scanner.nextInt();

        DVD dvd = new DVD(name, price, quantity, itemNumber, length, ageRating, filmStudio);
        products.add(dvd);

        System.out.println("DVD added to inventory.");
    }

    public void displayInventory() {
        for (Product product : products) {
            System.out.println(product);

            System.out.println("\n" + "=".repeat(40) + "\n");
        }
    }

    public static void main(String[] args) {
        ProductTester tester = new ProductTester();

        while (true) {
            System.out.println("1: Add Product\n2: Display Inventory\n3: Exit");

            System.out.print("Please enter your choice: ");

            int choice = tester.scanner.nextInt();

            tester.scanner.nextLine(); // Consume newline

            if (choice == 1) {
                tester.addToInventory();
            } else if (choice == 2) {

```

```

        tester.displayInventory();
    } else if (choice == 3) {
        break;
    } else {
        System.out.println("Invalid choice. Please try again.");
    }
}
tester.scanner.close();
}
}

```

OUTPUT:

#### Output

```

java -cp /tmp/c8y1yxGtiA/ProductTester
1: Add Product
2: Display Inventory
3: Exit
Please enter your choice: 1
1: CD
2: DVD
Please enter the product type: 2
Please enter the DVD name: OG
Please enter the film studio name: DVV
Please enter the age rating: 15
Please enter the length in minutes: 125
Please enter the quantity of stock for this product: 200
Please enter the price for this product: 300
Please enter the item number: 21
DVD added to inventory.
1: Add Product
2: Display Inventory
3: Exit
Please enter your choice: 1
1: CD
2: DVD
Please enter the product type: 1
Please enter the CD name: HHVM
Please enter the artist name: DSP
Please enter the record label name: GABBARSINGH

```

### Output

```
Please enter the record label name: GABBARSINGH
Please enter the number of songs: 5
Please enter the quantity of stock for this product: 20
Please enter the price for this product: 100
Please enter the item number: 23
CD added to inventory.
1: Add Product
2: Display Inventory
3: Exit
Please enter your choice: 2
Item Number: 21
Name: OG
Quantity in stock: 200
Price: 300.0
Stock Value: 60000.00
Product Status: Available
Movie Length: 125 minutes
Age Rating: 15
Film Studio: DVV

=====
```

```
-----
Item Number: 23
Name: HHVM
Quantity in stock: 20
Price: 100.0
Stock Value: 2000.00
Product Status: Available
Artist: DSP
Songs on Album: 5
Record Label: GABBARSINGH

=====
```

```
1: Add Product
2: Display Inventory
3: Exit
Please enter your choice: |
```

FINAL PROJECT IN JAVA FUOUNDATIONS:

PROGRAM:

```
import java.util.ArrayList;
```

```
import java.util.Scanner;
```

```
class Task {
```

```

private String name;

private boolean isCompleted;


public Task(String name) {
    this.name = name;
    this.isCompleted = false;
}


public String getName() {
    return name;
}


public boolean isCompleted() {
    return isCompleted;
}


public void completeTask() {
    this.isCompleted = true;
}


@Override
public String toString() {
    return (isCompleted ? "[x] " : "[ ] ") + name;
}
}


public class ToDoListApp {
    private ArrayList<Task> tasks;


    public ToDoListApp() {
        tasks = new ArrayList<>();
    }
}

```

```
public void addTask(String taskName) {  
    tasks.add(new Task(taskName));  
}
```

```
public void removeTask(int index) {  
    if (index >= 0 && index < tasks.size()) {  
        tasks.remove(index);  
    } else {  
        System.out.println("Invalid task number.");  
    }  
}
```

```
public void completeTask(int index) {  
    if (index >= 0 && index < tasks.size()) {  
        tasks.get(index).completeTask();  
    } else {  
        System.out.println("Invalid task number.");  
    }  
}
```

```
public void viewTasks() {  
    if (tasks.isEmpty()) {  
        System.out.println("No tasks available.");  
    } else {  
        for (int i = 0; i < tasks.size(); i++) {  
            System.out.println((i + 1) + ". " + tasks.get(i));  
        }  
    }  
}
```

```
public static void main(String[] args) {  
    Scanner scanner = new Scanner(System.in);  
    ToDoListApp todoList = new ToDoListApp();
```

```
while (true) {

    System.out.println("\nTo-Do List Menu:");

    System.out.println("1. Add Task");

    System.out.println("2. Remove Task");

    System.out.println("3. Complete Task");

    System.out.println("4. View Tasks");

    System.out.println("5. Exit");

    System.out.print("Choose an option: ");

    int choice = scanner.nextInt();

    scanner.nextLine(); // Consume newline


    switch (choice) {

        case 1:

            System.out.print("Enter task name: ");

            String taskName = scanner.nextLine();

            todoList.addTask(taskName);

            break;

        case 2:

            todoList.viewTasks();

            System.out.print("Enter task number to remove: ");

            int removeIndex = scanner.nextInt() - 1;

            todoList.removeTask(removeIndex);

            break;

        case 3:

            todoList.viewTasks();

            System.out.print("Enter task number to complete: ");

            int completeIndex = scanner.nextInt() - 1;

            todoList.completeTask(completeIndex);

            break;

        case 4:

            todoList.viewTasks();

            break;
```

```

        case 5:

            System.out.println("Exiting...");

            scanner.close();

            return;

        default:

            System.out.println("Invalid option. Please try again.");

    }

}

}
}

```

OUTPUT:

Output
<pre> java -cp /tmp/rldbJmPPsX/ToDoListApp  To-Do List Menu: 1. Add Task 2. Remove Task 3. Complete Task 4. View Tasks 5. Exit Choose an option: 1 Enter task name: RUN  To-Do List Menu: 1. Add Task 2. Remove Task 3. Complete Task 4. View Tasks 5. Exit Choose an option: 4 1. [ ] RUN  To-Do List Menu: 1. Add Task 2. Remove Task 3. Complete Task 4. View Tasks 5. Exit </pre>

```
4. View Tasks
5. Exit
Choose an option: 4
1. [ ] RUN

To-Do List Menu:
1. Add Task
2. Remove Task
3. Complete Task
4. View Tasks
5. Exit
Choose an option: 3
1. [ ] RUN
Enter task number to complete: 1

To-Do List Menu:
1. Add Task
2. Remove Task
3. Complete Task
4. View Tasks
5. Exit
Choose an option: 5
Exiting...

=== Code Execution Successful ===
```