

Apparel Request							
Line Slot: Springville Ridge Softshell Jkt				State: Prototype		Season: F25	
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops			
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbbar		Sourcing Manager: james.burnett	
Fit Engineer: jlindstrom							
Design:	F5MO21427 2	Sample LO:	India	Production LO:	India		
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add
Request Information Request Type: Prototype Request with Sample Name: F5MO214272-F25-001 Revision: 3 Style: XE8524 Gender: Mens Item Size: M Date Information Submitted Date: 9/26/2024 12:00:00 PM Requested Delivery Date: 10/17/2024 12:00:00 PM Estimated Delivery Date: Shipped Date: Received Date: Estimated Prototype Development Hours: 1.0							
Quantity Information Quantity Requested: 1 Quantity Shipped: 0 Quantity Received: 0 Originator: reyu Request Acknowledged By: Ranking: Shipment Tracking Number: Comments:							



Apparel Request							
Line Slot: Springville Ridge Softshell Jkt				State: Prototype		Season: F25	
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops			
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbbar		Sourcing Manager: james.burnett	
Fit Engineer: jlindstrom							
Design:	F5MO21427 2	Sample LO:	India	Production LO:	India		
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add





Request Action	
Fit and Measurements	P2 COMMENTS - please note following changes for P3: a. SHOULDER SLOPE - please reduce the slope of the shoulder by moving the shoulder point up 0.25" b. ARMHOLE DEPTH - reduce 0.375" by moving the bottom point of the armhole up 0.375" c. NECKLINE at intersection with the yoke seam on front - please move the seam 0.5" towards CF and taper to zero at HPS as shown in attached screenshot. Adjust the neckline of the hood accordingly. d. NECKLINE - the point where the front hood seam intersects with the neckline should be moved down 0.5" and towards CF by 0.25" e. HOOD OPENING - redistribute 0.25" from the hood width level to CF and taper to zero at the yoke seam to help angle the hood tip away from the user's chin.
Construction / Design General	1. HEM DRAWCORD: remove drawcord system
BOM Update	2. SHELL 1: updated to 122460 3. REMOVING BOM COMPONENTS due to revised construction above: - Bead 1 - Drawcord 2 - Eyelets 1 - Toggle 1 - Washer 1 - Webbing and Tape 2 & 3 (other W/T moved accordingly) 4. ZIPPER 1: updated to 2 way zipper.
Sketch Updates	Updated per LO/FGP Comments
Instructions	n/a
Proto Material and Color	No additional protos needed.

This is confidential and proprietary information of Columbia Sportswear Company. You agree that you will not disclose this information to any third party or use it for any purpose other than on behalf of Columbia. You have no right to use Columbia's name or any of its trademarks, trade names, copyrights, patents, designs or other intellectual property except as set forth in writing by Columbia.

Part Specifications with Approved Suppliers

Line Slot: State: Initiated Season: F25
 Merchandise Division: Merchandise Collection: Product Class:
 Designer: Developer: jbusse LO Developer: triveni.hebbar Sourcing Manager:
 Fit Engineer:
 Design: Sample LO: Production LO: Vendor Master Production LO: Vendor Master Sourcing LO:
 Style Material Style Style Description Pattern Base Size Size Scale Fit SMU Type
 F5MO214272- F25-001 N/A



Number	Description	UM	Fiber Content	Fiber Content Back	Material Coating	Material Finish (Face)	Material Laminate	Trim Specific	Supplier Art No	Country of Origin	Standard Cost (FOB)	Purchase Cost (CIF)	Product on Lead Time with Greige	Product on Lead Time without Greige
Fabric														
122460	PFC Free Version of 117236 Better Level Technical Softshell with Texture- Jersey Backer	yd	100% Polyester	100% Polyester	MaterialCoatingNone	Durable Water Repellent (80/10HL) CO PFOA/PFOS Free	3 Layer Waterproof Hydrophobic Microporous Polyurethane							
Singtex Industrial CO., LTD			Fabric Width: 57.0 in Width Type: cuttable Primary Weight: 260.0 g/m2						S3K-2257C0-2	Taiwan	5.25	0.0	75	95
Shanghai Jiuyu Textile Technology Co Ltd			Fabric Width: 260.0 in Width Type: cuttable Primary Weight: 57.0 g/m2						122460	China	4.9	0.0	75	95
072367	Windbreaker Dyed Only	yd	100% Polyester	unassigned	MaterialCoatingNone	Cire Back - Double	MaterialLaminateNone							
Shanghai Jiuyu Textile Technology Co Ltd			Fabric Width: 56.0 in Width Type: cuttable Primary Weight: 70.0 g/m2						A033	China	1.0	0.0	40	50
Formosa Taffeta Company - Zhong Shan			Fabric Width: 58.0 in Width Type: cuttable Primary Weight: 70.0 g/m2						E561-3011E000	China	1.1	0.0	40	60
YOUNGONE CORPORATION--Fabric division			Fabric Width: 58.0 in Width Type: cuttable Primary Weight: 72.0 g/m2						TYN-3514L	Bangladesh	1.46	0.0	40	70
Tran Hiep Thanh Textile Corporation			Fabric Width: 58.0 in Width Type: cuttable Primary Weight: 70.0 g/m2						072367	Vietnam	1.08	0.0	30	45
HuaFeng - Vietnam			Fabric Width: 56.0 in Width Type: cuttable Primary Weight: 70.0 g/m2						072367	Vietnam	1.1	0.0	30	45
HuaFeng - Putian			Fabric Width: 56.0 in Width Type: cuttable Primary Weight: 70.0 g/m2						072367	China	1.1	0.0	30	45
004476	FOR POCKETING AND YOUTH STYLES ONLY Chamois Touch Tricot	yd	100% Polyester	unassigned	unassigned	Anti-pill (face), Brushed (Tech Face)	unassigned							
Huge-Bamboo Enterprise Co., Ltd.			Fabric Width: 60.0 in Width Type: cuttable Primary Weight: 75.0 g/m2						RA145069-7C-5910225A	Vietnam	0.65	0.0	35	50
Haren Textiles Pvt. Ltd.			Fabric Width: 60.0 in Width Type: cuttable Primary Weight: 80.0 g/m2						90363	India	0.68	0.0	30	45
YOUNGONE CORPORATION--Fabric division			Fabric Width: 60.0 in Width Type: cuttable Primary Weight: 77.0 g/m2						PDM004476	Bangladesh	0.94	0.0	40	70
Huge Rock Textile Co., Ltd.			Fabric Width: 60.0 in Width Type: cuttable Primary Weight: 75.0 g/m2						004476	Taiwan	0.95	0.0	60	75
HTT Insprite (Xiamen) Imp & Exp Co. Ltd.			Fabric Width: 60.0 in Width Type: cuttable Primary Weight: 75.0 g/m2						004476	China	0.67	0.0	35	60
110670	Recycled Interlining Non-Woven Sew-In Medium Weight SAME AS VIRGIN VERSION 006492	yd	70% Recycled Polyester, 30% Viscose	unassigned	unassigned	unassigned	unassigned							
Freudenberg-Hong Kong			Fabric Width: 39.0 in Width Type: cuttable Primary Weight: 50.0 g/m2						AO 103	Taiwan	0.4	0.0	14	30

Part Specifications with Approved Suppliers

Line Slot: State: Initiated Season: F25
 Merchandise Division: Merchandise Collection: Product Class:
 Designer: Developer: jbusse LO Developer: triveni.hebbbar Sourcing Manager:
 Fit Engineer:
 Design: Sample LO: Production LO: Vendor Master Production LO: Vendor Master Sourcing LO:
 Style Material Style Style Description Pattern Base Size Size Scale Fit SMU Type
 F5MO214272- N/A
 F25-001



Number	Description	UM	Fiber Content	Fiber Content Back	Material Coating	Material Finish (Face)	Material Laminate	Trim Specific	Supplier Art No	Country of Origin	Standard Cost (FOB)	Purchase Cost (CIF)	Product on Lead Time with Greige	Product on Lead Time without Greige
MaxBond			Fabric Width: 48.0 in Width Type: cuttable Primary Weight: 50.0 g/m2						Recycled 006492	Vietnam	0.37	0.0	15	30
012755	Adhesive Bemis 3206 Clear 60in 6mil	yd	100% Polyurethane	unassigned	unassigned	unassigned	unassigned							
Bemis			Fabric Width: 60.0 in Width Type: cuttable Primary Weight: 180.0 g/m2						32060231	unassigned	8.135	0.0	5	91
Trim														
059197	USE ONLY FOR ALL ADULTSIZES AND YOUTH S-XL 42mm x 8mm Lightweight Stripe woven ECO Hanger Loop DOWN 2 clr other colors w Director approval only	ea	100% Recycled Polyester	unassigned	unassigned	unassigned	unassigned	Size UM: mm						
Dong Young									DY-59197	South Korea	0.024	0.0	25	25
Avery Dennison Global									059197	China	0.024	0.0	30	30
105920	2mm Ticked D/c with textured rubber tip (long) CALL out Base d/c, Tick D/c, Rubber	ea	unassigned	unassigned	unassigned	unassigned	unassigned	Size UM: mm						
UTS-Universal Trim Supply Co.									105920	Taiwan	0.167	0.0	30	40
105919	2mm Ticked D/c with textured rubber tip (short) Call out Base color d/c, Tick color d/c, Rubber- For F25 Send to Celio via CDS	ea	80% TPU, 20% Polyester	unassigned	unassigned	MaterialFinis hNone	unassigned	Size UM: mm						
UTS-Universal Trim Supply Co.									105919	Taiwan	0.16	0.0	30	40
025693	76mm (A) Columbia/Bug Logo Screenprint 1 clr	ea	unassigned	unassigned	unassigned	unassigned	unassigned	Size UM: mm						
FGV Sourced									025693	unassigned	0.0	0.0	0	0
FGV - Sung Jin (SJI) EQ									76mm (A) Columbia/Bug Logo Screenprint 1 clr	unassigned	0.137	0.0	0	0
033748	60.9mm (size A) Omni-Heat Screenprint	ea	unassigned	unassigned	unassigned	unassigned	unassigned	Size UM: mm						
060282	Coats Epic Tex 30 thread	meter	100% Polyester	unassigned	unassigned	unassigned	unassigned	Size UM: tex						
Coats Global Thread									EV51100	unassigned	0.0007	0.0	0	0
008214	Coats ASTRA Spun Polyester Tex 27 40/2	meter	100% Polyester	unassigned	unassigned	unassigned	unassigned	Size UM: tex						

Part Specifications with Approved Suppliers

Line Slot: State: Initiated Season: F25
 Merchandise Division: Merchandise Collection: Product Class:
 Designer: Developer: jbusse LO Developer: triveni.hebbbar Sourcing Manager:
 Fit Engineer:
 Design: Sample LO: Production LO: Vendor Master
 Production LO: Vendor Master
 Sourcing LO:
 Style Material Style Style Description Pattern Base Size Size Scale Fit SMU Type
 F5MO214272- N/A
 F25-001



Number	Description	UM	Fiber Content	Fiber Content Back	Material Coating	Material Finish (Face)	Material Laminate	Trim Specific	Supplier Art No	Country of Origin	Standard Cost (FOB)	Purchase Cost (CIF)	Product on Lead Time with Greige	Product on Lead Time without Greige
Coats Global Thread									EV65120	unassigned	0.0003	0.0	0	0
360183	3/4 in W Foldover (3/8 to show) Woven Stretch Binding 1 clr FOR CAN STYLES PRODUCED IN VN use 110808	yd	86% Nylon, 14% Elastane	unassigned	unassigned	unassigned	unassigned	Size UM: mm Width: 0.75						
Sun Hod Enterprise Co Ltd (formerly Sang Hsin)									360183	Taiwan	0.14	0.168	30	30
Gong Myung Korea									360183	South Korea	0.136	0.163	30	30
Paiho Global									360183	Taiwan	0.16	0.0	30	60
Naturub Group of Companies									BLD-002550	Bangladesh	0.1328	0.0	30	30
360228	3/8 in W Stretch flat Woven Binding 1 clr	yd	86% Nylon, 14% Elastane	unassigned	unassigned	unassigned	unassigned	Size UM: mm Width: 10.0						
Sun Hod Enterprise Co Ltd (formerly Sang Hsin)									360228	Taiwan	0.095	0.105	30	30
Elasticos Universales (Eltitex)									T-142/10.5	Guatemala	0.15	0.0	0	30
Paiho Global									360228	Taiwan	0.111	0.0	30	60
Chun Wo Ho Co. Ltd									360228	China	0.1675	0.0	30	35
Naturub Group of Companies									BLD-008050	Bangladesh	0.1067	0.0	30	30
126864	CIFML-56 DA8LH EF/DAG8 EF P-TOP OpenEnd2Way Left-in AutoLk LargeHole/LargeHole MatteEnamel Sldr/PI PlasticTopStop	ea	unassigned	unassigned	unassigned	unassigned	unassigned	Size UM: ea Length: 16.0						
Ideal Fastener Global									IF-NUML 56 N56B/N56B IP41	unassigned	0.3413	0.0	21	28
YKK Global									CIFML-56 DA8LH EFJ/DAG8 EFJ P-TOP OpenEnd2Way Left-in AutoLk LargeHole/LargeHole MatteEnamel Sldr/PI	unassigned	0.3376	0.0	35	40

Part Specifications with Approved Suppliers

Line Slot: State: Initiated Season: F25
 Merchandise Division: Merchandise Collection: Product Class:
 Designer: Developer: jbusse LO Developer: triveni.hebbbar Sourcing Manager:
 Fit Engineer:



Design: Sample LO: Production LO: Vendor Master Production LO: Vendor Master Sourcing LO:
 Style Material Style Style Description Pattern Base Size Size Scale Fit SMU Type
 F5MO214272- F25-001 N/A

Number	Description	UM	Fiber Content	Fiber Content Back	Material Coating	Material Finish (Face)	Material Laminate	Trim Specific	Supplier Art No	Country of Origin	Standard Cost (FOB)	Purchase Cost (CIF)	Product on Lead Time with Greige	Product on Lead Time without Greige
128176	CIFC-56 DA8BLH EF P16 KENSIN N-ANTI REVERSE T-B-0 Coil ReverseClosedEnd AutoLock DA8BLH PI MatteEnamel Sldr/PI NoStops	ea	61% Zinc, 21% Recycled Polyester, 17% Polyester, 1% Metal	unassigned	unassigned	Enameled Finish - Matte	unassigned	Size UM: ea Length: 4.0						
YKK Global									CIFC-56 DA8BLH EF P16 KENSIN N-ANTI REVERSE T-B-0	Taiwan	0.1827	0.0	35	45
Ideal Fastener Global									IENSFC56 NSF56B(M) IP41 NO STOPS	China	0.165	0.0	21	28
126857	CIFC-56 DA8LH EF T-B-0 Clsd AutoLk Large Hole MatteEnamel Sldr/PI NoStps	ea	unassigned	unassigned	unassigned	unassigned	unassigned	Size UM: ea Length: 4.0						
Ideal Fastener Global									IE-NUWIC56 N56B IP41	unassigned	0.1294	0.0	21	28
YKK Global									CIFC-56 DA8LH EFJ T-B-0 Clsd AutoLk Large Hole MatteEnamel Sldr/PI NoStps	unassigned	0.1267	0.0	35	40
060475	40mm Interchange Woven ECO Size Label w/ Gem CSC to be used with 059197 Hanger Loop	ea	100% Recycled Polyester	unassigned	unassigned	unassigned	unassigned	Size UM: mm						
Avery Dennison Global									060475	China	0.08021	0.0	30	30
Dong Young									DY-60475	South Korea	0.076	0.0	30	30
067533	33mm Patent Care Content like 006564 ECO Booklet Fold label COO / wht/blk and Blk/White	ea	100% Recycled Polyester	unassigned	unassigned	unassigned	unassigned	Size UM: mm						
Dong Young									DY-067533	unassigned	0.038	0.0	0	30
Avery Dennison Global									067533	China	0.01881	0.0	30	30

Part Specifications with Approved Suppliers

Line Slot: State: Initiated Season: F25
 Merchandise Division: Merchandise Collection: Product Class:
 Designer: Developer: jbusse LO Developer: triveni.hebbbar Sourcing Manager:
 Fit Engineer:



Design: Sample LO: Production LO: Vendor Master Production LO: Vendor Master Sourcing LO:
 Style Material Style Style Description Pattern Base Size Size Scale Fit SMU Type
 F5MO214272- F25-001 N/A

Number	Description	UM	Fiber Content	Fiber Content Back	Material Coating	Material Finish (Face)	Material Laminate	Trim Specific	Supplier Art No	Country of Origin	Standard Cost (FOB)	Purchase Cost (CIF)	Product on Lead Time with Greige	Product on Lead Time without Greige
Bao Shen (Apparel)									067533	Vietnam	0.019	0.0	7	21
Nexgen Packaging Global									067533	unassigned	0.0221	0.0	21	28
121612	MSRP/UPC with RFID Specs for MSRP. Please refer to VAS specs for any exceptions. MSRP required on all product shipping to the US.	ea	unassigned	unassigned	unassigned	unassigned	unassigned	Size UM: mm						
Bao Shen (Apparel)									n/a	unassigned	0.049	0.0	7	0
Avery Dennison Global									n/a	unassigned	0.04875	0.0	14	0
126966	Active Fit Swing Tag	ea	unassigned	unassigned	unassigned	unassigned	unassigned	Size UM: in						
Hang Sang Press Co. Ltd									n/a	unassigned	0.023	0.0	0	0
Finotex El Salvador									FILE - 4885	El Salvador	0.016	0.0	21	28
112204	Columbia Omni-Heat Infinity Hangtag	ea	unassigned	unassigned	unassigned	unassigned	unassigned	Size UM: cm						
Hang Sang Press Co. Ltd									n/a	unassigned	0.0273	0.0	0	0
980001	Polybag See Standard CCS 4200 for specifications	ea	unassigned	unassigned	unassigned	unassigned	unassigned	Size UM: mm						
Contractor									980001	unassigned	0.0	0.0	0	0
980010	UPC Bag Sticker Generic (MHW/Columbia) See CCS4400/ 4401 and MHW4402 for Mt Hardware for instructions	ea	unassigned	unassigned	unassigned	unassigned	unassigned	Size UM: mm						
Hang Sang Press Co. Ltd									980010	Hong Kong	0.016	0.0	14	14
Avery Dennison Global									980010	China	0.01089	0.0	30	30
FGV Sourced									980010	unassigned	0.0	0.0	0	0
Bao Shen (Apparel)									980010	unassigned	0.011	0.0	7	21
Nexgen Packaging Global									980010	unassigned	0.011	0.0	21	28
064194	Outer Carton for costing purpose only	ea	unassigned	unassigned	unassigned	unassigned	unassigned	Size UM: mm						
Contractor									064194	unassigned	0.0	0.0	0	0

This is confidential and proprietary information of Columbia Sportswear Company. You agree that you will not disclose this information to any third party or use it for any purpose other than on behalf of Columbia. You have no right to use Columbia's name or any of its trademarks, trade names, copyrights, patents, designs or other intellectual property except as set forth in writing by Columbia.

Color BOM										
Line Slot: Springville Ridge Softshell Jkt			State: Prototype		Season: F25					
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops						
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbar						
Fit Engineer: jlindstrom					Sourcing Manager: james.burnett					
Design:	F5MO214272	Sample LO:	India	Production LO:	India					
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type			
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add			
Component	Details		Placement		Usage	Width	Marker Width	010-Black	224-Camel Brown	429-Everblue
SAP Material Code								2142721010	2142721224	2142721429
SMU Accounts								N/A	N/A	N/A
Shell 1	122460 PFC Free Version of 117236 Better Level Technical Softshell with Texture- Jersey Backer Composite 100% Polyester 100% Polyester 44 Durable Water Repellent (80/10HL) C0 PFOA/PFOS Free MaterialCoatingNone 3 Layer Waterproof Hydrophobic Microporous Polyurethane 260.0 g/m2 Piece Dye/Jet NA				1.73 yd	57.0	56	Black	Camel Brown	Everblue
Lining 1	072367 Windbreaker Dyed Only Plain Weave 100% Polyester 167 X 129 50D/72F X 50D/72F Cire Back - Double MaterialCoatingNone MaterialLaminateNone 70.0 g/m2 Piece Dye/Jet NA				0.07 yd	56.0	56	Black	Camel Brown	Everblue
Lining 2	004476 FOR POCKETING AND YOUTH STYLES ONLY Chamois Touch Tricot Tricot 100% Polyester 28 Anti-pill (face), Brushed (Tech Face) 80.0 g/m2 Piece Dye/Jet NA				0.3 yd	60.0	60	Black	Camel Brown	Everblue

Color BOM										
Line Slot: Springville Ridge Softshell Jkt			State: Prototype		Season: F25					
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops						
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbar						
Fit Engineer: jlindstrom			Sourcing Manager: james.burnett							
Design:	F5MO214272	Sample LO:	India	Production LO:	India					
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type			
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add			
Component	Details		Placement		Usage	Width	Marker Width	010-Black	224-Camel Brown	429-Everblue
SAP Material Code								2142721010	2142721224	2142721429
Binding 1	072367 Windbreaker Dyed Only Plain Weave 100% Polyester 167 X 129 50D/72F X 50D/72F Cire Back - Double MaterialCoatingNone MaterialLaminateNone 70.0 g/m2 Piece Dye/Jet NA				0.08 yd	56.0	56	Black	Camel Brown	Everblue
Interfacing 1	110670 Recycled Interlining Non-Woven Sew-In Medium Weight SAME AS VIRGIN VERSION 006492 Interlining 70% Recycled Polyester, 30% Viscose 50.0 g/m2				0.22 yd	39.0	39	White	White	White
Interfacing 2	012755 Adhesive Bemis 3206 Clear 60in 6mil Adhesives 100% Polyurethane 180.0 g/m2 Greige NA		bonded chest pocket flap		0.02 yd	60.0	60	Clear	Clear	Clear
Label Logo 1	059197 USE ONLY FOR ALL ADULT sizes AND YOUTH S-XL 42mm x 8mm Lightweight Stripe woven ECO Hanger Loop DOWN 2 clr other colors w Director approval only				1 ea	0.0	0	Columbia Grey, Grill	Columbia Grey, Grill	Columbia Grey, Grill
Phero 1	105920 2mm Ticked D/c with textured rubber tip (long) CALL out Base d/c, Tick D/c, Rubber		CF zip's phemo		1 ea	0.0	0	Black, Grill, Translucent Quarry	Camel Brown, Canoe, Black	Everblue, Crushed Blue, Black
Phero 2	105919 2mm Ticked D/c with textured rubber tip (short) Call out Base color d/c, Tick color d/c, Rubber- For F25 Send to Celio via CDS		all pkts' phemo		3 ea	0.0	0	Black, Grill, Translucent Quarry	Camel Brown, Canoe, Black	Everblue, Crushed Blue, Black
Screen Print 1	025693 76mm (A) Columbia/Bug Logo Screenprint 1 clr				1 ea	0.0	0	Columbia Grey	Black	Columbia Grey
Screen Print 2	033748 60.9mm (size A) Omni-Heat Screenprint				1 ea	0.0	0	Columbia Grey	Black	Columbia Grey



Color BOM										
Line Slot: Springville Ridge Softshell Jkt			State: Prototype		Season: F25					
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops						
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbbar						
Fit Engineer: jlindstrom					Sourcing Manager: james.burnett					
Design:	F5MO214272	Sample LO:	India	Production LO:	India					
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type			
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add			
Component	Details		Placement		Usage	Width	Marker Width	010-Black	224-Camel Brown	429-Everblue
SAP Material Code								2142721010	2142721224	2142721429
Thread 1	060282 Coats Epic Tex 30 thread		For top and Bobbin FGV suggests to update to Tex 30 epic to avoid breakage.		250 meter	0.0	0	DTM	DTM	DTM
Thread 2	008214 Coats ASTRA Spun Polyester Tex 27 40/2		08/30/2021: added this back per FGV		650 meter	0.0	0	DTM	DTM	DTM
Webbing and Tape 1	360183 3/4 in W Foldover (3/8 to show) Woven Stretch Binding 1 clr FOR CAN STYLES PRODUCED IN VN use 110808 Width: 0.75		sleeve cuff binding		0.556 yd	0.0	0	Black	Camel Brown	Everblue
Webbing and Tape 2	360228 3/8 in W Stretch flat Woven Binding 1 clr Width: 10.0		back neck		0.72 yd	0.0	0	Black	Camel Brown	Everblue
Webbing and Tape 3	360228 3/8 in W Stretch flat Woven Binding 1 clr Width: 10.0		hood		1.2 yd	0.0	0	Black	Camel Brown	Everblue
Zipper 1	126864 CIFML-56 DA8LH EF/DAG8 EF P-TOP OpenEnd2Way Left-in AutoLk LargeHole/LargeHole MatteEnamel Sldr/PI PlasticTopStop Length: 16.0		CF		1 ea	0.0	0	Black	Camel Brown	Everblue
Zipper 2	128176 CIFC-56 DA8BLH EF P16 KENSIN N-ANTI REVERSE T-B-0 Coil ReverseClosedEnd AutoLock DA8BLH PI MatteEnamel Sldr/PI NoStops Length: 4.0		hand		2 ea	0.0	0	Black	Camel Brown	Everblue
Zipper 3	126857 CIFC-56 DA8LH EF T-B-0 Clsd AutoLk Large Hole MatteEnamel Sldr/PI NoStps Length: 4.0		Chest		1 ea	0.0	0	Black	Camel Brown	Everblue
Label 1	060475 40mm Interchange Woven ECO Size Label w/ Gem CSC to be used with 059197 Hanger Loop				1 ea	0.0	0	White, Columbia Grey, Compass Blue	White, Columbia Grey, Compass Blue	White, Columbia Grey, Compass Blue
Label 2	067533 33mm Patent Care Content like 006564 ECO Booklet Fold label COO / wht/blk and Blk/White				1 ea	0.0	0	White, Black	White, Black	White, Black



Color BOM										
Line Slot: Springville Ridge Softshell Jkt				State: Prototype		Season: F25				
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops						
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbar						
Fit Engineer: jlindstrom				Sourcing Manager: james.burnett						
Design:	F5MO214272	Sample LO:	India	Production LO:	India					
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type			
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add			
Component	Details		Placement		Usage	Width	Marker Width	010-Black	224-Camel Brown	429-Everblue
SAP Material Code								2142721010	2142721224	2142721429
Hangtag Package Part	121612 MSRP/UPC with RFID Specs for MSRP. Please refer to VAS specs for any exceptions. MSRP required on all product shipping to the US.				1 ea	0.0	0	Artwork	Artwork	Artwork
Hangtag Package Part	126966 Active Fit Swing Tag				1 ea	0.0	0	Artwork	Artwork	Artwork
Hangtag Package Part	112204 Columbia Omni-Heat Infinity Hangtag				1 ea	0.0	0	Artwork	Artwork	Artwork
Packaging 1	980001 Polybag See Standard CCS 4200 for specifications				1 ea	0.0	0	Stock	Stock	Stock
Packaging 2	980010 UPC Bag Sticker Generic (MHW/Columbia) See CCS4400/ 4401 and MHW4402 for Mt Hardwear for instructions				1 ea	0.0	0	Artwork	Artwork	Artwork
Packaging 3	064194 Outer Carton for costing purpose only				1 ea	0.0	0	Stock	Stock	Stock

This is confidential and proprietary information of Columbia Sportswear Company. You agree that you will not disclose this information to any third party or use it for any purpose other than on behalf of Columbia. You have no right to use Columbia's name or any of its trademarks, trade names, copyrights, patents, designs or other intellectual property except as set forth in writing by Columbia.

Colorless BOM									
Line Slot: Springville Ridge Softshell Jkt				State: Prototype		Season: F25			
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops					
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbbar		Sourcing Manager: james.burnett			
Fit Engineer: jlindstrom									
Design:	F5MO21427 2	Sample LO:	India	Production LO:	India				
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type		
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add		
Component	Details			Placement			Usage	Width	Marker Width
SAP Material Code									
Shell 1	122460 PFC Free Version of 117236 Better Level Technical Softshell with Texture- Jersey Backer Composite 100% Polyester 100% Polyester 44 Durable Water Repellent (80/10HL) C0 PFOA/PFOS Free MaterialCoatingNone 3 Layer Waterproof Hydrophobic Microporous Polyurethane 260.0 g/m2 Piece Dye/Jet NA						1.73 yd	57.0	56
Lining 1	072367 Windbreaker Dyed Only Plain Weave 100% Polyester 167 X 129 50D/72F X 50D/72F Cire Back - Double MaterialCoatingNone MaterialLaminateNone 70.0 g/m2 Piece Dye/Jet NA						0.07 yd	56.0	56
Lining 2	004476 FOR POCKETING AND YOUTH STYLES ONLY Chamois Touch Tricot 100% Polyester 28 Anti-pill (face), Brushed (Tech Face) 80.0 g/m2 Piece Dye/Jet NA						0.3 yd	60.0	60
Binding 1	072367 Windbreaker Dyed Only Plain Weave 100% Polyester 167 X 129 50D/72F X 50D/72F Cire Back - Double MaterialCoatingNone MaterialLaminateNone 70.0 g/m2 Piece Dye/Jet NA						0.08 yd	56.0	56
Interfacing 1	110670 Recycled Interlining Non-Woven Sew -In Medium Weight SAME AS VIRGIN VERSION 006492 Interlining 70% Recycled Polyester, 30% Viscose 50.0 g/m2						0.22 yd	39.0	39
Interfacing 2	012755 Adhesive Bemis 3206 Clear 60in 6mil Adhesives 100% Polyurethane 180.0 g/m2 Greige NA			bonded chest pocket flap			0.02 yd	60.0	60

Colorless BOM									
Line Slot: Springville Ridge Softshell Jkt			State: Prototype		Season: F25				
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops					
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbbar		Sourcing Manager: james.burnett			
Fit Engineer: jlindstrom									
Design:	F5MO21427 2	Sample LO:	India	Production LO:	India				
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type		
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add		
Component	Details			Placement			Usage	Width	Marker Width
SAP Material Code									
Label Logo 1	059197 USE ONLY FOR ALL ADULT sizes AND YOUTH S-XL 42mm x 8mm Lightweight Stripe woven ECO Hanger Loop DOWN 2 clr other colors w Director approval only						1 ea	0.0	0
Phero 1	105920 2mm Ticked D/c with textured rubber tip (long) CALL out Base d/c, Tick D/c, Rubber			CF zip's phemo			1 ea	0.0	0
Phero 2	105919 2mm Ticked D/c with textured rubber tip (short) Call out Base color d/c, Tick color d/c, Rubber- For F25 Send to Celio via CDS			all pkts' phemo			3 ea	0.0	0
Screen Print 1	025693 76mm (A) Columbia/Bug Logo Screenprint 1 clr						1 ea	0.0	0
Screen Print 2	033748 60.9mm (size A) Omni-Heat Screenprint						1 ea	0.0	0
Thread 1	060282 Coats Epic Tex 30 thread			For top and Bobbin FGV suggests to update to Tex 30 epic to avoid breakage.			250 meter	0.0	0
Thread 2	008214 Coats ASTRA Spun Polyester Tex 27 40/2			08/30/2021: added this back per FGV			650 meter	0.0	0
Webbing and Tape 1	360183 3/4 in W Foldover (3/8 to show) Woven Stretch Binding 1 clr FOR CAN STYLES PRODUCED IN VN use 110808 Width: 0.75			sleeve cuff binding			0.556 yd	0.0	0
Webbing and Tape 2	360228 3/8 in W Stretch flat Woven Binding 1 clr Width: 10.0			back neck			0.72 yd	0.0	0
Webbing and Tape 3	360228 3/8 in W Stretch flat Woven Binding 1 clr Width: 10.0			hood			1.2 yd	0.0	0
Zipper 1	126864 CIFML-56 DA8LH EF/DAG8 EF P-TOP OpenEnd2Way Left-in AutoLk LargeHole/LargeHole MatteEnamel Sldr/PI PlasticTopStop Length: 16.0			CF			1 ea	0.0	0
Zipper 2	128176 CIFC-56 DA8BLH EF P16 KENSIN N -ANTI REVERSE T-B-0 Coil ReverseClosedEnd AutoLock DA8BLH PI MatteEnamel Sldr/PI NoStops Length: 4.0			hand			2 ea	0.0	0
Zipper 3	126857 CIFC-56 DA8LH EF T-B-0 Clsd AutoLk Large Hole MatteEnamel Sldr/PI NoStps Length: 4.0			Chest			1 ea	0.0	0
Label 1	060475 40mm Interchange Woven ECO Size Label w/ Gem CSC to be used with 059197 Hanger Loop						1 ea	0.0	0
Label 2	067533 33mm Patent Care Content like 006564 ECO Booklet Fold label COO / wht/blk and Blk/White						1 ea	0.0	0

Colorless BOM											
Line Slot: Springville Ridge Softshell Jkt				State: Prototype		Season: F25					
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops			Sourcing Manager: james.burnett				
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbar							
Fit Engineer: jlindstrom											
Design:	F5MO21427 2	Sample LO:	India	Production LO:	India						
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type				
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add				
Component	Details			Placement			Usage	Width	Marker Width		
SAP Material Code											
Hangtag Package Part	121612 MSRP/UPC with RFID Specs for MSRP. Please refer to VAS specs for any exceptions. MSRP required on all product shipping to the US.						1 ea	0.0	0		
Hangtag Package Part	126966 Active Fit Swing Tag						1 ea	0.0	0		
Hangtag Package Part	112204 Columbia Omni-Heat Infinity Hangtag						1 ea	0.0	0		
Packaging 1	980001 Polybag See Standard CCS 4200 for specifications						1 ea	0.0	0		
Packaging 2	980010 UPC Bag Sticker Generic (MHW/Columbia) See CCS4400/ 4401 and MHW4402 for Mt Hardwear for instructions						1 ea	0.0	0		
Packaging 3	064194 Outer Carton for costing purpose only						1 ea	0.0	0		

This is confidential and proprietary information of Columbia Sportswear Company. You agree that you will not disclose this information to any third party or use it for any purpose other than on behalf of Columbia. You have no right to use Columbia's name or any of its trademarks, trade names, copyrights, patents, designs or other intellectual property except as set forth in writing by Columbia.

Color Specification									
Line Slot: Springville Ridge Softshell Jkt				State: Prototype		Season: F25			
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops		Sourcing Manager: james.burnett			
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbar					
Fit Engineer: jlindstrom									
Design:	F5MO214272	Sample LO:	India	Production LO:	India				
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type		
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add		
Component - Material				010-Black		224-Camel Brown		429-Everblue	
Shell 1 - 122460				Black		Camel Brown		Everblue	
Lining 1 - 072367									
Lining 2 - 004476									
Binding 1 - 072367									
Webbing and Tape 1 - 360183									
Webbing and Tape 2 - 360228									
Webbing and Tape 3 - 360228									
Zipper 1 - 126864									
Zipper 2 - 128176									
Zipper 3 - 126857				White		White			
Interfacing 1 - 110670				Clear		Clear		Clear	
Interfacing 2 - 012755				Columbia Grey, Grill		Columbia Grey, Grill		Columbia Grey, Grill	
Label Logo 1 - 059197				Black, Grill, Translucent Quarry		Camel Brown, Canoe, Black		Everblue, Crushed Blue, Black	
Phemo 1 - 105920				Columbia Grey		Black		Columbia Grey	
Phemo 2 - 105919									
Screen Print 1 - 025693				DTM		DTM		DTM	
Screen Print 2 - 033748									
Thread 1 - 060282				White, Columbia Grey, Compass Blue		White, Columbia Grey, Compass Blue		White, Columbia Grey, Compass Blue	
Thread 2 - 008214				White, Black		White, Black		White, Black	
Label 1 - 060475				Artwork		Artwork		Artwork	
Label 2 - 067533									
Hangtag Package Part - 121612									
Hangtag Package Part - 126966									
Hangtag Package Part - 112204				Stock		Stock		Stock	
Packaging 2 - 980010									
Packaging 1 - 980001				Stock		Stock		Stock	
Packaging 3 - 064194									

This is confidential and proprietary information of Columbia Sportswear Company. You agree that you will not disclose this information to any third party or use it for any purpose other than on behalf of Columbia. You have no right to use Columbia's name or any of its trademarks, trade names, copyrights, patents, designs or other intellectual property except as set forth in writing by Columbia.

Instructions							
Line Slot: Springville Ridge Softshell Jkt				State: Prototype		Season: F25	
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops			
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbbar		Sourcing Manager: james.burnett	
Fit Engineer: jlindstrom							
Design:	F5MO21427 2	Sample LO:	India	Production LO:	India		
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add
Category		Subcategory		Description		Comments	
CONSTRUCTION		GLUED SEAMS OR COMPONENTS		PLACEMENT:		Interfacing 2 - Chest Pocket Flap	



This is confidential and proprietary information of Columbia Sportswear Company. You agree that you will not disclose this information to any third party or use it for any purpose other than on behalf of Columbia. You have no right to use Columbia's name or any of its trademarks, trade names, copyrights, patents, designs or other intellectual property except as set forth in writing by Columbia.

Pattern Piece Detail							
Line Slot: Springville Ridge Softshell Jkt				State: Prototype		Season: F25	
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops			
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbbar		Sourcing Manager: james.burnett	
Fit Engineer: jlindstrom							
Design:	F5MO21427 2	Sample LO:	India	Production LO:	India		
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add





L25AM2833 - 214272				
Component	Quantity	Long Description	Abbreviation	Code

This is confidential and proprietary information of Columbia Sportswear Company. You agree that you will not disclose this information to any third party or use it for any purpose other than on behalf of Columbia. You have no right to use Columbia's name or any of its trademarks, trade names, copyrights, patents, designs or other intellectual property except as set forth in writing by Columbia.

Measurements										
Line Slot: Springville Ridge Softshell Jkt				State: Prototype		Season: F25				
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops						
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbar		Sourcing Manager: james.burnett				
Fit Engineer: jlindstrom										
Design:	F5MO214272	Sample LO:	India	Production LO:	India					
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type			
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add			
Sort Order		Use	Type	Placement	(+/-)	S	M	L	XL	XXL
Grade Rule: CSC Pan Asia Mens Outerwear Tops - XXS-XXL (M) - NT - Block: null										
1101.0	CHEST WIDTH - circumference - 1 inch down from armhole seam	QC	Graded		0.0	40.0	42.0	44.0	46.0	48.0
1301.0	WAIST WIDTH POSITION - from CB neck seam		Graded		0.0	18.0	18.5	19.0	19.5	20.0
1400.0	WAIST WIDTH - circumference	QC	Graded		0.0	38.0	40.0	42.0	44.0	46.0
1610.0	SWEEP WIDTH - circumference	QC	Graded		0.0	38.0	40.0	42.0	44.0	46.0
1900.0	CENTER BACK HEM DROP - difference from CF to CB		Graded		0.0	1.0	1.0	1.0	1.0	1.0
2002.0	BACK BODY LENGTH - CB neck to edge of hem	QC	Graded		0.0	25.5	26.5	27.5	28.5	29.5
2203.0	SHOULDER WIDTH - Natural Shoulder - seam to seam	QC	Graded		0.0	16.25	17.0	17.75	18.5	19.25
2602.0	SLEEVE LENGTH - Long Sleeve - CB neck to hem edge	QC	Graded		0.0	33.25	34.0	34.875	35.75	36.625
2722.0	SLEEVE WIDTH - circumference - 1 inch down from armhole seam	QC	Graded		0.0	17.625	18.0	18.5	19.0	19.5
2822.0	ELBOW WIDTH - circumference - at mid point of under sleeve seam	QC	Graded		0.0	13.125	13.5	13.875	14.25	14.625
3002.0	SLEEVE OPENING - long sleeve (Relaxed) - circumference	QC	Graded		0.0	8.5	8.75	9.0	9.25	9.5
3004.0	SLEEVE OPENING - long sleeve (Extended) - circumference	QC	Graded		0.0	10.5	10.75	11.0	11.25	11.5
3450.0	NECK CIRCUMFERENCE - at seam	QC	Graded		0.0	20.125	20.5	20.875	21.375	21.875
3800.0	HOOD HEIGHT - from HPS to top of hood	QC	Graded		0.0	14.25	14.5	14.75	15.0	15.25

Measurements											
Line Slot: Springville Ridge Softshell Jkt				State: Prototype		Season: F25					
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops			Sourcing Manager: james.burnett				
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbar							
Fit Engineer: jlindstrom											
Design:	F5MO214272	Sample LO:	India	Production LO:	India						
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type				
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add				
Sort Order		Use	Type	Placement	(+/-)	S	M	L	XL	XXL	
3850.0	TOTAL HOOD LENGTH - from CB neck seam to top front edge of opening		Graded		0.0	19.0	19.5	20.0	20.5	21.0	
3920.0	HOOD WIDTH - on half	QC	Graded		0.0	9.25	9.5	9.75	10.0	10.25	
3940.0	HOOD OPENING - circumference		Graded		0.0	26.75	27.25	27.75	28.25	28.75	
3970.0	HOOD TIP HEIGHT - at CF		Graded		0.0	6.0	6.0	6.0	6.0	6.0	
3190.0	Webbing and Tape 1		Component	sleeve cuff binding	0.0	0.0	9.75	0.0	0.0	0.0	
3210.0	Webbing and Tape 2		Component	back neck	0.0	0.0	2.0	0.0	0.0	0.0	
3230.0	Webbing and Tape 3		Component	hood	0.0	0.0	2.25	0.0	0.0	0.0	
3670.0	Zipper 1		Component	CF	0.0	0.0	26.0	0.0	0.0	0.0	
3690.0	Zipper 2		Component	hand	0.0	0.0	8.0	0.0	0.0	0.0	
3710.0	Zipper 3		Component	Chest	0.0	0.0	7.0	0.0	0.0	0.0	

This is confidential and proprietary information of Columbia Sportswear Company. You agree that you will not disclose this information to any third party or use it for any purpose other than on behalf of Columbia. You have no right to use Columbia's name or any of its trademarks, trade names, copyrights, patents, designs or other intellectual property except as set forth in writing by Columbia.

Technical

Line Slot: Springville Ridge Softshell Jkt

State: Prototype

Season: F25

Merchandise Division:
Outerwear

Merchandise Collection:
Trail

Product Class: Soft Shell
Tops

Designer: crebillon

Developer: jbusse

LO Developer:
triveni.hebbbar

Sourcing Manager:
james.burnett

Fit Engineer: jlindstrom

Design: F5MO21427
2

Sample LO: India

Production LO: India

Style

Material Style

Style
Description

Pattern

Base Size

Size Scale

Fit

SMU Type

XE8524

2142721

Springville
Ridge™
Softshell
Jacket

L25AM2833

M

S - XXL

Pan-Asian
Active

Line Addition
Style Add




Last Updated: 07.24.24 CR

*All Shell ① unless Indicated

All Topstitch ISO 401 1/8" from edge unless otherwise noted
ISO 301 or 401 for binding.
ISO 301 edgestitch as needed.

L1: All pocket bag facings
L2: All pocket bags,
brushed side to skin;
Interfacing 1: where needed
Washer 1: to reinforce eyelets.



Technical

Line Slot: Springville Ridge Softshell Jkt

State: Prototype

Season: F25

Merchandise Division:
Outerwear

Merchandise Collection:
Trail

Product Class: Soft Shell
Tops

Designer: crebillon

Developer: jbusse

LO Developer:
triveni.hebbbar

Sourcing Manager:
james.burnett

Fit Engineer: jlindstrom

Design: F5MO21427
2

Sample LO: India

Production LO: India

Style

Material Style

Style
Description

Pattern

Base Size

Size Scale

Fit

SMU Type

XE8524

2142721

Springville
Ridge™
Softshell
Jacket


L25AM2833

M

S - XXL

Pan-Asian
Active

Line Addition
Style Add



Technical

Line Slot: Springville Ridge Softshell Jkt

State: Prototype

Season: F25

Merchandise Division:
Outerwear

Merchandise Collection:
Trail

Product Class: Soft Shell
Tops

Designer: crebillon

Developer: jbusse

LO Developer:
triveni.hebbbar

Sourcing Manager:
james.burnett

Fit Engineer: jilindstrom

Design: F5MO21427
2

Sample LO: India

Production LO: India

Style Material Style Style
Description

Pattern

Base Size

Size Scale

Fit

SMU Type

XE8524

2142721

Springville
Ridge™
Softshell
Jacket

L25AM2833

M


S - XXL

Pan-Asian
Active

Line Addition
Style Add



Last Updated: 01.01.23 XX



Technical

Line Slot: Springville Ridge Softshell Jkt

State: Prototype

Season: F25

Merchandise Division:
Outerwear

Merchandise Collection:
Trail

Product Class: Soft Shell
Tops

Designer: crebillon

Developer: jbusse

LO Developer:
triveni.hebbbar

Sourcing Manager:
james.burnett

Fit Engineer: jlindstrom

Design: F5MO21427
2

Sample LO: India

Production LO: India

Style

Material Style

Style
Description

Pattern

Base Size

Size Scale

Fit

SMU Type

XE8524

2142721

Springville
Ridge™
Softshell
Jacket

L25AM2833

M

S - XXL


Pan-Asian
Active

Line Addition
Style Add




HEM DRAWCORD ADJUSTMENT: MID WT OW

Toggle: 031940.5mm ID
Metal



Tether measurements



This is confidential and proprietary information of Columbia Sportswear Company. You agree that you will not disclose this information to any third party or use it for any purpose other than on behalf of Columbia. You have no right to use Columbia's name or any of its trademarks, trade names, copyrights, patents, designs or other intellectual property except as set forth in writing by Columbia.

Fit Picture								
Line Slot: Springville Ridge Softshell Jkt			State: Prototype		Season: F25			
Merchandise Division: Outerwear		Merchandise Collection: Trail		Product Class: Soft Shell Tops		Sourcing Manager: james.burnett		
Designer: crebillon		Developer: jbusse		LO Developer: triveni.hebbbar				
Fit Engineer: jlindstrom								
Design:	F5MO214272	Sample LO:	India	Production LO:	India			
Style	Material Style	Style Description	Pattern	Base Size	Size Scale	Fit	SMU Type	
XE8524	2142721	Springville Ridge™ Softshell Jacket	L25AM2833	M	S - XXL	Pan-Asian Active	Line Addition Style Add	



This is confidential and proprietary information of Columbia Sportswear Company. You agree that you will not disclose this information to any third party or use it for any purpose other than on behalf of Columbia. You have no right to use Columbia's name or any of its trademarks, trade names, copyrights, patents, designs or other intellectual property except as set forth in writing by Columbia.