

Bootstrap Notes (v5)

♦ 1. What is Bootstrap?

- **Bootstrap** is a **CSS framework** for building **responsive** and **mobile-first** websites.
 - Developed by **Twitter**, it includes **HTML**, **CSS**, and **JavaScript** components.
-

♦ 2. How to Add Bootstrap

✓ **CDN Method (Recommended):**

html

CopyEdit

- `<link
 href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">`
 - `<script
 src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>`
-

♦ 3. Bootstrap Grid System

- Based on **12 columns**
- Uses containers, rows, and columns.

html

CopyEdit

- `<div class="container">`
 - `<div class="row">`
 - `<div class="col-6">50%</div>`
 - `<div class="col-6">50%</div>`
 - `</div>`
 - `</div>`
-

♦ 4. Bootstrap Containers

html

CopyEdit

- `<div class="container">Fixed width</div>`
 - `<div class="container-fluid">Full width</div>`
-

♦ 5. Typography Classes

html

CopyEdit

- `<h1 class="display-1">Heading</h1>`
 - `<p class="lead">This is lead text</p>`
 - `<small>Small text</small>`
-

♦ 6. Buttons

html

CopyEdit

- `<button class="btn btn-primary">Primary</button>`

- `<button class="btn btn-danger">Danger</button>`

Types:

- `btn-primary, btn-secondary, btn-success, btn-warning, btn-danger, btn-info, btn-dark, btn-light`
-

◆ 7. Forms

html

CopyEdit

- `<form>`
 - `<input type="text" class="form-control" placeholder="Enter name">`
 - `<button class="btn btn-success">Submit</button>`
 - `</form>`
-

◆ 8. Alerts

html

CopyEdit

- `<div class="alert alert-warning">This is a warning!</div>`
-

◆ 9. Cards (for content display)

html

CopyEdit

- `<div class="card">`
 - `<div class="card-body">`
 - `<h5 class="card-title">Title</h5>`
 - `<p class="card-text">Content here</p>`
 - `</div>`
 - `</div>`
-

♦ 10. Navbar (Navigation Bar)

html

CopyEdit

- `<nav class="navbar navbar-expand-lg navbar-light bg-light">`
 - `MySite`
 - `</nav>`
-

♦ 11. Modals (Popup)

html

CopyEdit

- `<button class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#myModal">Open</button>`
- `<div class="modal fade" id="myModal">`
- `<div class="modal-dialog">`
- `<div class="modal-content">`
- `<div class="modal-header">Modal Title</div>`
- `<div class="modal-body">Content</div>`
- `</div>`
- `</div>`
- `</div>`

♦ 12. Carousel (Image Slider)

html

CopyEdit

- `<div id="carouselExample" class="carousel slide" data-bs-ride="carousel">`
- `<div class="carousel-inner">`
- `<div class="carousel-item active"></div>`
- `<div class="carousel-item"></div>`
- `</div>`
- `</div>`

♦ 13. Utility Classes

- **Margins:** `m-3`, `mt-2`, `mb-4`
- **Padding:** `p-2`, `px-3`, `py-1`
- **Text Alignment:** `text-center`, `text-end`
- **Colors:** `text-primary`, `bg-warning`

♦ 14. Responsive Classes

- `d-none` `d-sm-block` – Hide on extra small, show on small+
- `col-md-6` – Half-width on medium screens and up

◆ 15. Icons (Using Bootstrap Icons)

html

CopyEdit

- `<link
 href="https://cdn.jsdelivr.net/npm/bootstrap-icons/font/bootstrap
 -icons.css" rel="stylesheet">`

`<i class="bi bi-alarm"></i>`

-