

□ Lab 10 : Create Two VNets, Peering, and VMs

Step 1: Create Resource Group

1. Go to **Azure Portal** → search **Resource groups** → **+ Create**
2. Resource group name: **studentname-rg**
3. Region: East US (or your choice)

4. **Review + Create → Creat**






And create the vnet for the same resource group


1. Go to **Virtual networks → + Create**
2. Basics:
    - Resource group: **studentname-rg**


- Name: **studentname-vnet1**
- Region: East US


3. IP Addresses:
   - Address space: 10.0.0.0/16
   - Add subnet: two subnet public and private
     - Name: **studentname-subnet1**
     - Range: 10.0.1.0/24


4. **Review + Create → Create**





Create virtual network
Basics
Security
IP addresses
Tags
Review + create
Project details
Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.
Subscription *
Azure subscription 1
Resource group *
dhanush-rg1
Create new
Instance details
Virtual network name *
dhanush-vnet
Region *
(Europe) Sweden Central
Deploy to an Azure Extended Zone
Previous
Next
Review + create
Give feedback


Home > Network foundation | Virtual networks >
Create virtual network
Basics
Security
IP addresses
Tags
Review + create
Define the address space of your virtual network with one or more IPv4 or IPv6 address ranges. Create subnets to segment the virtual network address space into smaller ranges for use by your applications. When you deploy resources into a subnet, Azure assigns the resource an IP address from the subnet. Learn more
Allocate using IP address pools. Learn more
Add a subnet
10.0.0.0/16
Delete address space
This address prefix overlaps with virtual network 'arun-vnet1'. If you intend to peer these virtual networks, change the address space. Learn more
10.0.0.0
/16
10.0.0.0 - 10.0.255.255
65,536 addresses
Subnets
IP address range
Size
NAT gateway
Previous
Next
Review + create
Add a subnet
Select an address space and configure your subnet. You can customize a default subnet or select from subnet templates if you plan to add select services later. Learn more
Subnet purpose
Default
Name *
dhanush-public-subnet
IPv4
Include an IPv4 address space
IPv4 address range
10.0.0.0/16
10.0.0.0 - 10.0.255.255
Starting address *
10.0.1.0
Size
/24 (256 addresses)
Subnet address range
10.0.1.0 - 10.0.1.255
IPv6
Include an IPv6 address space
This virtual network has no IPv6 address ranges.
Private subnet
Private subnets enhance security by not providing default outbound access. To enable outbound connectivity for virtual machines to access the internet, it is necessary to explicitly grant outbound access. A NAT gateway is the recommended way to provide outbound
Add
Cancel
Give feedback



Home > Network foundation | Virtual networks >
Create virtual network
Basics
Security
IP addresses
Tags
Review + create
Allocate using IP address pools. Learn more
Add a subnet
10.0.0.0/16
Delete address space
This address prefix overlaps with virtual network 'arun-vnet1'. If you intend to peer these virtual networks, change the address space. Learn more
10.0.0.0
/16
10.0.0.0 - 10.0.255.255
65,536 addresses
Subnets
IP address range
Size
NAT gateway
dhanush-public-subnet
10.0.1.0 - 10.0.1.255
/24 (256 addresses)
-
Add IPv4 address space
Previous
Next
Review + create
Add a subnet
Name *
dhanush-private-subnet
IPv4
Include an IPv4 address space
IPv4 address range
10.0.0.0/16
10.0.0.0 - 10.0.255.255
Starting address *
10.0.2.0
Size
/24 (256 addresses)
Subnet address range
10.0.2.0 - 10.0.2.255
IPv6
Include an IPv6 address space
This virtual network has no IPv6 address ranges.
Private subnet
Private subnets enhance security by not providing default outbound access. To enable outbound connectivity for virtual machines to access the internet, it is necessary to explicitly grant outbound access. A NAT gateway is the recommended way to provide outbound connectivity for virtual machines in the subnet. Learn more
Enable private subnet (no default outbound access)
Add
Cancel
Give feedback





Step 2: Again Create the Resource Group

1. Go to **Azure Portal** → search **Resource groups** → **+ Create**
2. Resource group name: **studentname-rg**
3. Region: East US (or your choice)
4. **Review + Create → Create**



And create the vnet for the same resource group

1. Again → **Virtual networks → + Create**
2. Basics:
    - Resource group: **studentname-rg**
    - Name: **studentname-vnet2**
    - Region: East US (same region for local peering)
3. IP Addresses:
    - Address space: 192.168.0.0/16
    - Add subnet: two subnet public (or) private
        - Name: **studentname-subnet2**

- Range: 192.168.1.0/24

4. **Review + Create → Create**

Create virtual network

Basics | Security | IP addresses | Tags | Review + create

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * : Azure subscription 1

Resource group * : dhanush-rg

Create new


Instance details


Virtual network name * : dhanush-vnet1


Region * : (Europe) Switzerland North


Deploy to an Azure Extended Zone


Previous | Next | Review + create | Give feedback






Home > Network foundation | Virtual networks >
Create virtual network
Basics
Security
IP addresses
Tags
Review + create
Allocate using IP address pools. Learn more
Add a subnet
192.168.0.0/16
Delete address space
This address prefix overlaps with virtual network 'Nivi-vnet-2'. If you intend to peer these virtual networks, change the address space. Learn more
192.168.0.0
/16
192.168.0.0 - 192.168.255.255
65,536 addresses
Subnets
IP address range
Size
NAT gateway
dhanush-public-subnet
192.168.1.0 - 192.168.1.255
/24 (256 addresses)
-
Previous
Next
Review + create
Add a subnet
Name *
dhanush-private-subnet
IPv4
Include an IPv4 address space
IPv4 address range
192.168.0.0/16
192.168.0.0 - 192.168.255.255
Starting address *
192.168.2.0
Size
/24 (256 addresses)
Subnet address range
192.168.2.0 - 192.168.2.255
IPv6
Include an IPv6 address space
This virtual network has no IPv6 address ranges.
Private subnet
Private subnets enhance security by not providing default outbound access. To enable outbound connectivity for virtual machines to access the internet, it is necessary to explicitly grant outbound access. A NAT gateway is the recommended way to provide outbound connectivity for virtual machines in the subnet. Learn more
Enable private subnet (no default outbound access)
Add
Cancel
Give feedback






Step 3: Create VM in VNet1

1. Go to **Virtual machines → + Create**
2. Basics:
    - Resource group: **studentname-rg**

- VM name: **studentname-vm1**
- Image: Ubuntu Server 22.04 LTS
- Size: Standard_B1s
- Username: azureuser
- Password/SSH key: (choose one)

3. Networking:
   - VNet: **studentname-vnet1**
   - Subnet: **studentname-subnet1**
   - Public IP: Yes
4. **Review + Create → Create**

Vm for public


Microsoft Azure
Upgrade
Search resources, services, and docs (G+/)
Copilot
dhanush05112004@gm...
DEFAULT DIRECTORY (DHANUSH...
Home
dhanush-vnet1-1767345926413 | Overv
Deployment
Search
Overview
Inputs
Outputs
Template
Delete
Cancel
Your deployme
Deployment name : dhan
Subscription : Azure
Resource group : dhan
Deployment details
Resource
dhanush-vnet1
Next steps
Go to resource
Give feedback
Tell us about your experience
Search history
Clear all
NAT
nsg
ava
pu
v
Recent services
NAT gateways
Network security groups
Virtual networks
Availability sets
Public IP addresses
Virtual machines
Resource groups
Subscriptions
Recent resources
See more
dhanush-vnet1
Virtual network
dhanush-rg
Resource group
Searching all subscriptions.
Give feedback
Operation details
Operation details
Cost management
Get notified to stay within your budget and prevent unexpected charges on your bill.
Set up cost alerts >
Microsoft Defender for Cloud
Secure your apps and infrastructure
Go to Microsoft Defender for Cloud >
Free Microsoft tutorials
Start learning today >
Work with an expert
Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
Find an Azure expert >
Create a virtual machine
Help me create a VM optimized for high availability
Help me create a low cost VM
Help me choose the right
Help me create a low cost VM
Help me create a VM optimized for high availability
Help me choose the right VM size for my workload
Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.
Subscription *
Azure subscription 1
Resource group *
dhanush-rg1
Create new
Instance details
Virtual machine name *
dhanush-vm
Region *
(Europe) Sweden Central
Deploy to an Azure Extended Zone
Availability options
No infrastructure redundancy required
Security type
Trusted launch virtual machines
Configure security features
Image *
AlmaLinux OS 9 - x64 Gen2 (free services eligible)
See all images | Configure VM generation
VM architecture
Arm64

Home > Compute infrastructure | Virtual machines >

Create a virtual machine

Help me create a VM optimized for high availability | Help me create a low cost VM | Help me choose the right VM size fo

Help me create a low cost VM | Help me create a VM optimized for high availability | Help me choose the right VM size for my workload

Learn more

Size * ⓘ — Standard_D2_v4 - 2 vcpus, 8 GiB memory ($74.46/month)

See all sizes

Enable Hibernation ⓘ

Hibernate does not currently support Trusted launch and Confidential virtual machines for Linux images. Learn more

Administrator account

Authentication type ⓘ — SSH public key / Password

Username * ⓘ — dhanushuser

Password * — ••••••••••••

Confirm password * — ••••••••••••

Inbound port rules

Select which virtual machine network ports are accessible from the public internet. You can specify more limited or granular network access on the Networking tab.

< Previous | Next : Disks > | Review + create

Create a virtual machine

Help me create a VM optimized for high availability | Help me create a low cost VM | Help me choose the

Help me create a low cost VM | Help me create a VM optimized for high availability | Help me choose the right VM size for my workload

Authentication type ⓘ — SSH public key / Password

Username * ⓘ — dhanushuser

Password * — ••••••••••••

Confirm password * — ••••••••••••

Inbound port rules

Select which virtual machine network ports are accessible from the public internet. You can specify more limited or granular network access on the Networking tab.

Public inbound ports * ⓘ — None / Allow selected ports

Select inbound ports * — SSH (22)

This will allow all IP addresses to access your virtual machine. This is only recommended for testing. Use the Advanced controls in the Networking tab to create rules to limit inbound traffic to known IP addresses.

< Previous | Next : Disks > | Review + create

Home > Compute infrastructure | Virtual machines >

Create a virtual machine

Help me create a VM optimized for high availability | Help me create a low cost VM | Help me choose the right VM size for my workload

Help me create a low cost VM | Help me create a VM optimized for high availability | Help me choose the right VM size for my workload

Basics | Disks | **Networking** | Management | Monitoring | Advanced | Tags | Review + create

Define network connectivity for your virtual machine by configuring network interface card (NIC) settings. You can control ports, inbound and outbound connectivity with security group rules, or place behind an existing load balancing solution.
Learn more

Network interface

When creating a virtual machine, a network interface will be created for you.

Virtual network * : dhanush-vnet
Create new

Subnet * : dhanush-public-subnet (10.0.1.0/24)
Manage subnet configuration

Public IP : (new) dhanush-vm-ip
Create new
Public IP addresses have a nominal charge. Estimate price

NIC network security group :
- None
- Basic
- Advanced

< Previous | Next : Management > | Review + create

Create a virtual machine

Help me create a VM optimized for high availability | Help me create a low cost VM | Help me choose the right VM size for my workload

Help me create a low cost VM | Help me create a VM optimized for high availability | Help me choose the right VM size for my workload

- Basic
- Advanced

Public inbound ports * :
- None
- Allow selected ports

Select inbound ports * : SSH (22)

This will allow all IP addresses to access your virtual machine. This is only recommended for testing. Use the Advanced controls in the Networking tab to create rules to limit inbound traffic to known IP addresses.

Delete public IP and NIC when VM is deleted

Enable accelerated networking

Load balancing

You can place this virtual machine in the backend pool of an existing Azure load balancing solution. Learn more

Place this virtual machine behind an existing load balancing solution?

< Previous | Next : Management > | Review + create

Home >

CreateVm-almalinux.almalinux-x86_64-9-gen2-20260102150349 | Overview

Deployment

Search

Overview
Inputs
Outputs
Template

Delete | Cancel | Redeploy | Download | Refresh

Your deployment is complete

Deployment name: CreateVm-almalinux.almalinux-x86_64-9-gen2-...
Subscription: Azure subscription 1
Resource group: dhanush-rg1
Start time: 1/2/2026, 3:08:48 PM
Correlation ID: dfbe145b-a351-4e10-b2d7-15a100b05b4f

Deployment details

Resource	Type	Status	Operation details
dhanush-vm	Microsoft.Compute/virtualMachin...	OK	Operation details
dhanush-vm152	Microsoft.Network/networkInterf...	OK	Operation details
dhanush-vm-ip	Microsoft.Network/publicIpAddre...	OK	Operation details
dhanush-vm-nsg	Microsoft.Network/networkSecuri...	OK	Operation details

Next steps

Setup auto-shutdown Recommended
Monitor VM health, performance and network dependencies Recommended
Run a script inside the virtual machine Recommended

Go to resource | Create another VM

Give feedback

Deployment succeeded

Deployment 'CreateVm-almalinux.almalinux-x86_64-9-gen2-20260102150349' to resource group 'dhanush-rg1' was successful.

Go to resource | Pin to dashboard


Cost Management
Get notified to stay within your budget and prevent unexpected charges on your bill.
Set up cost alerts >

Microsoft Defender for Cloud
Secure your apps and infrastructure
Go to Microsoft Defender for Cloud >

Free Microsoft tutorials
Start learning today >

Work with an expert
Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
Find an Azure expert >

Vm for private



Home > Compute infrastructure | Virtual machines >

Create a virtual machine

Help me choose the right VM size for my workload | Help me create a low cost VM | Help me create a VM optimized for high

Help me create a low cost VM | Help me create a VM optimized for high availability | Help me choose the right VM size for my workload

Administrator account

Authentication type
- SSH public key
- Password

Username * : dhanushuser

Password * : ••••••••••••

Confirm password * : ••••••••••••

Inbound port rules

Select which virtual machine network ports are accessible from the public internet. You can specify more limited or granular network access on the Networking tab.

Public inbound ports *
- None
- Allow selected ports

Select inbound ports * : SSH (22)

This will allow all IP addresses to access your virtual machine. This is only recommended for testing. Use the Advanced controls in the Networking tab to create rules to limit inbound traffic to known IP addresses.

< Previous | Next : Disks > | Review + create

Home > Compute infrastructure | Virtual machines >

Create a virtual machine

Help me choose the right VM size for my workload | Help me create a low cost VM | Help me create a VM optimized for high availability

Help me create a low cost VM | Help me create a VM optimized for high availability | Help me choose the right VM size for my workload

Define network connectivity for your virtual machine by configuring network interface card (NIC) settings. You can control ports, inbound and outbound connectivity with security group rules, or place behind an existing load balancing solution.
Learn more

Network interface

When creating a virtual machine, a network interface will be created for you.


Virtual network * : dhanush-vnet
Create new


Subnet * : dhanush-private-subnet (10.0.2.0/24)
Manage subnet configuration

Public IP : None
Create new

NIC network security group
- None
- Basic
- Advanced

Public inbound ports *
- None
- Allow selected ports






Step 4: Create VM in VNet2

1. Repeat VM creation steps
2. VM name: **studentname-vm2**
3. Networking:
    - VNet: **studentname-vnet2**
    - Subnet: **studentname-subnet2**
    - Public IP: Yes
4. **Review + Create → Create**

Vm for private



Create a virtual machine

Help me choose the right VM size for my workload | Help me create a VM optimized for high availability | Help me create a low

Help me create a low cost VM | Help me create a VM optimized for high availability | Help me choose the right VM size for my workload

Basics | Disks | **Networking** | Management | Monitoring | Advanced | Tags | Review + create

Define network connectivity for your virtual machine by configuring network interface card (NIC) settings. You can control ports, inbound and outbound connectivity with security group rules, or place behind an existing load balancing solution.
Learn more

Network interface

When creating a virtual machine, a network interface will be created for you.

Virtual network * : dhanush-vnet1
Create new

Subnet * : dhanush-private-subnet (192.168.2.0/24)
Manage subnet configuration

Public IP : None
Create new

NIC network security group : None / Basic / Advanced

Public inbound ports * : None

< Previous | Next : Management > | Review + create

Public IP : None
Create new

NIC network security group : None / Basic / Advanced

Public inbound ports * : None / Allow selected ports

Select inbound ports * : SSH (22)

This will allow all IP addresses to access your virtual machine. This is only recommended for testing. Use the Advanced controls in the Networking tab to create rules to limit inbound traffic to known IP addresses.


Delete NIC when VM is deleted

Enable accelerated networking

Load balancing

You can place this virtual machine in the backend pool of an existing Azure load balancing solution. Learn more


< Previous | Next : Management > | Review + create





Step 5: Create Peering Between VNets


1. Open **studentname-vnet1** → **Peerings** → **+ Add**
2. Peering link name: **studentname-vnet1-to-vnet2**
    - Remote VNet: **studentname-vnet2**
    - Remote link name: **studentname-vnet2-to-vnet1**
    - Traffic settings: Allow both directions
3. **Add**

🔁 Azure automatically sets up reverse peering.


Microsoft Azure
Upgrade
Search resources, services, and docs (G+/)
Copilot
dhanush05112004@gm...
DEFAULT DIRECTORY (DHANUSH...
Home > Compute infrastructure
Compute infrastructure | Virtual machi
Microsoft
Search
Overview
All resources
Infrastructure
Virtual machines
Virtual Machine Scale Set (VMSS)
Compute Fleet
Disks + images
Capacity + placement
Related services
Monitoring+Policy
Help
Virtual machines
Get start
Create
Reservations
Show me protected VMs in XXX region
Assign tags
Start
Restart
Stop
Group by none
You are viewing a new version
Filter for any field...
Add filter
Search history
Clear all
NAT
nsg
ava
pu
v
Recent services
NAT gateways
Network security groups
Virtual networks
Availability sets
Public IP addresses
Virtual machines
Resource groups
Subscriptions
Recent resources
See more
dhanush-vm
Virtual machine
dhanush-vm2965
Network Interface
Searching all subscriptions.
Give feedback
Name
Operating syst...
Size
Public IP addre...
Disks
dhanush-vm
dhanush-vm1
dhanush-vm2
jumpbox-1
Nivi-jumpbox-1
Nivi-private-vm-1
Nivi-private-vm-2
Linux
Standard_D2_v4
4.223.114.180
Standard_D2s_v3
4.204.26.37
20.196.153.98
Standard_L2aos...
Showing 1 - 7 of 7. Display count:
auto
Give feedback


Microsoft Azure
Upgrade
Search resources, services, and docs (G+/)
Copilot
dhanush05112004@gm...
DEFAULT DIRECTORY (DHANUSH...
Home > Network foundation
Network foundation | Virtual networks
Preview
Check virtual networks for connectivity issues
Check connectivity across Virtual Networks
Analyze connected resources for virtual networks
Search
Overview
Virtual network
Virtual Network overview
Virtual networks
NAT gateways
Public IP addresses
Network interfaces
Network security groups
Application security groups
Bastions
Route tables
Route servers
Private Link
DNS
Monitoring and management
Create
Manage view
Refresh
Export to CSV
Open query
Assign tags
Add to service group
Group by none
You are viewing a new version of Browse experience. Click here to access the old experience.
Filter for any field...
Subscription equals all
Resource Group equals all
Location equals all
Add filter
Name
Resource Group
Location
Subscription
dhanush-vnet
dhanush-vnet1
moni-vnet1
moni-vnet2
Nivi-vnet-1
Nivi-vnet-2
saranya-vnet1
dhanush-rg1
dhanush-rg
moni-rg
moni-rg1
Nivi-rg-1
Nivi-rg-2
saran-rg
Sweden Central
Switzerland North
Malaysia West
Korea Central
France Central
Canada Central
Azure subscription 1
Showing 1 - 7 of 7. Display count:
auto
Give feedback


Home > Network foundation | Virtual networks >
Network foundation | Virtual networks
Preview
Search
Create
Manage view
Overview
Virtual network
Virtual Network overview
Virtual networks
NAT gateways
Public IP addresses
Network interfaces
Network security groups
Application security groups
Bastions
Route tables
Route servers
Private Link
DNS
Monitoring and management
You are viewing a new version of Browse experience. Click here to access the old experience.
Name
dhanush-vnet
dhanush-vnet1
moni-vnet1
moni-vnet2
Nivi-vnet-1
Nivi-vnet-2
saranya-vnet1
Showing 1 - 7 of 7. Display count:
auto
Add or remove favorites by pressing Ctrl+Shift+F
dhanush-vnet
Virtual network
Review flow metrics for my Virtual Network
Diagnose issues with this virtual network
+1
Move
Delete
Refresh
Give feedback
Settings
Address space
Connected devices
Subnets
Bastion
DDoS protection
Firewall
Microsoft Defender for Cloud
Network manager
DNS
Peerings
Service endpoints
Private endpoints
Properties
Locks
Monitoring
Essentials
JSON View
Resource group (move)
dhanush-rg1
Location (move)
Sweden Central
Subscription (move)
Azure subscription 1
Subscription ID
e897f168-10d2-4d32-b0c4-664068a547f5
Address space
10.0.0.0/16
Subnets
2 subnets
DNS servers
Azure provided DNS service
BGP community string
Configure
Virtual network ID
ded17b1a-4636-4597-b7fa-9046fadd74df
Tags (edit)
Add tags
Topology
Properties
Capabilities (5)
Recommendations
Tutorials
DDoS protection
Configure additional protection from distributed denial of service
Azure Firewall
Protect your network with a stateful L3-L7 firewall.


Microsoft Azure
Upgrade
Search resources, services, and docs (G+/)
Copilot
dhanush05112004@gm...
DEFAULT DIRECTORY (DHANUSH...
Home > Network foundation | Virtual networks > dhanush-vnet
Network foundation | Virtual networks
Preview
Search
Create
Manage view
Overview
Virtual network
Virtual Network overview
Virtual networks
NAT gateways
Public IP addresses
Network interfaces
Network security groups
Application security groups
Bastions
Route tables
Route servers
Private Link
DNS
Monitoring and management
You are viewing a new version of Browse experience. Click here to access the old experience.
Name
dhanush-vnet
dhanush-vnet1
moni-vnet1
moni-vnet2
Nivi-vnet-1
Nivi-vnet-2
saranya-vnet1
Showing 1 - 7 of 7. Display count:
auto
Add or remove favorites by pressing Ctrl+Shift+F
dhanush-vnet | Peerings
Virtual network
Add
Refresh
Export to CSV
Delete
Sync
Settings
Address space
Connected devices
Subnets
Bastion
DDoS protection
Firewall
Microsoft Defender for Cloud
Network manager
DNS
Peerings
Service endpoints
Private endpoints
Properties
Locks
Monitoring
Virtual network peering enables you to seamlessly connect two or more virtual networks in Azure. The virtual networks appear as one for connectivity purposes. Learn more
Filter by name...
Showing all 0 items
Name
Peering s...
Peeri...
Remo...
Virtu...
Cross-tenant
Add a peering to get started
Give feedback
Add or remove favorites by pressing Ctrl+Shift+F

Home > Network foundation | Virtual networks > dhanush-vnet | Peerings >

Add peering

dhanush-vnet

Virtual network peering enables you to seamlessly connect two or more virtual networks in Azure. This will allow resources in either virtual network to directly connect and communicate with resources in the peered virtual network.

Remote virtual network summary

Peering link name * dhanush-vnet1-to-vnet2

I know my resource ID

Subscription * Azure subscription 1

Virtual network * dhanush-vnet1 (dhanush-rg)

Remote virtual network peering settings

Allow 'dhanush-vnet1' to access 'dhanush-vnet'

Allow 'dhanush-vnet1' to receive forwarded traffic from 'dhanush-vnet'

Allow gateway or route server in 'dhanush-vnet1' to forward traffic to 'dhanush-

Add Cancel

Home > Network foundation | Virtual networks > dhanush-vnet | Peerings >

Add peering

dhanush-vnet

Enable 'dhanush-vnet1' to use 'dhanush-vnet's' remote gateway or route server

Local virtual network summary

Peering link name * dhanush-vnet2-to-vnet1

Local virtual network peering settings


Allow 'dhanush-vnet' to access 'dhanush-vnet1'

Allow 'dhanush-vnet' to receive forwarded traffic from 'dhanush-vnet1'

Allow gateway or route server in 'dhanush-vnet' to forward traffic to 'dhanush-vnet1'

Enable 'dhanush-vnet' to use 'dhanush-vnet1's' remote gateway or route server

Add Cancel



Step 6: Test Connectivity

1. SSH into VM1 from your local machine:


ssh azureuser@<PublicIP-of-studentname-vm1>

2. From inside VM1, ping the private IP of VM2:

3. ping 192.168.1.4 # Example private IP of studentname-vm2

ssh azureuser@192.168.1.4

✅ If peering is correct, you'll get successful replies.



Result

- Two VNets created: **studentname-vnet1** & **studentname-vnet2**
- Peering established: **studentname-vnet1-to-vnet2** & **studentname-vnet2-to-vnet1**
- Two VMs deployed in different VNets can communicate privately.