PROJECT – X / HOME ASSISTANT LOG BOT 🤖
POWERED BY SPYLOCK AUTOMATION

SYSTEM LOG –

The System Log integration stores information about all logged errors and warnings in Home Assistant.

There are two types of logs available in system

- **Condensed (only 50 logs shows)**
- **Raw logs (overall errors and warning available)**

Example –

2019-02-14 16:20:35 ERROR (MainThread) [homeassistant.loader] Unable to find integration system_healt

2019-02-14 16:20:36 ERROR (MainThread) [homeassistant.components.device_tracker] Error setting up platform google_maps

Traceback (most recent call last):

File "/home/fab/Documents/repos/ha/home-assistant/homeassistant/integrations/device_tracker/__init__.py", line 184, in

[...]

Home Assistant Log Monitoring – Telegram Bot

Internal Maintenance Guide

This document explains the internal bot we run on the Home Assistant server to monitor system logs and alert our maintenance team through Telegram. The bot is used only for operations and troubleshooting, not for end users.

Why This Bot Is Used

Home Assistant generates many logs every minute. Manually checking them is not practical.
The bot helps the team to:

- **Know problems immediately**
- **Avoid system downtime**
- **Respond faster during failures**
- **Track repeated device issues**

How It Works (Simple Flow)

1. **The bot runs inside our server 24/7**
2. **It reads the Home Assistant log file in real time**
3. **When it finds:**
    - **ERROR**
    - **WARNING**
    - **CRITICAL**
      it sends a message to our Telegram maintenance group.

No data goes outside except the alert text sent to Telegram.

What Kind of Issues We Get Alerts For

- **Device not responding**
- **MQTT / network disconnection**
- **Automation failure**
- **Integration crash**
- **Add-on or supervisor error**
- **Configuration problems**

Conclusion

This bot acts as our first monitoring layer for Home Assistant.
It ensures the maintenance team is informed instantly whenever something goes wrong so we can keep the automation system stable and reliable.

Used By: Automation Maintenance Team
Purpose: Internal Monitoring Only

<----------DEVELOPMENT STAGE 1---------->

(bot_log.py)

```
import asyncio

import aiohttp

import json

import os

import sys


# Configuration

# Replace with your Long Lived Access Token

HASS_TOKEN = os.getenv("HASS_TOKEN", "YOUR_LONG_LIVED_ACCESS_TOKEN_HERE")

HASS_URL = os.getenv("HASS_URL", "ws://localhost:8123/api/websocket")

LOG_FILE = os.getenv("HASS_LOG_FILE", "/config/home-assistant.log")
```

……

EXAMPLE -



ERRORS I HAVE FACED DURING THE BOT RUNNING

Logger: homeassistant.components.telegram_bot.polling
Source: components/telegram_bot/polling.py:44
integration: Telegram bot (documentation, issues)
First occurred: 5:25:44 PM (24 occurrences)
Last logged: 5:35:47 PM

Conflict: Conflict: terminated by other getUpdates request; make sure that only one bot instance is running
"""""""""""""""""""""""

same i also facing this issue
"""""""""""""""""""""""

hello brother how you config this bot tell in chat
"""""""""""""""""""""""

lets verify together

BY

SPYLOCK AUTOMATION