

UNIVERSITY OF HERTFORDSHIRE

School of Physics, Engineering, and Computer Science

Research Paper Title

Affective Human–Robot Mutual Learning in Socially Assistive Robotics: A Critical Review of Differential Outcomes Training

Presented By:

Dr**.** Gabriella Lakatos

Module: Advanced Research Topics in Computer Science

Module code: 7COM1084-0105-2025

Student Name: Dhanyashree Madappa Nethravathi

Student number: 23085256

Table of Contents

1 Introduction of Research Specialism 3

2 Open Research Question 4

3 Existing and Related Work 6

3.1 Human–Robot Interaction and Socially Assistive Robotics 6

3.2 Affective Communication in Human–Robot Interaction 6

3.3 Mutual Learning and Human–Robot Co-Adaptation 7

3.4 Differential Outcomes Training and Associative Learning 7

3.5 Research Gap and Remaining Open Problems 8

4 Research Approach 9

4.1 Research Design and Methods 9

4.2 Strengths of the Approach 9

4.3 Limitations of the Approach 10

4.4 Proposed Future Research Approach 10

5 Personal Investment 11

6 References 12

1 Introduction of Research Specialism

Human–robot interaction (HRI) is a broad area of computer science that examines how humans and robots communicate, cooperate and adapt to one another in shared environments. It draws from artificial intelligence, robotics, psychology and design because effective interaction depends not only on technical performance, but also on whether a robot behaves in ways that people can understand and respond to naturally (Goodrich and Schultz, 2007; Fong, Nourbakhsh and Dautenhahn, 2003). As robots move beyond industrial settings into homes, schools and healthcare environments, the quality of interaction has become as important as the robot's underlying mechanical or computational capability.

Within this wider field, socially assistive robotics has emerged as an important research specialism. Socially assistive robots are designed to help users through communication, encouragement, guidance and companionship rather than through physical strength alone. This has made them increasingly relevant in elderly care, therapy, rehabilitation and education, where sustained engagement is often necessary for positive outcomes (Broekens, Heerink and Rosendal, 2009; Cifuentes *et al*., 2020). In such contexts, a robot that simply delivers instructions may be less effective than one that can respond in a socially meaningful and emotionally expressive manner.

A growing challenge in this area is therefore how robots can support rich, long-term interaction. Recent progress in language technologies has increased attention on verbal communication, yet interaction in real settings also depends on non-verbal and affective cues such as gesture, tone, posture and expressions of internal state (Heikkinen *et al*., 2024). These signals can influence whether users perceive a robot as understandable, engaging and worthy of attention. This is especially important in learning and care settings, where motivation, trust and adherence may determine whether the interaction succeeds at all.

For this reason, current research is paying increasing attention to affective communication, adaptive behaviour and mutual learning between humans and robots. These themes form an important foundation for understanding the research problem explored in the selected paper.

2 Open Research Question

A central open question within socially assistive robotics is how a robot can communicate in ways that are not only technically functional, but also understandable, engaging and adaptive for human users over time. In the selected paper, this broader issue is narrowed into a more specific research problem: whether differential outcomes training (DOT), expressed through affective verbal and non-verbal robot feedback, can improve mutual learning between a human and a robot, and whether the robot's use of an exploration–exploitation policy can further influence that process (Heikkinen *et al*., 2024). Rather than treating communication as a one-way process, the paper frames interaction as a shared learning task in which both participants gradually adjust to one another.

This question is scientifically interesting because it combines several areas that are often studied separately. Human–robot interaction research has long examined how robots can become more socially acceptable and easier to work with, while reinforcement learning has focused on how agents can improve behaviour through reward-based adaptation (Goodrich and Schultz, 2007; Watkins and Dayan, 1992). At the same time, research in psychology has shown that differential outcomes training can improve learning by linking each correct stimulus–response pair with a unique outcome, rather than a generic reward (McCormack, Elliffe and Virués-Ortega, 2019). The Heikkinen *et al.* (2024) paper is interesting because it brings these strands together. It asks whether a robot's affective feedback can function not simply as decoration, but as part of the learning mechanism itself.

The idea of mutual learning is especially important here. In many traditional HRI systems, the robot either gives instructions or learns passively from human input. In this paper, both sides learn simultaneously. The robot must learn which babbling sound best communicates its current internal need, while the human must learn which object corresponds to that sound. This makes the task more complex than ordinary instruction-following, because success depends on a shared, evolving understanding rather than a fixed command structure. Such a setup is closer to natural social learning, where communication develops through repeated interaction and feedback rather than perfect understanding from the start (Markelius *et al*., 2024; Ikemoto *et al*., 2012).

The research question is also important because it addresses a practical weakness in socially assistive robotics: long-term engagement. In healthcare, education and support settings, a robot may need to interact with a person repeatedly over weeks or months. However, users

may lose interest, become frustrated, or fail to complete an intervention if the robot feels confusing, repetitive or emotionally unresponsive (Alnajjar *et al*., 2019; Cifuentes *et al*., 2020). This is particularly relevant in cognitive intervention contexts, where adherence is often difficult to maintain. A robot that can express internal states more clearly and respond with meaningful affective feedback may be better able to sustain user attention and cooperation. In that sense, the research problem is not only about improving accuracy in a controlled task, but also about whether human–robot communication can become more effective in real-world assistive contexts.

Another reason this question remains open is that it cannot yet be considered solved by existing work. Even if DOT has shown benefits in human learning studies, its value in HRI is still underexplored, especially when combined with adaptive robot learning and affective interaction. Likewise, reinforcement learning offers a useful framework for robot adaptation, but it does not automatically guarantee that a human will find the interaction intuitive or rewarding. The key challenge, therefore, is not simply whether the robot can optimise a policy, but whether both the human and robot can develop a stable and meaningful communication system together.

Overall, the selected paper addresses an open research question that is both theoretically rich and practically relevant: how to design socially assistive robots that learn with humans, rather than merely acting in front of them. That question has clear implications for therapeutic robotics, educational technology and future human-centred AI systems.

3 Existing and Related Work

3.1 Human–Robot Interaction and Socially Assistive Robotics

The research problem explored by Heikkinen *et al.* (2024) is grounded in the wider field of human–robot interaction (HRI), which examines how humans and robots communicate, cooperate and adapt to one another. Foundational work in HRI has shown that successful interaction depends not only on technical performance, but also on transparency, usability and the extent to which robot behaviour is understandable to human users (Fong, Nourbakhsh and Dautenhahn, 2003; Goodrich and Schultz, 2007). These studies established the importance of social and behavioural factors in robot design, but they did not fully address long-term learning relationships in which both robot and human must adapt over time.

This broader field also includes socially assistive robotics, where robots are designed to support people through guidance, encouragement and companionship rather than physical labour. Research in elderly care, therapy and rehabilitation has shown that socially assistive robots may help improve motivation, provide consistency, and support human-centred interventions (Broekens, Heerink and Rosendal, 2009; Cifuentes *et al.*, 2020). However, although this literature demonstrates the potential value of such systems, it often focuses more on application areas than on the detailed learning processes that make sustained interaction effective. As a result, the question of how a robot can build and maintain meaningful engagement through adaptive communication remains only partly resolved.

3.2 Affective Communication in Human–Robot Interaction

Affective communication has become an increasingly important theme in HRI because interaction in real-world settings depends on more than spoken language. Gestures, posture, vocal tone and other emotional or motivational signals can influence whether a robot appears engaging, understandable and socially present. This is particularly important in educational and therapeutic contexts, where users may respond not only to what the robot does, but also to how it expresses itself (van den Berghe *et al.*, 2019; Song *et al.*, 2023).

At the same time, prior work has not fully established how affective signals should be used to support learning. In many studies, emotional behaviour is treated as a way to improve user experience or social acceptance, but not necessarily as a core part of the learning mechanism itself. This creates a gap in the literature. It is one thing to show that affect improves

interaction quality in general, but another to demonstrate that specific affective responses can directly strengthen learning and communication between a human and a robot.

3.3 Mutual Learning and Human–Robot Co-Adaptation

The idea of mutual learning is also relevant to this topic. In educational and collaborative settings, mutual learning refers to a process in which both sides adapt, exchange roles and contribute to the development of shared understanding (Janssen, Konings and van Merriënboer, 2017; Klevan *et al*., 2021). In robotics, related ideas appear in research on co-adaptation and shared skill learning, where both human and machine adjust through repeated interaction rather than through one-sided control (Ikemoto *et al*., 2012; Saracbasi *et al*., 2021).

This literature is useful because it challenges the assumption that intelligent systems should simply observe and optimise around a fixed human user. However, much of it does not focus on socially assistive settings or affect-grounded communication. In other words, it supports the idea that two-sided adaptation is important, but it does not fully explain how mutual learning should be implemented in a robot that must communicate internal needs in an intuitive and emotionally meaningful way.

3.4 Differential Outcomes Training and Associative Learning

The most direct theoretical influence on the selected paper comes from differential outcomes training (DOT). DOT originates from behavioural and cognitive psychology and refers to a learning procedure in which each correct stimulus–response pair is linked to a unique outcome. Rather than receiving a generic reward, the learner receives a specific outcome associated with that pairing. A systematic review and meta-analysis by McCormack, Elliffe and Virués-Ortega (2019) found medium-to-large effects of DOT on learning speed and accuracy in humans, suggesting that differentiated reward structures can make associative learning more effective.

One explanation for this effect is that DOT supports an anticipatory, reward-based learning route, which may reduce dependence on working memory and retrospective rule recall (Savage and Ramos, 2009). This makes DOT especially interesting for clinical or ageing populations, where memory-related difficulties may affect performance. Even so, most DOT research has taken place outside HRI. The transfer of this idea into human–robot interaction

is still relatively recent, which means that although the underlying theory is well supported, its application to socially assistive robots remains underdeveloped.

3.5 Research Gap and Remaining Open Problems

The earlier study by Markelius *et al.* (2024) is especially important because it began to connect DOT, affective robot behaviour and mutual learning in an HRI setting. That work showed that affect-grounded language acquisition with differential outcomes could be explored meaningfully in a human–robot task. However, it remained preliminary, leaving room for stronger evidence and better-controlled investigation. Heikkinen *et al.* (2024) builds directly on that work by increasing the sample size, refining the design and adding a robot exploration–exploitation condition.

Even with these developments, the wider problem remains open. Much of the existing literature relies on short-term experiments, simulated environments or narrow performance measures. These studies are valuable for early-stage exploration, but they do not fully answer whether affective mutual learning can support long-term engagement in realistic therapeutic or educational settings. Questions also remain about how users interpret robot affect, how different learning policies influence co-adaptation, and whether these findings generalise to the populations who are most likely to benefit from socially assistive robots, such as older adults or people with cognitive impairments (Alnajjar *et al*., 2019; Andriella *et al*., 2023; Raptopoulou *et al*., 2021).

Taken together, the literature shows that the selected paper is not working in isolation. It builds on established research in HRI, socially assistive robotics, affective interaction and associative learning. However, these strands have only recently begun to converge. What remains insufficiently answered is how affective feedback and adaptive robot learning can work together to support mutual learning in a way that is both scientifically robust and practically useful. That unresolved space is what gives the selected paper its research significance.

4 Research Approach

4.1 Research Design and Methods

Heikkinen *et al.* (2024) explored the research question through a controlled experiment that combined human–robot interaction, reinforcement learning and associative learning theory. The study used a simulated version of the Reachy robot in Unity. Reachy was given three internal needs—thirst, hunger and curiosity—which were linked to three objects: a drink, a cookie and a teddy. In each trial, the robot selected one of three babbles to communicate its strongest need, and the human participant responded by choosing an object. A correct choice produced positive reward, while an incorrect choice produced negative reward. The robot then updated its behaviour using Q-learning, allowing it to gradually improve its babble selection over time (Watkins and Dayan, 1992; Heikkinen *et al*., 2024).

The experiment used a 2 × 2 within-subjects design. The first independent variable was human training type, comparing differential outcomes training (DOT) with Non-DOT. The second was robot learning type, comparing a greedy strategy with an epsilon-greedy exploration–exploitation strategy. The main dependent variable was mean reward across blocks of trials, treated as a measure of mutual learning because improvement depended on both the human and the robot learning successfully. The researchers also included a short post-task interview and analysed responses using thematic analysis (Braun and Clarke, 2006), which added a small qualitative element to the study.

4.2 Strengths of the Approach

A clear strength of the study is its interdisciplinary design. The paper does not discuss affect, reinforcement learning and HRI separately; instead, it combines them into one coherent experiment. This fits the research question well, since the problem itself sits between technical learning and social communication.

The design was also clear and measurable. The variables were well defined, the hypotheses were explicit, and the reward-based outcome gave the researchers a practical way to measure mutual learning. The within-subjects structure was useful for an exploratory study because every participant completed all four conditions, which reduced the effect of individual differences. In addition, the interview responses were helpful because they revealed user frustration and confusion that could not be seen from performance scores alone.

4.3 Limitations of the Approach

Despite these strengths, the study has several limitations. The first is the sample. Although 28 participants was enough for an early study, most were younger adults, while the paper's motivation is strongly linked to socially assistive applications such as cognitive support and elderly care. This weakens the real-world relevance of the findings.

A second issue is the within-subject carry-over effect. Because all participants completed every condition, associations learned in one stage may have influenced later stages. The pseudo-randomised order helped, but it could not remove this problem fully.

The use of a simulated robot also limits ecological validity. Social presence and embodiment matter in HRI, especially when affective feedback is central. A simulated interaction may therefore not reflect how users would respond to a physical robot in practice.

There were also some design-level weaknesses. Some participants found the babbles too similar, which could make learning harder for reasons unrelated to the actual research question. The keyboard-based interaction also introduced the possibility of accidental errors. In addition, the epsilon value was quite small, meaning the exploration condition may not have been strong enough to show its full effect. The study also lacked a direct manipulation check to confirm whether participants genuinely understood the differential gestures as distinct outcomes.

4.4 Proposed Future Research Approach

A stronger follow-up study would test the same idea in a more realistic setting. First, it should use a physical robot rather than only a simulated one. Second, it should recruit participants who are closer to the intended application group, such as older adults or people with mild cognitive impairment. This would make the findings more relevant to socially assistive robotics.

A future study could also use a between-subjects or mixed design to reduce carry-over effects. The interaction should be improved through clearer vocal signals and a more intuitive response method than keyboard keys. Alongside reward, future research should measure engagement, trust and retention across sessions, since long-term usefulness in assistive settings depends on more than short-term task accuracy.

5 Personal Investment

This research topic is personally meaningful to me because it combines two areas that I find especially interesting: artificial intelligence and human-centred robotics. I have been drawn to robotics not only because of the technical challenge involved, but also because of the possibility of building systems that interact with people in useful and supportive ways. For that reason, the idea of a robot learning with a human, rather than simply responding to commands, stands out to me as a more realistic and socially valuable direction for future AI systems. The selected paper was particularly engaging because it connects machine learning with communication, emotion and human experience, rather than treating intelligence as a purely computational problem.

Another reason I connect with this topic is that it reflects the kind of research I would like to develop further at Master's level. My academic background has given me experience in AI-related problem solving, and I am especially interested in how intelligent systems can adapt to real-world users rather than performing only in ideal conditions. This makes socially assistive robotics appealing to me, since the field requires technical understanding together with awareness of usability, behaviour and ethical responsibility. In particular, the paper's use of reinforcement learning, adaptive interaction and experimental evaluation matches the type of work I find motivating, because it links theory with practical design decisions.

At the same time, I also recognise that research in this area requires more than technical enthusiasm. A project involving human–robot mutual learning would demand careful experimental design, patience in interpreting participant behaviour, and sensitivity to issues such as confusion, emotional response and trust. I see this as a strength as well as a challenge. I am willing to approach the topic with curiosity and discipline, and I believe my interest in AI, learning systems and applied research would help me contribute meaningfully. Overall, this area suits both my academic interests and my longer-term goal of working on intelligent systems that are technically sound but also genuinely useful to people.

6 References

Alnajjar, F., Khalid, S., Vogan, A.A., Shimoda, S., Nouchi, R. and Kawashima, R. (2019) 'Emerging cognitive intervention technologies to meet the needs of an aging population: A systematic review', *Frontiers in Aging Neuroscience*, 11, article 291. doi: 10.3389/fnagi.2019.00291.

Andriella, A., Torras, C., Abdelnour, C. and Alenyà, G. (2023) 'Introducing CARESSER: A framework for in situ learning robot social assistance from expert knowledge and demonstrations', *User Modeling and User-Adapted Interaction*, 33(2), pp. 441–496. doi: 10.1007/s11257-021-09316-5.

Braun, V. and Clarke, V. (2006) 'Using thematic analysis in psychology', *Qualitative Research in Psychology*, 3(2), pp. 77–101. doi: 10.1191/1478088706qp063oa.

Broekens, J., Heerink, M. and Rosendal, H. (2009) 'Assistive social robots in elderly care: a review', *Gerontechnology*, 8(2), pp. 94–103. doi: 10.4017/gt.2009.08.02.002.00.

Cifuentes, C.A., Pinto Bernal, M.J., Céspedes, N. and Múnera, M. (2020) 'Social robots in therapy and care', *Current Robotics Reports*, 1, pp. 59–74. doi: 10.1007/s43154-020-00009-2.

Fong, T., Nourbakhsh, I. and Dautenhahn, K. (2003) 'A survey of socially interactive robots', *Robotics and Autonomous Systems*, 42(3–4), pp. 143–166. doi: 10.1016/S0921-8890(02)00372-X.

Goodrich, M.A. and Schultz, A.C. (2007) 'Human-robot interaction: A survey', *Foundations and Trends in Human-Computer Interaction*, 1(3), pp. 203–275. doi: 10.1561/1100000005.

Heikkinen, E., Silvennoinen, E., Khan, I., Lemhaouri, Z., Cohen, L., Cañamero, L. and Lowe, R. (2024) 'Human-robot mutual learning through affective-linguistic interaction and differential outcomes training', in *2024 12th International Conference on Affective Computing and Intelligent Interaction Workshops and Demos (ACIIW)*. Piscataway, NJ: IEEE, pp. 323–330. doi: 10.1109/ACIIW63320.2024.00060.

Ikemoto, S., Amor, H.B., Minato, T., Jung, B. and Ishiguro, H. (2012) 'Physical human-robot interaction: Mutual learning and adaptation', *IEEE Robotics & Automation Magazine*, 19(4), pp. 24–35. doi: 10.1109/MRA.2011.2181676.

Janssen, F.J.J.M., Konings, K.D. and van Merriënboer, J.J.G. (2017) 'Participatory educational design: How to improve mutual learning and the quality and usability of the design?', *European Journal of Education*, 52(3), pp. 268–279. doi: 10.1111/ejed.12229.

Klevan, T., Jonassen, R., Topor, A. and Borg, M. (2021) 'Mutual learning: Exploring collaboration, knowledge and roles in the development of recovery-oriented services. A hermeneutic-phenomenological study', *International Journal of Qualitative Studies on Health and Well-being*, 16(1), article 2001898. doi: 10.1080/17482631.2021.2001898.

Markelius, A., Lemhaouri, Z., Cohen, L., Bergström, M., Lowe, R. and Cañamero, L. (2024) 'A human-robot mutual learning system with affect-grounded language acquisition and differential outcomes training', in Ali, A.A., Cabibihan, J.-J., Meskin, N., Rossi, S., Jiang, W., He, H. and Ge, S.S. (eds.) *Social Robotics*. Lecture Notes in Computer Science, vol. 14454. Singapore: Springer, pp. 108–122. doi: 10.1007/978-981-99-8718-4_10.

McCormack, J.C., Elliffe, D. and Virués-Ortega, J. (2019) 'Quantifying the effects of the differential outcomes procedure in humans: A systematic review and meta-analysis', *Journal of Applied Behavior Analysis*, 52(3), pp. 870–892. doi: 10.1002/jaba.578.

Niemelä, M. and Melkas, H. (2019) 'Robots as social and physical assistants in elderly care', in Toivonen, M. and Saari, E. (eds.) *Human-Centered Digitalization and Services*. Translational Systems Sciences, vol. 19. Singapore: Springer, pp. 177–197. doi: 10.1007/978-981-13-7725-9_10.

Raptopoulou, A., Komnidis, A., Bamidis, P.D. and Astaras, A. (2021) 'Human-robot interaction for social skill development in children with ASD: A literature review', *Healthcare Technology Letters*, 8(4), pp. 90–96. doi: 10.1049/htl2.12013.

Savage, L.M. and Ramos, R.L. (2009) 'Reward expectation alters learning and memory: The impact of the amygdala on appetitive-driven behaviors', *Behavioural Brain Research*, 198(1), pp. 1–12. doi: 10.1016/j.bbr.2008.10.028.

Song, H., Huang, S., Barakova, E., Ham, J. and Markopoulos, P. (2023) 'How social robots can influence motivation as motivators in learning: A scoping review', in *Proceedings of the 16th International Conference on PErvasive Technologies Related to Assistive Environments*. New York: ACM, pp. 313–320. doi: 10.1145/3594806.3604591.

Saracbasi, O.O., Harwin, W., Kondo, T. and Hayashi, Y. (2021) ‘Mutual skill learning and adaptability to others via haptic interaction’, *Frontiers in Neurorobotics*, 15, article 760132. doi: 10.3389/fnbot.2021.760132.

van den Berghe, R., Verhagen, J., Oudgenoeg-Paz, O., van der Ven, S. and Leseman, P. (2019) ‘Social robots for language learning: A review’, *Review of Educational Research*, 89(2), pp. 259–295. doi: 10.3102/0034654318821286.

Watkins, C.J.C.H. and Dayan, P. (1992) ‘Q-learning’, *Machine Learning*, 8(3–4), pp. 279–292. doi: 10.1007/BF00992698.