Prompt Pattern Cheatsheet

Day 2 — Foundational Prompt Patterns & Persona Workflows

1. Shot-Based Prompting Patterns

Pattern	When to Use	Minimal Skeleto
Zero-Shot	Straightforward tasks the model already excels at; exploratory "first try."	`System: You are
One-Shot	Task is clear but output style/format is critical.	`Example: "Trans
Few-Shot (2-5 ex.)	Complex output schema, subtle tone, or high accuracy needed.	`System: Format
"Chain-of-Thought" Shot	Forces step-by-step reasoning for math, logic, multi-hop QA.	<i>Add</i> "Let's
Self-Consistency	Diverse reasoning paths; pick majority answer.	Run multiple (3-5

2. Persona Role Patterns

Sub-pattern	Purpose	Key Tip
Role / Persona	Adopt voice & POV (e.g., _"You are Dr. House"_).	Put persona in the system messa
Expert Prompting	Force authoritative jargon or domain accuracy.	Start with: "Answer as a senior <dom< td=""></dom<>
Multi-Persona Dialogue	Simulate conversations; training, therapy, sales.	Delimit speakers clearly (`Doctor:\
Nested Personas	One agent "thinks," another "speaks."	Use comment blocks: ` Internal th</td

3. Template Engineering Blocks

```
### [CONTEXT] {context} [INSTRUCTION] {instruction} [EXAMPLES] {few_shot}
[OUTPUT_FORMAT] {schema} ###
```

Fill placeholders via code or UI variables for rapid reuse.

Keep each block ≤ 75 tokens for easy swapping.

4. Readability Tone Controls

- Length "Limit to 150 words." or use token ceilings.
- **Tone** "...in a friendly, humorous style."
- Formality "Rewrite formally." vs "...for a 5th-grader."

• **Delimiter Fences** — wrap long context in " " " or ````.

5. Modular Prompt Design

- 1. **Context Block** background facts, citations.
- 2. **Task Block** the actual instruction.
- 3. **Example Block** zero / one / few-shot.
- 4. **Constraints Block** tone, length, format.
- 5. Output Schema Block JSON, XML, Markdown, etc.
- > Swap or reorder blocks to A/B test without touching others.

6. Collaborative Workflow Tips

- Comment unused variants with or #
- Version templates in Git (diff friendly).
- Name each template (pricing_email_v2) for quick retrieval.
- Pair Review: teammate runs prompt, highlights ambiguity, refactors.

7. Common Pitfalls Fixes

Pitfall	Symptom	Quick Fix
Missing role segregation	Model slips out of character	Put persona in system role; repeat in examples.
Example order bias	All outputs copy first example's style	Shuffle or diversify few-shot list.
Over-stuffed context	Hallucinations / truncation	Summarize or link via `CONTEXT:` block ≤ 500 tokens.
Ambiguous constraints	Inconsistent length/tone	Convert constraints to explicit bullet list.

8. Fast-Grab Snippets

```
System: You are a meticulous proofreader. User: Proofread the following \to """\{draft\}""" Assistant MUST: - Return only the corrected text - Track changes using Markdown ~~strike~~ and **bold**
```

System: You are Socrates. Student: $\{question\}$ Socrates: Ask me *one* probing question that guides the student.

Use this cheatsheet as your Day 2 desk-reference: mix-and-match patterns, enforce clarity, and iterate collaboratively for reliable, reusable prompts.	