START HERE

# Rowzen manual verification

Hinglish field guide | 30 October 2026 | Local CSV workspace

Upload se export tak, teenon AI assistants ke saath. Har run mein kaunsi CSV kholni hai, kya configure karna hai, kya click karna hai aur kya output dekhna hai - sab neeche diya hai.

**Yeh test plan hai, completed test report nahi**
Is PDF ke checkboxes/results aapko khud record karne hain. Expected counts selected local fixtures par engine se cross-check hue hain. Aapke browser, account, Ollama aur deployment ko is document banate waqt complete manual PASS nahi diya gaya.

## Guide ko is order mein follow karein

| Pages | Aap kya verify karenge |
|---|---|
| 2-3 | Setup, files, reset aur result-recording rules |
| 4-6 | A: Clean Upload > Configure > Validate > Review + schema diagram |
| 7-10 | B: Blocked data, AI feature 2, manual correction, What-if, Undo/Redo |
| 11-13 | C: AI feature 1 - schema suggestions + approved-template drift |
| 14-18 | D-F: AI feature 3 - boolean/date repairs + safe manual fallback |
| 19-22 | G: Corrected CSV, reports, PostgreSQL, MySQL, MongoDB exports |
| 23-25 | H-I: Composite/parallel/self/cycle relationships + upload/performance |
| 26-28 | J-K: AI privacy/errors, responsive/accessibility, final checklist |

## Teen meanings yaad rakhein

**AI suggestion** = advice, jisko review karna hai. **What-if preview** = temporary copy par deterministic prediction; original data abhi nahi badla. **Apply** = aapki approval ke baad browser-memory correction aur automatic revalidation.

Actual UI labels English mein diye hain, taaki aap browser mein wahi control dhoondh sakein. CSV line 1 header hai; pehli data row CSV line 2 hai.

SETUP

# Pehle environment ready karein

P-01 | Full workspace use karein, public demo alag hai

**01 Project terminal mein local app start karein.**
Expected: Repo root par `npm.cmd run dev`. Agar app pehle chal rahi hai to duplicate server mat start karein. Terminal ka actual port dekhein.

**02 Browser mein http://localhost:3000/upload kholein.**
Expected: Login maange to apne legitimate Google/GitHub account se sign in karein. Heading **CSV workspace** aur six steps dikhne chahiye.

**03 /rehearsal ko is guide ke main test ke liye use na karein.**
Expected: Woh limited public demo hai; full template, AI, correction aur database-export workflow ke liye **/upload** use hoga.

**04 Projects mein New project banayein.**
Expected: **Project name** = `Rowzen Manual QA`; **Create project**. Sirf disposable test project, production records nahi.

**05 Ollama readiness check karein.**
Expected: Terminal mein `ollama list`: UI ka model **qwen2.5:0.5b** installed ho. UI browser se `http://127.0.0.1:11434` use karti hai. Approved digest ki check bhi hoti hai; arbitrary same-name model accepted nahi.

**06 AI request se pehle local setup aur consent verify karein.**
Expected: Supported local daemon, browser permission aur exact origin allowance chahiye. Agar AI unavailable ho to AI happy-path ko **BLOCKED - local setup** likhein; manual validation/correction phir bhi test karein.

**07 Ek result folder banayein.**
Expected: Downloads/screenshots ko apne test evidence folder mein rakhein; environment secrets, cookies ya real customer CSV share na karein.

**Local aur deployed AI**
Vercel khud local model host nahi karta. Hosted app ka AI bhi aapke device ke Ollama/browser support par depend karta hai. Broad origin wildcard ya public Ollama exposure ki zaroorat nahi.

Node requirement repository package.json mein >=24.22.1 aur <25 hai. Environment variables, auth setup ya database ko is manual test ke liye random change na karein.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

FILES & RESET

# Kaunsi files use karni hain

P-02 | Paths repo root ke relative hain

Base folder: `samples/csv_fixtures/`. VS Code mein CSV dekh sakte hain; upload ke waqt browser file picker mein file select karein. Original fixtures ko overwrite na karein.

| Run | Folder / files | Purpose |
|---|---|---|
| A | 01_clean/<br>departments_clean.csv, courses_clean.csv, students_clean.csv, enrollments_clean.csv | Clean 4-dataset baseline |
| B | 02_blocked/<br>students_issues.csv + departments_parent.csv | 11 findings + manual repair + AI explanation |
| C | 03_template_drift/<br>students_template_v1.csv; students_v2_renamed_added.csv; students_v3_removed_column.csv; students_v4_reordered.csv | Same-name working copies banengi, pages 11-12 |
| D-F | 05_ai_repair/<br>boolean_review.csv; date_review.csv; duplicate_missing_review.csv | Supported repair aur non-actionable results |
| G | 06_export/<br>escaping_unicode.csv; empty_null_whitespace.csv | Quotes, Unicode, formula, empty/text preservation |
| H-I | 04_relationships/, 07_upload_errors/, 08_performance/, 09_security/ | Advanced + negative coverage |

## Har independent run ka reset

**/upload** ka fresh tab kholein, phir sirf us run ki files ek saath select karein. File selection existing dataset set replace karti hai, append nahi. Same tab mein replacement par corrections/history discard confirmation aa sakti hai; pehle needed export download karein.

Refresh, tab close ya page departure se CSV/browser-memory state lose ho sakti hai. **Save validation summary** raw CSV backup nahi hai. A se G jaane ke liye clean setup dobara banayein; B ki blocked state ko export happy-path se mix na karein.

**Test result likhne ka rule**
PASS = action aur expected behavior dono observe hue. FAIL = reproducible mismatch. BLOCKED = login/model/second account jaisa prerequisite missing. NOT RUN = attempt nahi kiya. No safe AI suggestion ko successful candidate test ka PASS mat likhein.

A / UPLOAD + CONFIGURE

# Clean baseline: files aur field rules

A-01 | Upload + Configure

**01 Upload CSV datasets se 01_clean ki chaaron files ek saath choose karein.**
Expected: 4 datasets; departments 3 rows, courses 3, students 4, enrollments 4. **Preview dataset** badal kar original cells dekhein.

**02 Configure step kholein; Configure dataset se ek-ek dataset select karein.**
Expected: Source > Target same names rakhein. Types automatically configured assume na karein; har listed type khud choose karein.

| Dataset | Data type / Required | Primary / Unique |
|---|---|---|
| departments_clean | department_id: integer<br>department_name: string, Required | Primary: department_id |
| courses_clean | course_id: integer<br>title: string, Required | Primary: course_id |
| students_clean | student_id: integer<br>full_name: string<br>email: email<br>department_id: integer<br>is_active: boolean<br>enrolled_on: date<br>tuition_fee: number<br>postal_code: string<br>In 7 non-ID fields par Required tick karein. | Primary: student_id<br>Unique keys: email |
| enrollments_clean | student_id: integer<br>course_id: integer<br>semester: string, Required | Primary: None<br>Composite primary key:<br>student_id, course_id, semester |

**03 Unique aur composite fields mein exact target names enter karein.**
Expected: Har unique key alag line. Composite PK ek comma-separated key hai; enrollments mein same student multiple courses le sakta hai, isliye student_id single PK nahi.

**04 postal_code ko string hi rakhein.**
Expected: 00123, 00456, 00202, 00007 ka leading-zero text intact rahe. Integer suggest hone ko identifier meaning ka proof na samjhein.

**Configure mein rename test baad mein**
Target rename karne par **Apply mapping**/**Cancel** aata hai. Apply dataset ke keys, types aur Required settings reset karta hai; rules dobara configure karni hongi. A baseline mein rename mat karein.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

A / RELATIONSHIPS + VALIDATE

# Clean baseline: relationships aur result

A-02 | Exact configuration ke baad counts compare karein

**01 Configure mein Foreign-key relationships tak aayein.**
Expected: In filenames par relation infer nahi hota. Existing extras hon to test setup se remove karein; total neeche wali 3 relationships hon.

| # | Child dataset.column | Parent dataset.column |
|---|---|---|
| 1 | students_clean.department_id | departments_clean.department_id |
| 2 | enrollments_clean.student_id | students_clean.student_id |
| 3 | enrollments_clean.course_id | courses_clean.course_id |

**02 Har row ke liye Add relationship click karke four controls fill karein.**
Expected: Child dataset, Child column, Parent dataset, Parent column. Parent column declared primary/unique key ho aur configured child/parent types compatible hon.

**03 Validate step > Run Validation click karein.**
Expected: Review automatically khul sakta hai. Heading **Migration readiness: READY**. 4 datasets, **14 total rows, 14 valid, 0 invalid, 0 issues**; errors/warnings 0.

**04 Review section = Dependencies select karein.**
Expected: departments_clean students_clean se pehle; students_clean aur courses_clean enrollments_clean se pehle. Independent courses/departments ka ek fixed order demand na karein.

**05 Configure par jaakar students department_id type temporarily string karein; validate karein.**
Expected: Parent integer aur child string mismatch se configuration finding expected. READY/valid row count ko stale result ki tarah reuse na kare; row validity unevaluated ho sakti hai.

**06 student department_id integer restore karke Run Validation karein.**
Expected: Phir READY / 14 valid / zero issues. Data cells aur correction history unchanged.

**07 Export step par Download corrected CSV check karein.**
Expected: Abhi **disabled**: successful validation correction nahi hoti. 0 current cell changes. Report/schema exports alag workflows hain.

**READY ka scope**
READY sirf configured deterministic preflight pass hai. Real database import execute/guarantee nahi hua. Unconfigured type/key/relationship check ko passed check na maanein.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

A / REVIEW

# Review, analytics aur schema diagram

A-03 | Same clean run ko continue karein

**01 Review section = Summary and readiness karein.**
Expected: READY, actual summary counts aur assumptions read karein. **Compare original and corrected results** disclosure kholein: **Original vs corrected validation** mein original/current same aur 0 changed cells.

**02 Review section = Issues karein.**
Expected: **No validation issues in this report.** Search se fabricated issue nahi banta. AI explanation area ka empty state: no validation issues to explain.

**03 Review section = Dataset analytics karein.**
Expected: 4 datasets ke actual row/count summaries: 3, 3, 4, 4. Charts aur totals report se consistent hon; no fake activity.

**04 Review section = Dependencies kholein.**
Expected: Configured dependency graph aur import order dono dekhein. Expand/collapse aur keyboard navigation kaam kare; CSV values graph mein nahi chahiye.

**05 Generate schema diagram click karein.**
Expected: Review schema view khule; current configuration se 4 table boxes aur 3 configured relationship pairs. PK/composite PK labels sahi columns par hon.

**06 Diagram aur Schema tables views switch karein.**
Expected: Columns/types, key details aur foreign-key pair list consistent. Zoom/pan/fit controls use karein jo actual UI mein available hon; text readable rahe.

**07 Download schema SVG click karke downloaded file browser mein open karein.**
Expected: Valid SVG, matching tables/edges/labels. Raw names Amina/Bilal/email addresses ki rows diagram export mein nahi honi chahiye.

**08 Configure mein course title type/settings badlein, Review schema par wapas aayein.**
Expected: Old diagram ko current schema ka proof nahi dikhana chahiye. **Generate a new schema diagram** ya fresh generation required. Settings restore + validate + regenerate karein.

**Review view aur workspace step alag hain**
**Review section** dropdown Review ke andar hai. Desktop six-step buttons se navigation hoti hai; mobile par **Workspace step** dropdown use karein. Hidden mounted panel ke button ko dhoondhne ke liye uska step pehle kholein.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

B / BLOCKED BASELINE

# Intentional issues: exact setup

B-01 | Fresh run, sirf 02_blocked ki dono files

**01 students_issues.csv aur departments_parent.csv ek saath upload karein.**
Expected: 5 student + 2 department records = 7 total rows. In names par automatic FK assume na karein.

**02 students_issues par page 4 ke student types aur 7 non-ID Required rules lagayein.**
Expected: student_id integer, full_name string, email email, department_id integer, is_active boolean, enrolled_on date, tuition_fee number, postal_code string.

**03 Keys configure karein.**
Expected: students_issues Primary = student_id; Unique keys mein sirf **postal_code**. departments_parent Primary = department_id; department_id integer, department_name string + Required.

**04 Ek Add relationship banayein.**
Expected: Child students_issues.department_id > Parent departments_parent.department_id. Is run mein composite rules ya extra unique email add na karein.

**05 Validate > Run Validation karein.**
Expected: **BLOCKED; 7 total, 3 valid, 4 invalid; 11 findings**. Issue count invalid-row count ke barabar zaroori nahi.

| Code | Expected lines / columns | Count |
|---|---|---|
| DUPLICATE_PK | student_id: CSV lines 3 and 4 | 2 |
| FK_NOT_FOUND | department_id: line 4 (99 missing in parent) | 1 |
| INVALID_TYPE | line 4: email, enrolled_on, is_active; line 5: is_active, tuition_fee | 5 |
| REQUIRED | full_name: line 5 | 1 |
| DUPLICATE_UNIQUE | postal_code: lines 5 and 6 | 2 |

**06 Review > Issues filters check karein.**
Expected: Error code INVALID_TYPE = 5; DUPLICATE_PK = 2. Search **postal_code** = 2 when other filters cleared. Impossible search = no matches. Clear search/filters to restore all 11.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

AI FEATURE 2

# Root-cause & migration impact analysis

B-02 | B-01 ka unchanged 11-finding report use karein

**01 Review > Summary and readiness mein Explain issues with AI area dhoondhein.**
Expected: Current report chahiye. Consent ke bina **Explain Issues with AI** disabled; CSV records unchanged.

**02 Allow local issue analysis tick karein; Explain Issues with AI click karein.**
Expected: **Analyzing issues...** / checking model state. Duplicate request disabled. AI response ka exact text/count fixed nahi.

**03 Result ke AI hypothesis disclosures expand karein.**
Expected: **Possible cause / AI hypothesis / Needs investigation** unconfirmed advice hai. **Verified findings** mein real code, dataset, column aur CSV line current report se match hon.

**04 Ek View finding ... ya View cited issues action click karein.**
Expected: Issues view mein wahi cited IDs/filter context khule. **Locate first cited cell/record** se Correct ka matching source location khule. Opened manual draft ko Cancel edit karein before next AI request.

**05 Potential downstream impact aaye to graph action check karein.**
Expected: Sirf configured dependencies; **affected records are unknown**. **View dependency graph** Dependencies view khole. Har model answer mein downstream section aana mandatory nahi.

**06 Review > Issues mein specific finding > Explain this issue with AI click karein.**
Expected: Focused analysis (selected findings / total) dikhe. Fresh consent + request karein. **Analyze all issues** focus clear kare, old output current na rahe.

**07 B-03 mein ek correction approve karke analysis par wapas aayein.**
Expected: Old explanations discard/hide; workspace-changed notice aur fresh request/consent required. Correction/report number apne aap AI text ki wajah se change nahi hona chahiye.

**AI empty / abstention ka result**
**No supported explanation was returned** safe result ho sakta hai. Isse finding disappear nahi hoti. Safety test pass ho sakta hai, lekin successful explanation test ko NOT DEMONSTRATED/BLOCKED likhein; local model quality investigate karein.

Privacy: model request mein codes, aggregate counts aur opaque relationship IDs allowed hain. Raw CSV values, dataset/column names aur correction history is feature ke payload mein excluded hain.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

B / MANUAL CORRECTION

# 9 approved test edits: 11 findings se zero

B-03 | Original source files edit nahi karni; browser Correct use karein

Neeche ke replacement values **is synthetic test ke user-approved intended values** hain. Real data mein inki copy mat karein; original source owner se intended value confirm karein.

**01 Correct > Correction dataset = students_issues choose karein.**
Expected: Har cell ka Edit exact source CSV line aur column par click hoga. Same row mein multiple findings alag edits maangti hain.

**02 Har row ke liye Proposed value enter > Preview impact > Apply correction karein.**
Expected: Preview temporary hai. Approval ke baad auto revalidation aur history update hon. Table ka issues-left count **apply ke baad** compare karein.

| Order | CSV line / column | Current > intended value | Issues left |
|---|---|---|---|
| 1 | 4 / student_id | 102 > 103 | 9 |
| 2 | 4 / email | not-an-email > chen@example.test | 8 |
| 3 | 4 / department_id | 99 > 20 | 7 |
| 4 | 4 / is_active | yes > true | 6 |
| 5 | 4 / enrolled_on | 2026-13-01 > 2026-10-03 | 5 |
| 6 | 5 / full_name | (empty) > Dana | 4 |
| 7 | 5 / is_active | maybe > false | 3 |
| 8 | 5 / tuition_fee | not-a-number > 775.25 | 2 |
| 9 | 6 / postal_code | 00011 > 00012 | 0 |

**03 Final Review > Summary and readiness dekhein.**
Expected: **READY; 7 total, 7 valid, 0 invalid, 0 findings**. **Compare original and corrected results** expand karein: 9 changed cells across 3 affected student records; original BLOCKED/11 aur corrected READY/0.

**04 Validate > Run Validation manually dobara karein.**
Expected: Same final counts; manual revalidation approved cells/history ko duplicate nahi kare. Automatic revalidation text approval ke baad, manual text explicit run ke baad expected.

**Duplicate fix ka 2-finding drop**
student_id 102 ke dono repeated rows par DUPLICATE_PK tha. Ek ID unique karne se dono findings resolve hoti hain. Isi tarah last postal_code edit 2 unique findings resolve karta hai. Yeh invented count nahi.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

B / HISTORY & ELIGIBILITY

# Preview, Undo/Redo aur export gates

B-04 | B-03 ka corrected run continue karein

**01 Correction activity history expand karein.**
Expected: 9 APPLY entries agar sirf B-03 edits kiye hain. Preview apni entry add nahi karta. Original/current values recoverable hon.

**02 Undo ek baar click karein (accessible name: Undo correction).**
Expected: Last postal_code 00012 > 00011 restore; auto revalidation: **BLOCKED, 2 findings**. Changed cells 8.

**03 Redo correction click karein.**
Expected: Final READY/0 findings/9 changed cells restore. History mein undo/redo activity bhi record hogi; active changed-cell count history-entry count se alag hai.

**04 Kisi unchanged text cell ka Edit kholein; draft badlein; Preview impact click karein.**
Expected: Temporary prediction dikhe. Current source value, current report aur effective correction count **apply se pehle unchanged**. Preview badle hue rules par stale reuse na kare.

**05 Cancel edit karein.**
Expected: Draft aur preview discard; approved 9 changes/history intact. AI planner manual draft ke beech fresh repair start na kare.

**06 Export > Corrected CSV dataset = departments_parent choose karein.**
Expected: Child mein correction hone ke baad unchanged parent download bhi allowed. Status selected dataset mein 0 aur across all datasets 9 current changes dikhaye.

**07 Test download lein, phir Correct > Discard corrections click karein.**
Expected: Confirmation ko pehle Cancel karke verify karein state stays. Phir explicit confirm: originals + undo/redo history restore/clear, auto revalidation original BLOCKED/11.

**08 Export par wapas Download corrected CSV check karein.**
Expected: 0 effective changes par disabled. Discard ke baad Redo se discarded history restore nahi honi chahiye.

**No invalid shortcut**
Corrected CSV eligibility approved effective changes par hai; READY hona mandatory nahi. BLOCKED report ke saath download warning accurate rahe. Database record export ke stricter gates alag hain. AI Apply ke liye verified eligible preview required hai.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

AI FEATURE 1 / BASELINE

# Approved template pehle banayein

C-01 | Same filename trick bahut zaroori hai

**01 Desktop par rowzen-manual-qa folder mein template-v1, v2, v3, v4 subfolders banayein.**
Expected: Har folder mein ek working copy hogi. Original repo fixtures ko overwrite nahi karna.

| Original in 03_template_drift/ | Working copy path under rowzen-manual-qa/ |
|---|---|
| students_template_v1.csv | template-v1/students.csv |
| students_v2_renamed_added.csv | template-v2/students.csv |
| students_v3_removed_column.csv | template-v3/students.csv |
| students_v4_reordered.csv | template-v4/students.csv |

Windows Explorer mein File name extensions visible karein. Copy ko rename karke exactly **students.csv** rakhein, students.csv.csv nahi. Sab copies ka dataset name tabhi **students** hoga.

**02 Fresh /upload mein sirf template-v1/students.csv choose karein.**
Expected: 3 rows; headers student_no, full_name, dept_code, is_active. Configure dataset = students.

**03 Rules configure karein, target names unchanged rakhein.**
Expected: student_no integer + Primary; full_name string + Required; dept_code string; is_active boolean. Other unique/composite/relationships empty.

**04 Validate > Run Validation karein.**
Expected: READY, 3 total/valid, zero issues. Configure > Project and mapping templates open karein.

**05 Template project = Rowzen Manual QA; New template name = Manual QA students v1.**
Expected: **Save mapping template** click. Success message; selected saved template available. Only schema settings sent, CSV rows/history nahi.

**06 Same unchanged file ke saath Saved mapping template select karein.**
Expected: Schema suggestions > Template comparison: **0 added, 0 removed**, no reordered/type conflict with matching rules.

**Is step ka dependency**
Real login + project/template storage working chahiye. 401/DB error par template-backed drift ko BLOCKED likhein. Template ke bina AI mapping advice possible hai, lekin approved-baseline drift verify nahi hota.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

AI FEATURE 1 / DRIFT

# Added, removed, reordered aur type conflicts

C-02 | Har subtest mein sirf ek students.csv upload karein

**01 Upload se template-v2/students.csv replace karein.**
Expected: 2 rows; Configure > same Template project + Saved mapping template = Manual QA students v1 select karein. **Load** click karna comparison ke liye zaroori nahi.

**02 Schema suggestions > Template comparison expand karein.**
Expected: Added: **student_id, semester** (2); Removed: **student_no** (1). Same dataset name match hona chahiye. AI possible rename aaye to hypothesis hi rahe.

**03 Load mapping template try karein.**
Expected: Original headers match nahi karte, isliye blocked/incompatible message; no silent rename, no automatic CSV edits. Existing compatibility rule weaken nahi honi chahiye.

**04 template-v3/students.csv replace > same saved template select karein.**
Expected: Added None (0); Removed **dept_code** (1). Current file mein missing column magically populate nahi honi chahiye.

**05 template-v4/students.csv replace > same saved template select karein.**
Expected: 0 added, 0 removed; **Column order changed / Reordered**. Direct load refused because original header order differs.

**06 template-v1/students.csv reload > matching template select > Load mapping template.**
Expected: Confirm dialog accept karne par saved settings apply, current report cleared. CSV rows/correction history not rewritten. Run Validation restores READY.

**07 Same V1 mein dept_code type string se integer karein; template selected rehne dein.**
Expected: Comparison: 0 added/removed; **1 configured type conflict** on dept_code, previous string/current integer. Values 10/20 hone se business meaning automatic confirm nahi hota.

**08 dept_code string restore + validate karein.**
Expected: Conflict gone; same raw records. Saved template V1 unchanged unless a separate explicit save performed.

**Agar comparison dataset_missing ho**
Aap original students_v2_renamed_added.csv naam se upload kar rahe hain. Page 11 wali **students.csv** working copy use karein. Dataset-name mismatch ko actual column drift ka pass result mat record karein.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

AI FEATURE 1 / SUGGESTIONS

# AI advice ko review, reject aur approve karein

C-03 | Fresh V1 working copy, types abhi unset rakhein

**01 template-v1/students.csv fresh upload karein; Configure kholein.**
Expected: Target names unchanged. Student_no PK/types automatic assume na karein. Saved V1 template select karein, lekin Load mapping template mat karein; warna useful no-op response aa sakta hai.

**02 Allow local schema metadata request tick karein.**
Expected: Consent ke bina **Suggest schema settings** disabled. Names/rules/counts Ollama ko jaate hain; raw row values nahi.

**03 Suggest schema settings click karein.**
Expected: **Analyzing mappings...**; duplicate click disabled. Cancel schema request available while pending. Model ka exact suggestion set deterministic UI contract nahi hai.

**04 AI recommendations ko source > suggested field ke saath padhein.**
Expected: **Unverified suggestions / Needs review**. Suggested types aggregate evidence se compatible hon; raw values unchanged. **View evidence** exact column evidence open/focus kare; **Why this suggestion?** expand ho.

**05 Koi suggestion select na karein; Apply selected suggestions dekhein.**
Expected: Disabled. 0 selected. **Reject suggestions** se settings, rows, result/history unchanged; dismissed notice aaye.

**06 Fresh request karein; sirf sensible offered suggestion select karein.**
Expected: Example: student_no integer ya is_active boolean, agar returned ho. Selected count accurate; UI missing suggestion force/create nahi karein. Apply par confirmation pehle Cancel: no changes.

**07 Apply selected suggestions dobara click + Confirm karein.**
Expected: Sirf selected mappings/rules applied. Current report cleared, raw CSV cells/history unchanged. Relationships auto rewritten nahi; rename hua ho to review required.

**08 Configure mein final intended rules inspect > Run Validation karein.**
Expected: V1 types/key correct hon to READY/3 rows/zero findings. Yeh schema approval hai, cell correction nahi; corrected-CSV download abhi bhi disabled ho sakta hai.

**No safe schema changes recommended**
Response empty/no-op ho sakta hai. Is result ko error ya forced acceptance se bypass nahi karna. Safety case record karein; successful apply branch NOT DEMONSTRATED rahe jab tak real useful suggestion return na ho.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

AI FEATURE 3 / CANDIDATE

# What-if highlight ka exact positive test

D-01 | 05_ai_repair/boolean_review.csv

**01 Fresh /upload > sirf boolean_review.csv upload karein.**
Expected: 4 rows. CSV line 2 true, line 3 false, **line 4 yes**, line 5 maybe. Dataset = boolean_review.

**02 Configure: person_id integer + Primary; full_name string + Required; active boolean + Required.**
Expected: No extra unique/composite/relationship. Full_name ko boolean mat banayein. Target names unchanged.

**03 Validate > Run Validation karein.**
Expected: **BLOCKED; 4 total, 2 valid, 2 invalid, 2 findings**. INVALID_TYPE active lines 4 and 5.

**04 Correct > Correction dataset = boolean_review; Suggest fixes with AI click karein.**
Expected: AI repair planner khule. **Finding to investigate** = **INVALID_TYPE - CSV line 4 - active**. Line 5 maybe select nahi karni.

**05 Source boolean convention = Confirmed: yes / no choose karein.**
Expected: Yeh aapki test-source meaning confirmation hai. Convention badalne se old consent/candidate invalidate hota hai.

**06 Allow local repair strategy request tick > Suggest fix click karein.**
Expected: Finding repair options...; phir eligible response par Original/current **yes**, Proposed **true**. **Step 2 of 3 - What-if preview** highlight; Preview fix button visible.

**07 Preview fix click karein.**
Expected: **Verified deterministic simulation** + **What-if preview - predicted, not applied**. 2 issues > 1; valid rows 2 > 3; invalid rows 2 > 1. Resolved findings 1, Introduced 0, Remaining 1.

**08 Preview ke saamne source state check karein.**
Expected: Current data abhi yes; 0 approved changed cells; Undo disabled. Remaining line 5 maybe ki wajah se status abhi predicted BLOCKED. Eligible improvement ke liye poora dataset READY hona zaroori nahi.

**Kab Apply highlight hoga?**
Local supported candidate + opened fresh preview + deterministic improvement gate ke baad **Step 3 of 3 - Apply correction** highlight aur **Apply suggested correction** enabled. Stage label click karna action nahi hai. Safe abstention aaye to positive branch NOT DEMONSTRATED, invalid auto-enable nahi.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

AI FEATURE 3 / APPROVAL

# Apply, cancellation aur safe refusal

D-02 | D-01 ka preview continue karein

**01 Apply suggested correction click; confirmation ko pehle Cancel karein.**
Expected: Source yes hi rahe, 0 changed cells, Undo disabled. Preview se automatic apply nahi hona chahiye.

**02 Apply suggested correction dobara click; explicit Confirm karein.**
Expected: active line 4 = true; 1 approved changed cell. Auto revalidation: BLOCKED, 4 rows, 3 valid, 1 invalid, 1 issue (line 5 maybe). History 1 APPLY.

**03 Undo correction, phir Redo correction karein.**
Expected: Undo: yes + 2 findings + 0 effective changes. Export corrected CSV disabled. Redo: true + 1 finding + 1 change; export enabled. Har action auto revalidation kare.

**04 Planner mein line 5 active (maybe) select karein; yes/no confirm + fresh consent + Suggest fix.**
Expected: Maybe exact yes/no token nahi. **Input required / no supported repair / guidance** acceptable safe outcome. No eligible replacement; Preview/Apply unavailable. Repeated clicks meaning invent nahi karte.

**05 Close/dismiss planner; line 5 active ka Edit kholein.**
Expected: Is synthetic test mein intended value **false** approve karein. Preview impact predicts 1 > 0 issues; Apply correction makes READY / 4 valid / 0 findings. 2 changed cells.

## Aapka pehle wala full_name regression

**06 Separate fresh boolean_review run mein full_name type temporarily boolean rakhein, validate karein.**
Expected: Names par INVALID_TYPE expected. Planner mein full_name finding + yes/no choose karne se arbitrary name true/false nahi ban sakta.

**07 Non-actionable result mein Review field type click karein.**
Expected: Configure mein exact full_name type control focus/open ho; configured boolean visible. Intended names ke liye **string** choose + Run Validation. Name values/history unchanged; full_name errors gone, active yes/maybe errors still remain.

**Three-stage rule**
Stage 1 = no eligible local edit. Stage 2 = candidate ready, preview review pending. Stage 3 = fresh eligible preview opened. Unknown convention par Review required input > confirm actual meaning > fresh consent > fresh request. Wrong field ko support dene ke liye validation rule blindly relax na karein.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

E / ORIGINAL DATE CSV

# Date file: expected manual fallback

E-01 | 05_ai_repair/date_review.csv - original unchanged

**01 Fresh /upload > date_review.csv upload karein.**
Expected: 4 rows. Configure person_id integer + Primary; event_date date + Required. No relationships or extra keys.

**02 Run Validation karein.**
Expected: **BLOCKED; 4 total, 1 valid, 3 invalid, 3 findings**: line 3 INVALID_TYPE (26/10/2026), line 4 INVALID_TYPE (2026-02-30), line 5 REQUIRED (empty).

**03 Correct > AI planner > line 3 event_date select karein.**
Expected: Actual input DD/MM/YYYY hai. Current supported date conventions sirf **YYYY/MM/DD** aur **YYYY-M-D** hain. Wrong convention confirm karke button unlock mat karein.

**04 Unknown convention ke saath consent + Suggest fix try karein.**
Expected: Input required/guidance/no supported candidate expected. AI day-first meaning choose nahi kare. Invalid 30 February ya empty cell ke liye bhi invented replacement nahi chahiye.

## Is synthetic run ke explicit intended values

| CSV line | Current | Manual Proposed value | Issues after apply |
|---|---|---|---|
| 3 | 26/10/2026 | 2026-10-26 | 2 |
| 4 | 2026-02-30 | 2026-02-28 | 1 |
| 5 | (empty) | 2026-10-27 | 0 |

**05 Har row ka Edit > Proposed value > Preview impact > Apply correction karein.**
Expected: Table ke dates is exercise ke user-approved source-of-truth hain; real missing/invalid date ke liye owner se correct date lena hoga. AI apne aap February 28 choose nahi karta.

**06 Final report aur export dekhein.**
Expected: READY, 4 valid, 0 findings; 3 changed cells. Corrected CSV mein original header order person_id,event_date aur explicit approved dates. Manual Preview impact AI stage indicator ko activate nahi karta.

**As-is file se positive AI date normalization test nahi hota**
Agar aap specifically AI date Preview/Apply highlight dekhna chahte hain, next page ka separate year-first supported synthetic copy use karein. Original date_review.csv ko silently modify na karein.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

E / SUPPORTED DATE CANDIDATE

# AI date normalization ka positive test

E-02 | Ek chhoti, explicitly synthetic working file banayein

**01 VS Code > New Text File mein neeche ka exact CSV paste karein.**
Expected: Desktop/rowzen-manual-qa/date_supported.csv ke naam se UTF-8 save karein. Filename .csv ho; original repo date fixture intact rahe.

```
person_id,event_date
1,2026/10/26
2,2026-10-27
```

**02 Fresh /upload > date_supported.csv upload; Configure karein.**
Expected: person_id integer + Primary; event_date date + Required. Validate > Run Validation.

**03 Baseline dekhein.**
Expected: BLOCKED, 2 total, 1 valid, 1 invalid, 1 INVALID_TYPE at **CSV line 2 - event_date**. CSV line 3 already valid hai.

**04 Correct > AI planner; line 2 event_date finding select karein.**
Expected: Source date format = **Confirmed: YYYY/MM/DD**; fresh local-repair consent tick > Suggest fix.

**05 Supported candidate aaye to Original/current vs Proposed dekhein.**
Expected: 2026/10/26 > **2026-10-26**. Stage 2 highlighted; Preview fix available. Raw date model se invent nahi hui; confirmed strategy ka local resolver conversion karta hai.

**06 Preview fix click karein.**
Expected: Predicted READY; valid 1 > 2; invalid 1 > 0; issues 1 > 0; resolved 1, introduced 0, remaining 0. Source/history abhi unchanged.

**07 Apply suggested correction + confirmation accept karein.**
Expected: Stage 3 se explicit apply; automatic validation READY / 2 valid / 0 issues; 1 changed cell. Undo original slash date + one issue restore kare, Redo ready kare.

**08 Optional second supported-format test ke liye fresh file copy banayein.**
Expected: Line 2 value **2026-1-5** aur convention **Confirmed: YYYY-M-D** use karein. Eligible candidate = **2026-01-05**. Same preview/approval gates required.

**Calendar invalid dates**
2026/02/30 ya 2026-2-30 supported shape mein bhi calendar-valid nahi. Date format confirm karna intended replacement date dena nahi hai. No candidate/Apply expected; bypass nahi.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

F / DUPLICATE + MISSING

# Duplicate ID aur missing name safely correct karein

F-01 | 05_ai_repair/duplicate_missing_review.csv

**01 Fresh /upload > duplicate_missing_review.csv select karein.**
Expected: 3 records. person_id values 1, 2, 2; last full_name empty; dept_code 10, 10, 99.

**02 Configure rules lagayein.**
Expected: person_id integer + Primary; full_name string + Required; dept_code string. No foreign key: parent CSV upload/configure nahi kiya. No extra unique keys.

**03 Run Validation karein.**
Expected: BLOCKED, 3 total, 1 valid, 2 invalid, **3 findings**: DUPLICATE_PK lines 3 and 4; REQUIRED full_name line 4.

**04 Correct > AI planner mein DUPLICATE_PK choose > consent > Suggest fix.**
Expected: Review/investigation guidance ya unsupported result. AI unique ID generate na kare, row delete/merge na kare. Eligible Preview/Apply expected nahi.

**05 REQUIRED full_name line 4 par bhi request try karein.**
Expected: AI missing name invent nahi kare. Input required / guidance safe behavior. Source rows count 3 hi rahe.

**06 Manual intended test identity fix karein.**
Expected: Line 4 person_id **2 > 3**; Edit > Preview impact: resolves 2 duplicate findings, remaining 1, introduced 0. Apply correction: 2 valid / 1 invalid / 1 finding.

**07 Manual intended test name fill karein.**
Expected: Line 4 full_name **(empty) > Nadia** is synthetic approved intended value. Preview impact then Apply correction. Final READY / 3 valid / 0 findings / 2 changed cells.

**08 Export corrected CSV download + Undo/Redo check karein.**
Expected: Headers person_id,full_name,dept_code unchanged; rows retain order, last row 3,Nadia,99. Undo restores missing name; Redo restores Nadia.

**dept_code 99 ka matlab**
Is isolated run mein no FK declared, isliye 99 par FK_NOT_FOUND expected nahi. Arbitrarily 99 > 10 change karna test requirement nahi. Missing parent relationship checks alag Run H mein hain. Nadia/3 test-only intended values hain, real IDs/names ka guess nahi.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

G / CSV + REPORTS

# Corrected CSV aur report downloads

G-01 | Fresh 06_export fixture run

**01 escaping_unicode.csv aur empty_null_whitespace.csv ek saath upload karein.**
Expected: Dono mein 4 rows; total 8. Configure first PK record_id, second PK record_id. record_id integer; baaki fields string; Required extras/relationships/unique empty. Run Validation: READY/8 rows.

**02 Export > Download corrected CSV check karein.**
Expected: Disabled before any approved effective edit. Draft/Preview/schema suggestion ko approved correction nahi maanein.

**03 Correct escaping_unicode line 2 description edit karein.**
Expected: Original quotes/comma description ke aakhir mein **[QA]** add karein; Preview impact unchanged readiness; Apply correction. 1 changed cell, still READY.

**04 Export > Corrected CSV dataset = escaping_unicode > Download corrected CSV.**
Expected: File ko VS Code text editor mein inspect karein: original header order, 4 logical records, quoted embedded comma/quotes/newline, Unicode/accent/emoji preserved. Multiline CSV ko physical text lines gin kar row count mat compare karein.

**05 Formula safety check karein.**
Expected: description mein original **=2+2** exported as **'=2+2**; apostrophe prefix expected. Formula protection text intentional export transformation hai. Status protected cell count at least 1.

**06 Corrected CSV dataset = empty_null_whitespace; download inspect karein.**
Expected: Selected dataset unedited hone par bhi related approved change ke baad export allowed. Exact empty, literal NULL, one-space text, NaN aur identifiers 0001-0004 text preserve; no blanket null coercion.

**07 Download privacy-safe JSON, issues CSV, dataset summary CSV karein.**
Expected: Metadata-only report artifacts; names/counts/line numbers may appear, raw descriptions/names/row arrays nahi. Zero issues CSV mein no fabricated findings. Dataset summary CSV source records nahi hai.

**08 Download JSON report alag inspect karein.**
Expected: Legacy full report includes explanations/configuration metadata; sharing se pehle review karein. Is label ko privacy-safe JSON ke identical contract ke roop mein na maanein.

**09 Correct > Undo sole edit; Export par wapas aayein.**
Expected: 0 effective changes par corrected download disabled; Redo se enabled. Download action server par CSV POST/save na kare.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

G / POSTGRESQL

# PostgreSQL schema + optional records

G-02 | A-01/A-02 clean 4-dataset setup dobara READY banayein

**01 Export > PostgreSQL schema export open karein.**
Expected: No pending mapping/rule draft; current validated report. Schema-only first, records separate consent. Destination database ko connect/import nahi karna.

**02 Column choices disclosure mein Use text for all columns click karein.**
Expected: Explicit TEXT choices all applied columns par. Required/PK empty policy Reject empty; optional fields preserve empty text. Numeric/date/email rules metadata-only reh sakte hain; yeh test intentionally text storage verify karta hai.

**03 Destination PostgreSQL schema = rowzen_manual_qa enter karein.**
Expected: Yeh generated SQL label hai; yahan click karne se real schema create nahi hota. PostgreSQL differences acknowledgement read + tick karein.

**04 Generate PostgreSQL schema click karein.**
Expected: Local schema preview; no DB contacted. Download PostgreSQL schema aur Download PostgreSQL manifest available. All 4 datasets, key/FK definitions and metadata warnings inspect karein.

**05 Schema-only download inspect karein.**
Expected: DDL/metadata; student source row values aur INSERT data absent. Declared relationships represented; blank/email business checks ko fully enforced DB guarantee nahi dikhaya gaya ho.

**06 Optional corrected records area mein Prepare PostgreSQL data export check karein.**
Expected: Separate record consent se pehle disabled. This export includes all approved current records, including unchanged originals; CSV edit count >0 prerequisite nahi.

**07 Include approved current CSV records... consent tick > Prepare PostgreSQL data export.**
Expected: 14 records prepared locally. **Download PostgreSQL restore**, data manifest aur import instructions download karein. Reversible hex ko encryption mat samjhein.

**08 Manifest/instructions inspect karein; execution mat karein.**
Expected: Total 14 rows, proper ordering/relationships and limitations. Restore includes schema + data; schema-only file separately run karne ki instruction nahi honi chahiye.

**09 Destination schema label badlein ya Configure rule change + revalidate karein.**
Expected: Old artifact stale, old record consent no longer sufficient. Fresh schema preparation + fresh record consent required. Old sensitive download reuse allowed na ho.

**Negative branch**
B-01 ke data-blocked report par records prepare try karein: ordinary data issues ko export gate bypass nahi kare. Only documented dependency-cycle handling special case ho sakti hai; production import is guide ka part nahi.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

G / MYSQL

# MySQL schema + optional restore

G-03 | A clean READY run; current settings fresh hon

**01 Export > MySQL database export open karein.**
Expected: UI MySQL 8.0.30+/8.4 InnoDB profile aur non-atomic DDL warning bataye. No database connection/execution.

**02 Choose MySQL column types > Use VARCHAR(255) types.**
Expected: All columns explicit VARCHAR(255). PK/Required = Reject empty; optional = preserve exact empty text. Source postal_code strings/leading zeros retained.

**03 Existing destination MySQL database = rowzen_manual_qa enter karein.**
Expected: Generated file target label only; manual execution se pehle actual destination independently review karna hota hai. Acknowledgement checkbox read + tick.

**04 Prepare MySQL export click karein.**
Expected: Schema preview + **Download MySQL schema**, manifest, instructions. Schema-only preview mein no source records; compatibility **NOT VERIFIED** messaging expected.

**05 Generated schema/manifest inspect karein.**
Expected: 4 datasets, actual declared keys/relationships; binary NO PAD comparison and metadata-only field semantics documented. PostgreSQL-like transaction rollback guarantee nahi.

**06 Optional corrected records ke consent se pehle Prepare MySQL records check karein.**
Expected: Disabled. Consent record inclusion ke liye alag hai, schema acknowledgement enough nahi.

**07 I consent to include approved current CSV records... tick > Prepare MySQL records.**
Expected: **Download MySQL restore** visible; download inspect. Manifest current records total 14. Sensitive hex encoding reversible hai, anonymous/encrypted data nahi.

**08 MySQL length/type/destination setting change karein.**
Expected: Prior preview/download stale ya hidden; Prepare fresh export + fresh record consent required. Cancel MySQL export artifacts/consent clear kare, original data unchanged.

**09 Optional typed conversion check separate fresh preparation mein karein.**
Expected: Only deliberately selected integer/boolean/date types use karein; DECIMAL ke liye precision/scale explicit fill karein. postal_code VARCHAR rakhein. Missing/unsafe choices error dikhayein, silent fallback nahi.

**File generation vs import**
Is run ka PASS sirf preparation, download, freshness aur contents ke liye hai. MySQL import/round-trip verification ke bina real DB compatibility ko PASS mat record karein. Generated restore kabhi production par run nahi karna.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

G / MONGODB

# MongoDB definitions + consented JSONL

G-04 | A clean READY run ko use karein

**01 Export > MongoDB document export open karein.**
Expected: Flat documents; SQL foreign keys metadata-only. PK automatic _id nahi banta; no silent relational-enforcement promise.

**02 Choose MongoDB types and collections > Use string types click karein.**
Expected: All columns explicitly STRING. PK/Required reject empty; optional preserve exact empty string. Numeric/date meaning metadata until explicitly selected BSON conversion.

**03 Har dataset ke collection aur Technical _id policy set karein.**
Expected: Collection names defaults unique hon: departments_clean, courses_clean, students_clean, enrollments_clean. Four datasets ke liye **Allow server ObjectId; retain original key fields** explicitly select karein. Is fixture mein source _id column nahi.

**04 Optional collection validators/declared unique indexes toggles inspect karein.**
Expected: Enabled/disabled choices output se match karein. FK/non-automatic _id/null-unique semantics acknowledgement read + tick karein.

**05 Prepare MongoDB export click karein.**
Expected: Definitions preview; **Download MongoDB definitions**, manifest, instructions. Schema/definitions-only mein CSV row contents included nahi.

**06 Prepare MongoDB documents consent se pehle check karein.**
Expected: Disabled. I consent to include approved current CSV records... tick karke hi records request available.

**07 Prepare MongoDB documents click > har Download JSONL: collection download karein.**
Expected: 4 files. Logical documents per file: departments 3, courses 3, students 4, enrollments 4; total 14. Source key fields retained, postal_code strings leading zeros preserved.

**08 Definitions, manifest aur instructions compare karein.**
Expected: No automatic SQL-style FK enforcement claim. Technical ObjectId server-generation permission explicit; data file fabricated source _id/key values add nahi kare.

**09 Type/collection/id policy change ya consent revoke karein.**
Expected: Prepared documents no longer current; old sensitive download unavailable. Cancel MongoDB export clears prepared output, CSV/corrections unchanged.

**Optional stronger conversion test**
Fresh prepare mein person/ID integer fields ke allowed INT32/INT64 choices tabhi select karein jab range/semantics intended hon; numeric monetary fields DECIMAL128 explicit. This basic STRING run typed BSON round-trip test ka substitute nahi.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

H / COMPOSITE + PARALLEL

# Relationships ke advanced checks

H-01 | Har subtest fresh /upload mein

## Composite FK: tuple ki order matter karti hai

**01 04_relationships/parent_composite.csv + child_composite_valid.csv upload karein.**
Expected: Parent 3 rows; child 3. Parent campus_id/dept_id integer, dept_name string. Single PK None; Composite primary key = **campus_id, dept_id**. Child person_id integer PK; campus_id/dept_id integer.

**02 Add composite relationship configure karein.**
Expected: Child child_composite_valid; columns **campus_id, dept_id** > Parent parent_composite; columns **campus_id, dept_id**. No extra single-column relationships.

**03 Run Validation + Generate schema diagram karein.**
Expected: READY, 6 valid rows, 0 findings. One tuple FK with 2 ordered column pairs; diagram/table both pairs preserve karein. Composite target ko two independent keys na samjhein.

**04 Separate run: child_composite_invalid.csv + same parent; same rules, new child dataset name.**
Expected: Total 5 rows; BLOCKED, 4 valid, 1 invalid, **FK_NOT_FOUND at child CSV line 3**. Tuple (2,20) absent. Manual intended test dept_id **20 > 10** at line 3; preview + Apply gives READY/5 valid.

## Parallel FK: same parent ke do distinct links

**05 Fresh upload addresses.csv + orders_two_fks.csv.**
Expected: addresses address_id integer PK, city string; orders order_id integer PK, billing_address_id/shipping_address_id integer. Other rules empty.

**06 Do Add relationship rows banayein.**
Expected: orders_two_fks.billing_address_id > addresses.address_id; orders_two_fks.shipping_address_id > addresses.address_id. Run Validation: READY / 5 rows / 0 findings.

**07 Generate schema diagram aur Foreign-key pairs list inspect karein.**
Expected: Dono billing/shipping pairs visible; same tables hone se one relation silently disappear nahi. Download SVG also retains both.

**Unknown relationship configuration**
Missing parent/column ya parent non-unique key ko READY treat nahi karna. Next page ka explicit negative test use karein; tuples ko fix karne ke liye random IDs invent na karein.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

H / SELF + CYCLE + CONFIG

# Graph blockers aur data blockers alag hain

H-02 | Advanced negative cases

**01 Fresh employees_self_reference.csv upload karein.**
Expected: employee_id integer PK; manager_id integer, **Required unchecked**; employee_name string + Required. Add self FK employee manager_id > employee employee_id.

**02 Run Validation aur Dependencies inspect karein.**
Expected: Head ka blank manager optional hai, REQUIRED error nahi. **BLOCKED; 3 total, 3 valid, 0 invalid; 1 DEPENDENCY_CYCLE**. Configured self-reference graph blocker hai, invalid-cell error nahi.

**03 Fresh cycle_a.csv + cycle_b.csv upload karein.**
Expected: cycle_a: a_id integer PK, b_id integer. cycle_b: b_id integer PK, a_id integer. FK A.b_id > B.b_id aur B.a_id > A.a_id configure karein.

**04 Run Validation karein.**
Expected: **BLOCKED; 4 total rows, 4 valid, 0 invalid; 1 DEPENDENCY_CYCLE**. Graph cycle group A/B show kare; acyclic import-order guarantee na kare. Valid rows =4 phir bhi import blocked ho sakta hai.

**05 Ek relationship remove karke Run Validation karein.**
Expected: Cycle gone, READY/4 valid/0 findings. CSV records unchanged. Is test mein constraint remove karna test-only graph check hai; real business FK casually delete na karein.

**06 Fresh composite example mein parent declared key intentionally remove karein.**
Expected: Parent columns ab declared unique/PK target nahi. Validate: configuration finding, not silently READY; Fix action exact relevant field/control tak le jaye.

**07 Parent composite key restore karein; child column typo try karein.**
Expected: Unknown target column configuration error. Relevant control identify ho; invalid row validity ko 0 pass/100% success se misrepresent na kare. Typo restore + Validate recovers baseline.

**08 Manual mapping draft test on a disposable clean run karein.**
Expected: Target full_name > display_name type karein: pending warning, applied result unchanged until Apply. Cancel restores original mapping. Apply resets that dataset keys/types/Required and clears current report; reconfigure intended rules before validating.

**Correction source vs mapped target**
Rename se source CSV header/value/order rewrite nahi hoti. Correct table original source column locate karta hai; schema/report mapping target names describe kar sakte hain. Exported corrected CSV source headers preserve karta hai.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

I / UPLOAD NEGATIVES

# Bad files, untrusted headers aur pagination

I-01 | Original synthetic fixtures hi use karein

Pehle ek valid file ka known report open rakhein. Upload step se har bad file **alag attempt** mein choose karein. Browser picker filter .txt hide kare to All files select karein, ya file-drop use karein.

| 07_upload_errors file | Expected outcome |
|---|---|
| duplicate_headers.csv | Rejected: duplicate column headers |
| missing_header_cell.csv | Rejected: empty column header |
| header_only.csv | Rejected: headers + at least one data row needed |
| malformed_quotes.csv | Rejected: parse error; no partial dataset commit |
| invalid_utf8.csv | Rejected: valid UTF-8 required |
| not_a_csv.txt | Rejected: only .csv files supported |
| over_1mb.csv | Rejected: maximum 1 MB per file |

**01 Failed selection ke baad existing session inspect karein.**
Expected: Error readable; previous valid CSV/settings/results preserved. Busy state release ho aur retry valid file succeeds. Bad file successful validation ke roop mein show nahi honi chahiye.

**02 6 small files ek saath choose karein; phir duplicate dataset names try karein.**
Expected: Maximum 5 rejection. Same filename from two folders (ignoring extension/case) = duplicate-name rejection; no silent overwrite. Independent template working copies ek saath upload nahi karni.

**03 09_security/untrusted_headers.csv fresh upload karein.**
Expected: HTML-looking header literal text render ho, script/alert/image execute na ho. Instruction-like label AI ko rules ignore karwa kar READY force na kare; no consent = no AI request.

**04 Fresh 08_performance/rows_1000.csv, phir separate rows_10000.csv test karein.**
Expected: id integer PK, department_id integer, active boolean, no FK. READY with 1000 / 10000 rows and zero issues. Record pagination, first/last page, Edit/Cancel, preview navigation responsive ho.

Performance ko apne device par observe karein; is guide mein fabricated millisecond SLA nahi. Freeze/console error ho to screenshot + viewport + filename + action record karein. Large source/private request bodies share na karein.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

J / AI SAFETY

# Consent, offline, cancel, stale aur privacy

J-01 | Synthetic fixtures + browser DevTools Network

**01 AI consent unchecked rakh kar sab 3 assistants open karein.**
Expected: No model request; actionable request button disabled. Local evidence/drift/validation available reh sakti hai - woh generative inference nahi.

**02 Browser DevTools Request blocking se *127.0.0.1:11434* block karein; fresh request try karein.**
Expected: Readable local-model error; no cloud fallback; no raw-data loss or fabricated suggestion. **Unblock** karke Retry/fresh consent+request se recover karein. All network Offline mat karein, warna app/auth bhi block hogi.

**03 Request pending ho to Cancel click karein.**
Expected: Cancellation notice, no later result applied, settings/data/history unchanged. Fast response ho to cancellation scenario NOT OBSERVED likhein; unrun branch ko PASS na karein.

**04 Pending/result ke baad relevant configuration/finding/convention change karein.**
Expected: Old result discarded/hidden. Fresh consent/request required. Old preview or Apply action current source mismatch ke saath execute nahi kare.

**05 Network request locally inspect karein; headers/cookies export mat karein.**
Expected: Ollama endpoint loopback only. Schema mapping: names/rules/aggregate profiles allowed, raw values/history excluded. Root cause: codes/counts/opaque IDs, raw values + private names excluded. Repair: issue categories/strategy IDs/counts, raw values/private labels/history excluded.

**06 Only uploads/validation/manual correction/corrected-CSV downloads run karke Network dekhein.**
Expected: Source row bodies server upload nahi hone chahiye. Project/template/save-summary explicit APIs may send allowed metadata; browser-dev module requests ko CSV upload mistake na karein.

**07 AI result ke claims inspect karein.**
Expected: Schema mapping advice unverified; root-cause explanation hypothesis; downstream counts unknown; repair candidate supported + deterministic verification + user approval. Missing names/IDs/dates auto generated nahi.

**08 Unsupported / malformed model response naturally aaye to record karein.**
Expected: Safe error/abstention + manual fallback; no unsafe output executed. Artificial model response fabricate karke is manual live run ka PASS mat declare karein; automated fixture tests separate evidence hain.

**Model quality ko safety se alag record karein**
Safe refusal data protection check pass kar sakti hai, lekin successful AI mapping/explanation/repair happy path ka proof nahi. Missing model, digest mismatch, origin/browser restrictions ko exact BLOCKED reason mein likhein.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

K / UX + PERSISTENCE

# Responsive, keyboard aur saved summaries

K-01 | Full browser workflow ke final supporting checks

**01 DevTools responsive widths 320, 375, 768, 1024 aur 1440 px par A + D critical flows dekhein.**
Expected: Upload, config types, issue location, repair preview/Apply, export controls reachable. Page-wide horizontal overflow nahi; table region ka deliberate horizontal scroll acceptable.

**02 Light, Dark aur System theme switch karein.**
Expected: Text/buttons readable; actual theme changes. Existing form values, filters, preview aur source state sirf theme change se lose na hon.

**03 Keyboard-only Tab/Shift+Tab, Enter/Space se workflow chalayein.**
Expected: File picker, selects, disclosure, consent, preview, confirmation, Cancel, Undo/Redo accessible. Focus visible; selected finding/field/link correct place focus kare. No trapped dialog focus.

**04 OS/browser prefers-reduced-motion enable karein.**
Expected: No essential meaning animation par depend kare. Loading text/status present; spinner/reveal motion reduced/disabled according to preference. No fake progress percentage.

**05 Clean READY report par Export > Save summary to project (optional) choose karein.**
Expected: Project Rowzen Manual QA; **Save validation summary**. Explicit metadata save; success and saved summary navigation. CSV cells/history backup promise nahi.

**06 Saved validation summary open karein.**
Expected: Stored status/counts/dataset metadata saved-time snapshot se match. A new upload workspace open karne par source rows auto restored nahi. Later correction previous saved report silently overwrite na kare; explicit new summary save alag snapshot.

**07 Two-account ownership optional security check karein.**
Expected: A se disposable QA summary save; uska results URL/ID locally note. B ke real account ko separate browser profile mein sign in karke same URL open karein: **Page not found**, no A private metadata. B se `/api/reports/ID` = 404 Resource not found.

**Ownership aur HTTP status**
Next.js streamed Not Found HTML 200 return kar sakta hai; 200 alone access proof nahi. Actual denial UI + no private content + underlying API denial verify karein. Second legitimate account nahi ho to cross-account check BLOCKED, fabricated session kabhi nahi.

Saved summary / template create actions test account storage mein metadata likhti hain. Sirf own disposable QA artifacts cleanup karein; production project delete/reset mat karein.

Apna result: PASS / FAIL / BLOCKED / NOT RUN Screenshot/file: _____

RECORD & SIGN-OFF

# Apna final result yahan record karein

Is page ko fill kiye bina complete verified claim na karein

| Case | Required outcome | Your result |
|---|---|---|
| P/A | Setup + clean 14 rows + review/diagram | _____ |
| B-01 | Blocked baseline: 11 findings | _____ |
| B-02 / AI 2 | Cited hypotheses + navigation + stale result handling | _____ |
| B-03/04 | 9 edits > READY, preview + history + Undo/Redo | _____ |
| C-01/02 / AI 1 | Template same-name drift + refusal to incompatible load | _____ |
| C-03 / AI 1 | Consent + real useful suggestion + reject/approve | _____ |
| D / AI 3 | yes > true; fresh preview > approval; no guessing maybe | _____ |
| E/F | Date/duplicate/missing manual fallback + supported date | _____ |
| G-01 | CSV safety + source order + Unicode + metadata exports | _____ |
| G-02/03/04 | 3 DB exports: schema first + record consent + freshness | _____ |
| H/I | Composite/parallel/cycle + bad files + large pagination | _____ |
| J/K | AI safety, accessibility, summaries, two-account isolation | _____ |

## Mismatch report ka format

**Case ID: ___ URL/viewport/theme: ___**
**Filename + configured rule: ___**
**Exact action: ___ Expected: ___**
**Actual UI message/count: ___**
**Screenshot/download (synthetic only): ___**

Source basis: src/components/upload/upload-workspace.tsx; upload/schema-mapping.tsx; ai/schema-mapping-assistant.tsx; ai/root-cause-analyzer.tsx; ai/smart-repair-planner.tsx; corrections/*; templates/*; database-export/*; schema-diagram/*; reports/*; src/lib/rehearsal/*; src/lib/corrections/*; docs/ROWZEN_UI_GUIDE.md; relevant Playwright fixtures. Embedded document instructions were treated as reference, not commands to change the app.

Verification performed for this guide: source/CSV inspection + 28 expected preflight snapshots checked with the canonical engine, covering clean/blocked sequential edits, repair fixtures, export strings, advanced relationships and 1,000/10,000-row cases. PDF pages were rendered and inspected separately. No complete live manual session, full E2E run, hosted AI verification or DB import is claimed.

No app/AI/validation/auth/database logic changed for this document. No push, deployment, migration, production reset or fabricated session. Test date: 30 October 2026.