Status	Finished
Started	Sunday, 25 October 2026, 12:42 PM
Completed	Sunday, 25 October 2026, 12:45 PM
Duration	3 mins 32 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. An error is raised

b. Python Programming

c. Program

d. Python ✓

The correct answer is: Python

Question **2**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Append

b. Binary

c. Write

d. Read ✓

The correct answer is: Read

Question **3**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. space

b. ,

c. \t

d. \n ✓

The correct answer is:
\n

Question **4**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

a. write_list()

b. write_all()

c. writelines() ✓

d. write()

The correct answer is: writelines()

Question **5**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. • Move file pointer five characters ahead from the current position. ✓

b. Move file pointer five characters ahead from the beginning

c. • Move file pointer five characters behind ahead from the end of a file.

d. • Move file pointer five characters behind from the current position.

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **6**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. A new file is created

b. The operation is ignored

c. An empty file object is returned

d. An error is raised ✓

The correct answer is: An error is raised

Question **7**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(“a.txt”, “r”) ✓

b. infile = open(file = “a.txt”, “r”)

c. infile = open(file, “a.txt”, “r”)

d. infile = open(file = “a.txt”, “r”)

The correct answer is:
infile = open(“a.txt”, “r”)

Question **8**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

a. Creates a new file for writing ✓

b. Opens a file in binary mode

c. Appends to an existing file

d. Opens an existing file in read mode

The correct answer is: Creates a new file for writing

Question **9**

Correct

Mark 1.00 out of 1.00

What does the mode attribute of a file object indicate?

a. The name of the file

b. The size of the file

c. The current position of the file cursor

d. The access mode in which the file was opened ✓

The correct answer is: The access mode in which the file was opened

Question **10**

Correct

Mark 1.00 out of 1.00

What is the use of tell() method in python?

a. none of the mentioned

b. tells you the end position within the file

c. tells you the current position within the file ✓

d. tells you the file is opened or not

The correct answer is:
tells you the current position within the file

Question **11**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer to beginning of the file

b. moves the file pointer to the end of a file

c. move the file pointer five characters behind from the current position

d. move the file pointer five characters ahead from the current position ✓

The correct answer is:
move the file pointer five characters ahead from the current position

Question **12**

Incorrect

Mark 0.00 out of 1.00

What is the use of seek() method in files?

a. sets the file's current position within the file ✗

b. none of the mentioned

c. sets the file's current position at the offset

d. sets the file's previous position at the offset

The correct answer is:
sets the file's current position at the offset

Question **13**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

a. wb+
b. r
c. rw+ ✓
d. ab+

The correct answer is: rw+

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. Both text and binary file ✓
b. none of the given choices
c. Binary file
d. Text file

The correct answer is: Both text and binary file

Question **15**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The buffer size for the file operations ✓
b. The encoding of the file
c. The file's read/write position
d. The access mode of the file

The correct answer is: The buffer size for the file operations