Status	Finished
Started	Monday, 5 October 2026, 10:12 AM
Completed	Monday, 5 October 2026, 10:23 AM
Duration	10 mins 32 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Function defined to achieve some task as per the programmer's requirement is called a _____.

a. built in functions
b. user defined function ✓
c. All of the mentioned
d. library function

Question **2**

Correct

Mark 1.00 out of 1.00

Which keyword is used to begin the definition of a function?

a. Define
b. DEF
c. def ✓
d. Def

Question **3**

Correct

Mark 1.00 out of 1.00

The _____ statement returns the values from the function to the calling function.

a. give
b. send
c. return ✓
d. take

Question **4**

Correct

Mark 1.00 out of 1.00

What is the output of the add() function call?

```
def add(a, b):
    return a+5, b+5
result = add(3, 2)
print(result)
```

a. (8,7) ✓

b. Syntax Error

c. 8

d. 15

Question **5**

Correct

Mark 1.00 out of 1.00

In a program, a function can be called _____ times.

a. 3

b. 5

c. Multiple times ✓

d. 2

Question **6**

Correct

Mark 1.00 out of 1.00

Write the output of : print(abs(-45))

a. None of the mentioned

b. 45 ✓

c. 45.0

d. -45

Question **7**

Correct

Mark 1.00 out of 1.00

6. Which of the following is not the built-in function?

a. input( )

b. print( )

c. dictionary( ) ✓

d. tuple( )

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def printMax(a, b):
    if a > b:
        print(a, 'is maximum')
    elif a == b:
        print(a, 'is equal to', b)
    else:
        print(b, 'is maximum')
printMax(3, 4)
```

a. None of the mentioned

b. 4

c. 3

d. 4 is maximum ✓

Question **9**

Correct

Mark 1.00 out of 1.00

A function may return multiple values using ____.

a. List

b. Dictionary

c. Tuple ✓

d. String

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following function definition header is wrong?

- a. def div(p1=4, p2, p3): ✓
- b. def mul(p1, n1, m1):
- c. def sum(n1, n2, n = 3):
- d. def scan(p1, p2 = 4, p3 = 5):

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following statement is a function call?

- a. def sum
- b. sum ✓
- c. call sum
- d. function sum

Question **12**

Correct

Mark 1.00 out of 1.00

_____ can be defined as a named group of instructions that accomplish a specific task when it is invoked/called.

- a. Function ✓
- b. Operator
- c. Datatype
- d. Token

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following function headers is correct?

- a. def fun(a, b, c = 3, d)
- b. def fun(a = 2, b = 3, c)
- c. def fun(a = 2, b, c = 3)
- d. def fun(a, b = 2, c = 3) ✓

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following is not the scope of variable?

- a. Outside ✓
- b. None of the mentioned
- c. Local
- d. Global

Question **15**

Correct

Mark 1.00 out of 1.00

Which keyword is used for defining a function?

- a. def ✓
- b. Function
- c. Define
- d. Fun