Status	Finished
Started	Monday, 5 October 2026, 11:15 AM
Completed	Monday, 5 October 2026, 11:21 AM
Duration	5 mins 49 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. ii,iv

b. i,iii ✓

c. i,ii

d. iii,iv

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓

True

b. False

False

c. True

False

d. False

True

Question **3**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {1,3,4}

b. {1,3,2}

c. {4} ✓

d. {2}

Question **4**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
True

b. False
False

c. True ✓
True

d. True
False

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t = (58, 47, 36, 25, 14, 3)
x = t[2:-1]
print(x)
```

a. (3,14,25)

b. (58,47,36,25)

c. Error

d. (36, 25, 14) ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. iii

b. i,ii ✓

c. All of the above

d. ii

Question **7**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. sampleSet.discard("ECE") ✓

b. remove.sampleSet("ECE")

c. del.sampleSet("ECE")

d. sampleSet.delete("ECE")

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

- a. {3} ✓
- b. {}
- c. {2,5,3,1}
- d. {2,5,1}

Question **9**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

- a. ([55,33,11])
- b. (55,33,11)
- c. [55, 33, 11] ✓
- d. [(55,33,11)]

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

- a. tupl[1]=2
- b. tupl.append(2)
- c. tupl.sort()
- d. tupl1=tupl+tupl ✓

Question **11**

Incorrect

Mark 0.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['8', '30', '3', '2']

b. ['2', '3', '8', '30']

c. ['2', '3', '30', '8']

d. ['30', '8', '3', '2'] ✗

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {9}

b. {0,9} ✓

c. {0,0,9}

d. It will throw an error as there are two 0 while creating the set.

Question **13**

Incorrect

Mark 0.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

```

```

a. str ✗

b. <class 'int'>

c. <class 'str'>

d. <class 'tuple'>

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

a. 2

b. 5

c. 1

d. Error ✓

Question **15**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t = (11, 3)
x = 3 * t
print(x)
```

a. (11,3,11,11,3,11,11,11,3)

b. (11, 3, 11, 3, 11, 3) ✓

c. (11,3)(11,3)(11,3)

d. [11,11,11,3,3,3]