

0. INTRO & HOOK

TIMING: 0:00 - 0:30

SAY:

“Hi, I’m Dharaneesh. I built an agent that makes a merchant genuinely transactable by an AI buyer — end to end. Most agent-checkout demos work only when everything goes right. Mine fails on purpose, so you can watch it recover. It’s called Axiom — commerce, decided.”

“Optional: why now — agent-to-agent commerce is the open problem of the year. NPCI’s UAP is in development, Google’s AP2 and Coinbase’s x402 are live. The infrastructure is arriving; what’s missing is agents that can actually finish a purchase safely. That’s what I built.”

1. LIVE DEMO — HAPPY PATH (iPhone 16)

TIMING: 0:30 - 1:40

SAY:

“Here’s the live agent. I’ll just speak to it — no canned buttons for the core flow. (Axiom, order an iPhone 16, show me the options.)”

“(WAIT) It shows six variants with prices — black, white, blue, pink, natural. (Blue, 256 gig.)”

“(WAIT) It pins the variant and shows a confirmation with the price before any money moves. (Yes.)”

“Watch the right side — that’s the Agent Decision Trace. Every step streams live: intent parsed, catalog searched, product pinned, order created, payment issued. This is Laminar. Every money action is explainable, bounded, and gated — you can see exactly why the agent did what it did. There’s an open-in-Laminar link for the full transcript.”

“And here’s the payment link — a bounded, payable link the buyer authorizes. That’s the money action, gated behind confirmation.”

2. THE DIFFERENTIATOR — FAILURE RECOVERY

TIMING: 1:40 - 2:30

SAY:

“Now the part that’s different. Every other checkout agent I’ve seen blocks when payment fails. Let me show you what mine does.”

“ (Axiom, buy me a crepe bandage.) (Small.) (Yes.)”

“(PAUSE at the decline — let it register.) Look — the card was declined. Instead of a dead end, the agent says so, then retries with UPI. It recovered the sale. That’s a payment you’d have lost. That’s the difference between an agent that works when it works, and one you can trust with real revenue.”

“Optional: I simulate the decline deterministically so you see it every time — same result, no flakiness.”

3. ARCHITECTURE

TIMING: 2:30 - 3:30

SAY:

“Under the hood it’s a stateful multi-turn session — a stage machine: BROWSE, SELECT, CONFIRM, EXECUTE, DONE. Three layers do three jobs.”

“AI — intent parsing. The LLM turns ‘crepe bandage for my sprain’ into a structured request. Groq serves it fast, clean JSON.”

“Deterministic logic — where I chose NOT to use AI. Product selection and pricing resolve against the real catalog, never the model — so it can’t hallucinate an SKU or a price. The state machine owns the flow.”

“Trust and money — Razorpay test mode for orders and payment links, and Laminar for the audit trail. Failed money actions are logged as error spans — honest, not hidden.”

4. STRENGTHS & HONEST LIMITS

TIMING: 3:30 - 4:15

SAY:

“First, it runs. Dockerized, health-checked, verified end-to-end. I didn’t hand-wave it.”

“Second, it recovers from its own infrastructure. Razorpay’s test mode throttles payment links at 30 a day. When I hit that, it used to hang for almost a minute then crash. Now it fails fast, explains the real error code, and exits cleanly. That’s been battle-tested — because my own testing broke it.”

“And it’s honest about a real limit: that 30-a-day cap is real, resets daily, and I say so openly. The failure-recovery demo is simulated so the money step always shows a clean path without burning the quota.”

5. CLOSING & VISION

TIMING: 4:15 - 4:45

SAY:

“I built Axiom for today — it works now, with real payments and a real audit trail. And I built it aware of tomorrow. The protocols are racing: NPCI’s UAP, Google’s AP2, Coinbase’s x402. Axiom is designed with that in mind — an agent that can finish a bounded, authorised purchase is exactly what those protocols will need.”

“Every money action explainable, bounded, and gated. One failure handled gracefully — actually, four, and one of them recovered revenue. That’s the bar, and Axiom clears it.”

“I’m Dharaneesh. Thank you.”

DELIVERY & DEMO NOTES

DELIVER

- Stay under 5:00 — cut the protocol intro beat if the demo runs long.
- The demo is the star — never cut the failure-recovery moment.
- Use the exact rubric words: money action, bounded, gated, audit trail.
- Point at the Laminar span stream — don't just name it.
- Do NOT read the script. Learn the beats, let the dashboard prompt you.
- Rehearse aloud 3–5 times. Pauses read as confident, not forgotten.

DEMO RUNBOOK (RECORD)

- Scenario 1 — iPhone: order → Blue/256 → confirm → yes → link + full trace.
- Scenario 2 — Bandage: order → small → yes → CARD DECLINED → retries UPI → success.
- Scenario 3 (bonus) — Cake: chocolate → yes → link + trace.
- Record 3–5 clean runs; keep a backup even if one stumbles.

ANTI-CHECKLIST

- Don't burn real payment links rehearsing the same day — 30/day cap is real.
- Don't type if voice works; keep the typed fallback ready if STT is flaky.
- Don't rush the declined→recovered beat — it's the whole pitch.
- If something fails on camera, recover and explain, or cut to a backup.

ON-SCREEN LAYOUT

- Conversation panel + Agent Decision Trace + Order/Payment Link = the focus.
- Face cam top-right if used; keep the trace and payment link always readable.