KCE GUIDE

A MINIPROJECT REPORT

Submitted by

ARUNESAN 20P205

CHIDHAMBARAM 20P210

DHARANESH 20P212

PRAVEEN KUMAR 20P235

in partial fulfilment for the award of the degree of

BACHELOR OF ENGINEERING

in

COMPUTER SCIENCE AND ENGINEERING



Autonomous | Affiliated to Anna University, Chennai Accredited by NAAC with 'A' Grade | NBA (ECE, EEE, CSE, MECH & IT)

JANUARY 2022



KCE GUIDE

Bonafide record of work done by

ARUNESAN 20P205

CHIDHAMBARAM 20P210

DHARANESH 20P212

PRAVEEN KUMAR 20P235

Dissertation submitted in partial fulfilment of the requirements for the degree of

BACHELOR OF ENGINEERING COMPUTER SCIENCE AND ENGINEERING

[JANUARY 2022]

[Mr.VENKATESH(AP/CSE)]	[DR.T.Ravichandran Prof&HOD/CSE]	
Faculty guide	Head of the Department	
Certified that the candidate was examined in the viva-voce examination held on		
	(Internal Examiner)	

TABLE OF CONTENTS

CHAPTER.NO	CONTENTS	PAGE NO
	ABSTRACT	1
1	INTRODUCTION	2
	1.1.Introduction to html	
	1.2.Introduction to css	
2	SYSTEM OVERVIEW	3
	2.1.Existing System	
	2.2.Proposed System	
3	SYSTEM REQUIREMENTS	4
	3.1.Hardware and Software requirements	
	3.2.Technology Used	
4	MODULES	5
	4.1. List Of modules	
	4.2 Description Of Modules	
5	SOURCE CODE	8
6	QR CODE	14
7	CONCLUSION AND REFERENCES	15

ABSTRACT:

To guide new peoples to know about our college and for the freshers who join new to our college. This information helps the people to find the desired locations to visit. This project is mainly beneficial for the students having no idea about the places they want to visit in our campus. People can find this information through QRcode or Link that get paste in the enterance they can scan the code and see the places they need.

1. INTRODUCTION

1.1. INTRODUCTION TO HTML:

The HyperText Markup Language or HTML is the standard markup language for documents designed to be displayed in a web browser .It can be assisted by technologies such as Cascading Style Sheets.It is the skeleton of our webpage .We have used html for the basic navigation in the page .

1.2 INTRODUCTION TO CSS:

Cascading Style Sheets is a style sheet language used for describing the Presentation of a document written in a markup language such as HTML or XML .CSS is a cornerstone technology of the World Wide Web . We have used css for customization of the webpage alongside with html .

2 SYSTEM OVERVIEW

2.1. EXISTING SYSTEM

Creation of GUIDING

Drawbacks:

Requires good internet

PROPOSED SYSTEM

Provides location for existance of labs,rooms in our campus.

Advantages:

Reduce time

3 SYSTEM REQIREMENTS

3.1. SOFTWARE AND HARDWARE REQIREMENTS

- Mobile device Operating System Android(>10)
- Good internet connection

3.2. TECHNOLOGIES USED

- HTML
- CSS
- PHP


4. MODULES

4.1 LIST OF MODULES:


- Home Page
- Content
- Destination


4.2 DESCRIPTION OF MODULES:

Homepage:





Content page:





Destination:





5. SOURCE CODE: INDEX.HTML

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Kce guide</title>
    <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/@fortawesome/fontawesome-
free@6.2.0/css/fontawesome.min.css" integrity="sha384-
z4tVnCr80ZcL0iufVdGQSUzNvJsKjEtqYZjiQrrYKlpGow+btDHDfQWkFjoaz/Zr"
crossorigin="anonymous">
    <link rel="stylesheet" href="style.css">
</head>
<body >
    <div class="header">
        <h1 style="font-family:Georgia;">KCE GUIDE</h1>
        <h1 style="font-family:tahoma;">Welcomes you</h1>
        <button class="btn"><a href="content.html">Explore</a</button>
    </div>
</body>
</html>
```

CONTENT.HTML

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- CSS only -->
link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAq046Mgn0M80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65"
crossorigin="anonymous">
    <link rel="stylesheet" href="style.css">
    <title>content</title>
</head>
<body>
    <br>
    <h1 class="heading" style="font-family:impact;">Choose your Destination</h1>
    <div class="block">
        <div class="col"
```

```
<a href="A.html"><img src="Ablock.jpg" alt="Ablock" height=200px</pre>
width=100px></a>
            <button class="btn" value="click"><a href="A.html">A BLOCK</a></button>
        </div>
        <div class="col">
          <a href="C.html"> <img src="Cblock.jpg" alt="Cblock" height=200px</pre>
width=100px></a>
          <button class="btn" value="click"><a href="C.html">C BLOCK</a></button>
        </div>
        <div class="col">
               <a href="M.html"><img src="Mblock.jpg" alt="Mblock" height=200px</pre>
width=100px></a>
               <button class="btn" value="click"><a href="M.html">M
BLOCK</a></button>
        </div>
        <div class="col">
            <a href="D.html"><img src="Dblock.jpg" alt="Dblock" height=200px</pre>
width=100px></a>
            <button class="btn" value="click"><a href="D.html">D BLOCK</a></button>
        </div>
        <div class="col">
            <a href="E.html"><img src="Eblock.jpg" alt="Eblock" height=200px</pre>
width=100px></a>
            <button class="btn" value="click"> <a href="E.html">E
BLOCK</a></button>
        </div>
        <div class="col">
            <a href="B.html"><img src="MBA.jpg" alt="MBA" height=200px</pre>
width=100px></a>
            <button class="btn" value="click"> <a href="B.html">B
BLOCK</a></button>
        </div>
        <div class="col">
            <a href="lib.html"><img src="library.png" alt="Library" height=200px</pre>
width=100px></a>
            <button class="btn" value="click"><a href="lib.html">LIB </a></button>
        </div>
        <div class="col">
            <a href="Amt.html"><img src="Amphitheatre.jpg"</pre>
alt="Amphitheatre" height=200px width=100px></a>
            <button class="btn" value="click"><a href="Amt.html">AMT </a></button>
        </div>
        <div class="col">
            <a href="Aud.html"><img src="Auditorium.jpg"</pre>
alt="Auditorium" height=200px width=100px></a>
            <button class="btn" value="click"> <a href="Aud.html">AUD </a></button>
        </div>
    </div>
 /body>
```

STYLE.CSS

```
body{
    background-image: url(frontpg.jpg);
    margin:0;
    padding:0;
    box-sizing: border-box;
.title{
    margin-top:18%;
    font-size: 40px;
    text-align: center;
.header{
    text-align: center;
    color:black;
    margin-top: 18%;
.heading{
    text-align: center;
    margin-bottom: 50px;
a:link,a:visited{
 text-decoration: none;
 display: inline-block;
 color:black;
.block{
    display:block;
    display:grid;
    grid-template-columns: repeat(3,100px);
    grid-gap: 20px;
    justify-content:center;
```

```
@media(min-width:750px){
    .col{
        display:block;
        display:grid;
        grid-template-columns: repeat(1,100px);
        justify-content:center;
.btn{
   border-radius:5px;
   border:none;
   padding:10px 20px;
   font-size: 10px;
.btn:hover{
    background-color: rgb(0, 162, 255);
.letter{
   position:absolute;
   padding:50px 40px;
   color:black;
img{
    opacity:0.5;
.A{
    align-items: center;
    display:inline-block;
.B{
    align-items: center;
    display:inline-block;
.C{
    align-items: center;
    display:inline-block;
.D{
    align-items: center;
    display:inline-block;
```

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>E</title>
</head>
<body style="background-image: url(frontpg.jpg);">
    <h1 style="text-align:center; font-family: 'Courier New', Courier,</pre>
monospace;">E BLOCK</h1> <br>
    <h1 style="text-align:left; font-family:Arial, Helvetica, sans-serif;">1ST
FLOOR</h1>
    <img class="A" src="e1.jpg" alt="" height="250px" width="250px">
    <img class="A" src="e2.jpg" alt=""height="250px" width="250px">
    <img class="A" src="e3.jpg" alt=""height="250px" width="250px">
    <img class="A" src="e4.jpg" alt=""height="250px" width="250px">
<img class="A" src="e5.jpg" alt=""height="250px" width="250px">
    <h1 style="text-align:left; font-family:Arial, Helvetica, sans-serif;">2ND
FLOOR</h1>
    <img class="A" src="e6.jpg" alt=""height="250px" width="250px">
    <img class="A" src="e7.jpg" alt=""height="250px" width="250px">
    <img class="A" src="e8.jpg" alt=""height="250px" width="250px">
    <img class="A" src="e9.jpg" alt=""height="250px" width="250px">
    <h1 style="text-align:left; font-family:Arial, Helvetica, sans-serif;">3RD
FL00R</h1>
    <img class="A" src="e11.jpg" alt=""height="250px" width="250px">
    <img class="A" src="e12.jpg" alt=""height="250px" width="250px">
    <img class="A" src="e13.jpg" alt=""height="250px" width="250px">
    <img class="A" src="e14.jpg" alt=""height="250px" width="250px">
```

```
<img class="A" src="e15.jpg" alt=""height="250px" width="250px">
    <h1 style="text-align:left; font-family:Arial, Helvetica, sans-serif;">4TH
FLOOR</h1>
    <img class="A" src="e16.jpg" alt=""height="250px" width="250px">
    <img class="A" src="e17.jpg" alt=""height="250px" width="250px">
    <img class="A" src="e18.jpg" alt=""height="250px" width="250px">
    <img class="A" src="e19.jpg" alt=""height="250px" width="250px">
    <img class="A" src="e20.jpg" alt=""height="250px" width="250px">
    <h1 style="text-align:left; font-family:Arial, Helvetica, sans-serif;">5TH
FLOOR</h1>
    <img class="A" src="e21.jpg" alt=""height="500px" width="500px">
    <img class="A" src="e22.jpg" alt=""height="500px" width="500px">
    <img class="A" src="e23.jpg" alt="" height="500px" width="500px">
    <img class="A" src="e24.jpg" alt=""height="500px" width="500px">
    <img class="A" src="e25.jpg" alt=""height="500px" width="500px">
    <img class="A" src="e26.jpg" alt=""height="500px" width="500px">
   <img class="A" src="e27.jpg" alt=""height="500px" width="500px">
    <img class="A" src="e28.jpg" alt=""height="500px" width="500px">
   <img class="A" src="e29.jpg" alt=""height="500px" width="500px">
    <img class="A" src="e30.jpg" alt=""height="500px" width="500px">
    <img class="A" src="e31.jpg" alt=""height="500px" width="500px">
</body>
</html>
```

This the code similar to all blocks....

QR CODE



GITHUB LINK:

https://dharaneshpg.github.io/guidekce/

CONCLUSION:

Thus the app to create quiz is completed successfully.

REFERENCES:

HTTPS://WWW.W3SCHOOLS.COM/HTML/HTML_CSS.ASP

HTTPS://WWW.QUORA.COM/HOW-CAN-I-MERGE-CSS-AND-HTML-CODES

HTTPS://WWW.MYINTERVALS.COM/EMOGRIFIER.PHP

HTTPS://WWW.MODPAGESPEED.COM/DOC/FILTER-CSS-COMBINE

HTTPS://WWW.CODECADEMY.COM/FORUM_QUESTIONS

HTTPS://DEVELOPPAPER.COM/FOUR-WAYS-OF-COMBINING-CSS-AND-HTML/