EXERCISE – 11

Question: Execute and display the results of the following Nmap Timing and Performance commands in Kali Linux Operating System:

1. Aggressive speed scan
2. Insane speed scan

Aim

To execute and display the Nmap aggressive and insane speed scan commands in Kali Linux.

1. AGGRESSIVE SPEED SCAN

Command:

nmap -T4 127.0.0.1

Use: The -T4 option performs an aggressive and faster scan.

```
┌──(dharani㉿kali)-[~]
└─$ nmap -T4 127.0.0.1
Starting Nmap 7.99 ( https://nmap.org ) at 2026-10-07 10:02 +0530
Nmap scan report for localhost (127.0.0.1)
Host is up (0.0000040s latency).
All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.
Not shown: 1000 closed tcp ports (reset)

Nmap done: 1 IP address (1 host up) scanned in 0.08 seconds
```

2. INSANE SPEED SCAN

Command:

nmap -T5 127.0.0.1

Use: The -T5 option performs the fastest Nmap scan timing.

```
┌──(dharani㉿kali)-[~]
└─$ nmap -T5 127.0.0.1
Starting Nmap 7.99 ( https://nmap.org ) at 2026-10-07 10:02 +0530
Nmap scan report for localhost (127.0.0.1)
Host is up (0.0000040s latency).
All 1000 scanned ports on localhost (127.0.0.1) are in ignored states.
Not shown: 1000 closed tcp ports (reset)

Nmap done: 1 IP address (1 host up) scanned in 0.08 seconds
```

Result

Thus, the Nmap aggressive speed scan and insane speed scan commands were successfully executed in Kali Linux, and the results were displayed.