

Exercise 1:

```
class Computer {  
  
    private String CPU;  
    private int RAM;  
    private int Storage;  
  
    private Computer(Builder builder) {  
        this.CPU = builder.CPU;  
        this.RAM = builder.RAM;  
        this.Storage = builder.Storage;  
    }  
  
    public void display() {  
        System.out.println("CPU: " + CPU);  
        System.out.println("RAM: " + RAM + " GB");  
        System.out.println("Storage: " + Storage + " GB");  
    }  
  
    static class Builder {  
        private String CPU;  
        private int RAM;  
        private int Storage;  
  
        public Builder setCPU(String CPU) {  
            this.CPU = CPU;  
        }  
    }  
}
```

```
        return this;
    }
}
```

```
public Builder setRAM(int RAM) {
    this.RAM = RAM;
    return this;
}
```

```
public Builder setStorage(int Storage) {
    this.Storage = Storage;
    return this;
}
```

```
public Computer build() {
    return new Computer(this);
}
}
```

```
public class BuilderPatternTest {
    public static void main(String[] args) {
```

```
        Computer computer1 = new Computer.Builder()
            .setCPU("Intel i7")
            .setRAM(16)
            .setStorage(512)
```

```
.build();
```

```
computer1.display();
```

```
}
```

```
}
```

Output:

Output

CPU: Intel i7

RAM: 16 GB

Storage: 512 GB

=== Code Execution Successful ===