

- My Queries
- Data Modeling

CLUSTERS (1)

Search clusters

▼ Cluster0

► admin

▼ bankdb

customers

- transactions

▶  local

▶  sample_mflix

customers transactions +

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

▼ Stage 2 \$unwind

```
1 "$customer"
```

Output preview after [Sunwind](#) stage (Sample of 10 documents)

```
_id: ObjectId('6a8919d6d2ba54a1ce1db843')
transaction_id: 1001
customer_id: 101
type: "Deposit"
amount: 25000
mode: "UPI"
date: "2026-08-01"
status: "Success"
customer: Object (7)
```

```
_id: ObjectId('6a8919e6d2ba54a1')
transaction_id: 1002
customer_id: 101
type: "Withdrawal"
amount: 10000
mode: "ATM"
date: "2026-08-02"
status: "Success"
customer: ObjectId('7')
```

Alert System Status: All Good

©2026 MongoDB, Inc. [Status](#) [Terms](#) [Privacy](#) [Atlas Blog](#) [Contact Sales](#)

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions**
- local
- sample_mflix

customers transactions +

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Slookup

Generate aggregation Explain Run Options

Untitled - modified

SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 \$lookup

1 {

2 "from": "customers",

3 "localField": "customer_id",

4 "foreignField": "customer_id",

5 "as": "customer"

6 }

Output preview after \$lookup stage (Sample of 10 documents)

_id: ObjectId('6a8919d6d2ba54a1ce1db843')

transaction_id: 1001

customer_id: 101

type: "Deposit"

amount: 25000

mode: "UPI"

date: "2026-08-01"

status: "Success"

customer: Array (1)

_id: ObjectId('6a8919e6d2ba54a1ce1db844')

transaction_id: 1002

customer_id: 101

type: "Withdrawal"

amount: 10000

mode: "ATM"

date: "2026-08-02"

status: "Success"

customer: Array (1)

ORGANIZATION
THUMATI DHARANI ...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

customers

transactions

+

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

Slookup

Sunwind

Generate aggregation

Explain

Run

Options

Untitled - modified

SAVE

CREATE NEW

EXPORT CODE

Stage 1 \$lookup

1 {

2 "from": "customers",

3 "localField": "customer_id",

4 "foreignField": "customer_id",

5 "as": "customer_details"

6 }

Output preview after \$lookup stage (Sample of 10 documents)

_id: ObjectId('6a8919d6d2ba54a1ce1db843')

transaction_id: 1001

customer_id: 101

type: "Deposit"

amount: 25000

mode: "UPI"

date: "2026-08-01"

status: "Success"

customer_details: Array (1)

_id: ObjectId('6a8919e6d2ba54a1ce1db844')

transaction_id: 1002

customer_id: 101

type: "Withdrawal"

amount: 10000

mode: "ATM"

date: "2026-08-02"

status: "Success"

customer_details: Array (1)

_id: ObjectId('6a8919f9d2ba54a1ce1db845')

transaction_id: 1003

customer_id: 102

type: "Deposit"

amount: 50000

mode: "NEFT"

date: "2026-08-02"

status: "Success"

customer_details: Array (1)

Stage 2 \$unwind

1 "\$customer_details"

Output preview after \$unwind stage (Sample of 10 documents)

_id: ObjectId('6a8919d6d2ba54a1ce1db843')

transaction_id: 1001

customer_id: 101

type: "Deposit"

amount: 25000

_id: ObjectId('6a8919e6d2ba54a1ce1db844')

transaction_id: 1002

customer_id: 101

type: "Withdrawal"

amount: 10000

_id: ObjectId('6a8919f9d2ba54a1ce1db845')

transaction_id: 1003

customer_id: 102

type: "Deposit"

amount: 50000

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

ORGANIZATION
THUMATI DHARANI ...

PROJECT
Project 0

Compare tiers

Data Explorer

() My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

customers

transactions

+

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

\$group

\$group

\$group

\$group

\$sort

\$lookup

\$unwind

Generate aggregation

Explain

Run

Options

Untitled - modified

SAVE

CREATE NEW

EXPORT CODE

3 }

_id: null

transaction_count : 1

Stage 6 \$lookup

1 {

2 "from": "customers",

3 "localField": "customer_id",

4 "foreignField": "customer_id",

5 "as": "customer_details"

6 }

Output preview after \$lookup stage (Sample of 1 document)

_id: null

transaction_count : 1

customer_details: Array (empty)

Stage 7 \$unwind

1 "\$customer_details"

Output preview after \$unwind stage (Sample of 0 documents)

No Preview Documents

+ Add stage

Learn more about aggregation pipeline stages

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

ORGANIZATION

THUMATI DHARANI ...

PROJECT

Project 0

Compare tiers

?

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

+

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

View monitoring

Visualize Your Data

\$group

\$group

\$group

\$group

\$sort

\$lookup

Generate aggregation

Explain

Run

Options

Untitled - modified

SAVE

+ CREATE NEW

EXPORT CODE

PREVIEW

STAGES

TEXT

WIZARD

Stage 6 \$lookup

1 {
2 "from": "customers",
3 "localField": "customer_id",
4 "foreignField": "customer_id",
5 "as": "customer_details"
6 }

Output preview after \$lookup stage (Sample of 1 document)

_id: null
transaction_count: 1
customer_details: Array (empty)

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

\$group

\$group

\$group

\$group

\$sort

\$lookup

\$unwind

Generate aggregation

Explain

Run

Options

Untitled - modified

SAVE

CREATE NEW

EXPORT CODE

PREVIEW

STAGES

TEXT

WIZARD

Stage 7 \$unwind

```
1
2 [
3   {
4     "$lookup": {
5       "from": "customers",
6       "localField": "customer_id",
7       "foreignField": "customer_id",
8       "as": "customer_details"
9     }
10  },
11  {
12    "$unwind": "$customer_details"
13  }
14 ]
15
```

Output preview after \$unwind stage (Sample of 0 documents)

No Preview Documents

expected either a string or an object as specification for \$unwind stage, got array

+ Add stage

**Data Explorer**

 My Queries

 Data Modeling

CLUSTERS (1)

Cluster0

- admin
- bankdb
 - customers
 - transactions**
- local
- sample_mflix

customerstransactions+

Cluster0 > bankdb > transactions

Documents 15AggregationsSchemaIndexes 1Validation

Documents

\$group\$group\$group\$group\$sort

Generate aggregation + Explain Run Options

Untitled - modifiedSAVE + CREATE NEWEXPORT CODEPREVIEWSTAGESTEXTWIZARD

Stage 5 \$sort

1 {
2 "transaction_count": -1
3 }

Output preview after \$sort stage (Sample of 1 document)

```
_id: null  
transaction_count : 1
```

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

ORGANIZATION

THUMATI DHARANI ...

PROJECT

Project 0

Compare tiers

?

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

customers

transactions

+

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

View monitoring

Visualize Your Data

\$group

\$group

\$group

Generate aggregation

?

!

Explain

Run

Options

Untitled - modified

SAVE

+ CREATE NEW

EXPORT CODE

PREVIEW

STAGES

TEXT

WIZARD

Stage 3

\$group

1 {

2 "_id": "\$type",

3 "total_amount": {

4 "\$sum": "\$amount"

5 }

6 }

Output preview after \$group stage (Sample of 1 document)

_id: null

total_amount : 0

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

ORGANIZATION

THUMATI DHARANI ...

PROJECT

Project 0

Compare tiers

?

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

customers

transactions

+

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

View monitoring

Visualize Your Data

\$group

\$group

Generate aggregation

Explain

Run

Options

Untitled - modified

SAVE

CREATE NEW

EXPORT CODE

PREVIEW

STAGES

TEXT

WIZARD

Stage 2

\$group

1

{

2

"_id": null,

3

"average_amount": {

4

"\$avg": "\$amount"

5

}

6

}

Output preview after \$group stage (Sample of 1 document)

_id: null

average_amount : null

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

► sample_mflix

Y

...

```
_id: null
total_amount : 602000
```


ORGANIZATION

THUMATI DHARANI ...

PROJECT

Project 0

Compare tiers

?

Cluster0

customers

transactions

+

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 5 of 5

_id: ObjectId('6a89160ed2ba54a1ce1db839')

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

Data Explorer

{ } My Queries

❧ Data Modeling

CLUSTERS (1)

Search clusters

▼ Cluster0

►  admin

▼  bankdb

customers

- transactions

▶  local

▶  sample_mflix

Cluster0 customers transactions +

Cluster0 > bankdb > customers

 [View monitoring](#)

Visualize Your Data

Documents 8 Aggregations Schema Indexes 1 Validation

```
{
  "city": "Hyderabad",
  "balance": {
    "$gt": 100000
  }
}
```

[Generate query](#) ✦

Explain ▼

Reset

Find

Options ▶

[+ ADD DATA](#)

 **BULK** ▼

 EXPORT CODE

25 ▼

1 - 1 of 1

>

{

--	--

```
_id: ObjectId('6a891776d2ba54a1ce1db83e')
customer_id: 106
name: "Anjali Singh"
city: "Hyderabad"
account_type: "Savings"
balance: 175000
status: "Active"
```

Alert System Status: All Good

©2026 MongoDB, Inc. [Status](#) [Terms](#) [Privacy](#) [Atlas Blog](#) [Contact Sales](#)





Data Explorer



My Queries



Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions**
- local
- sample_mflix

Cluster0

customers

transactions

+

Cluster0 > bankdb > transactions

View monitoring

Visualize Your Data

Documents 15

Aggregations

Schema

Indexes 1

Validation



```
{
  "city": "Hyderabad",
  "balance": {
    "$gt": 100000
  }
}
```

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

0 - 0 of 0

ORGANIZATION

THUMATI DHARANI ...

PROJECT

Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0

customers

transactions

+

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 7 of 7

_id: ObjectId('6a8919e6d2ba54a1ce1db844')

transaction_id: 1002

customer_id: 101

type: "Withdrawal"

amount: 10000

mode: "ATM"

date: "2026-08-02"

status: "Success"

_id: ObjectId('6a891a0ed2ba54a1ce1db846')

transaction_id: 1004

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

ORGANIZATION

THUMATI DHARANI ...

PROJECT

Project 0

Compare tiers

?

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

View monitoring

Visualize Your Data

{

"type": "Deposit"

}

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 8 of 8

_id: ObjectId('6a8919d6d2ba54a1ce1db843')

transaction_id: 1001

customer_id: 101

type: "Deposit"

amount: 25000

mode: "UPI"

date: "2026-08-01"

status: "Success"

_id: ObjectId('6a8919f9d2ba54a1ce1db845')

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

ORGANIZATION

THUMATI DHARANI ...

PROJECT

Project 0

Compare tiers

?

Cluster0

customers

transactions

+

Cluster0 > bankdb > transactions

View monitoring

Visualize Your Data

Documents 15

Aggregations

Schema

Indexes 1

Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 9 of 9

_id: ObjectId('6a8919d6d2ba54a1ce1db843')

transaction_id: 1001

customer_id: 101

type: "Deposit"

amount: 25000

mode: "UPI"

date: "2026-08-01"

status: "Success"

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

ORGANIZATION

THUMATI DHARANI ...

PROJECT

Project 0

Compare tiers

?

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0

customers

transactions

+

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

{

"account_type": "Savings"

}

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 5 of 5

_id: ObjectId('6a89160ed2ba54a1ce1db839')

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

_id: ObjectId('6a89173fd2ba54a1ce1db83b')

customer_id: 103

name: "Arjun Reddy"

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

Data Explorer

{} My Queries

- Data Modeling

CLUSTERS (1)

Search clusters

▼ Cluster0

►  admin

▼ bankdb

customers

- transactions

▶ local

- ▶  sample_mflix

Cluster0 customers transactions +

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

```
{
  "balance": {
    "$gt": 100000
  }
}
```

[Generate query](#)  [Explain](#)  [Reset](#) [Find](#) [Options](#) 

[+ ADD DATA](#)
[BULK](#)
[EXPORT CODE](#)

25 1 - 4 of 4

```

_id: ObjectId('6a89172dd2ba54a1ce1db83a')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000
status: "Active"

```

```
_id: ObjectId('6a891750d2ba54a1ce1db83c')
customer_id: 104
```

Alert System Status: All Good

©2026 MongoDB, Inc. [Status](#) [Terms](#) [Privacy](#) [Atlas Blog](#) [Contact Sales](#)



ORGANIZATION

THUMATI DHARANI ...

PROJECT

Project 0

Compare tiers

?

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0

customers

transactions

+

Cluster0 > bankdb > customers

Documents 8

Aggregations

Schema

Indexes 1

Validation

View monitoring

Visualize Your Data

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 7 of 7

account_type : "Current"

balance : 95000

status : "Active"

_id: ObjectId('6a8917a4d2ba54a1ce1db840')

customer_id : 108

name : "Meena Devi"

city : "Chennai"

account_type : "Savings"

balance : 320000

status : "Active"

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

ORGANIZATION THUMATI DHARANI ... PROJECT Project 0

Cluster0 customers transactions +

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

View monitoring Visualize Your Data

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE 25 1 - 8 of 8

customer_id: 108

name: "Rahul Verma"

city: "Bengaluru"

account_type: "Current"

balance: 95000

status: "Active"

ObjectId('6a8917a4d2ba54a1ce1db840')

customer_id: 108

name: "Meena Devi"

city: "Chennai"

account_type: "Savings"

balance: 320000

status: "Active"

Chennai

Alert System Status: All Good



Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers transactions

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Slookup \$unwind \$project

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 3 \$project

```
1 {
2   "_id": 0,
3   "transaction_id": 1,
4   "customer_name": "$customer.name",
5   "city": "$customer.city",
6   "type": 1,
7   "amount": 1,
8   "mode": 1
9 }
```

Output preview after \$project stage (Sample of 10 documents)

transaction_id: 1001
type: "Deposit"
amount: 25000
mode: "UPI"
customer_name: "Ravi Kumar"
city: "Hyderabad"

transaction_id: 1002
type: "Withdrawal"
amount: 10000
mode: "ATM"
customer_name: "Ravi Kumar"
city: "Hyderabad"