

MySQL Workbench

mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: DDL DML (P)* SQL File 1

SCHMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

```
153 • INSERT INTO departments (dept_id, dept_name)
154 VALUES
155 (10, 'CSE'),
156 (20, 'ECE'),
157 (30, 'IT'),
158 (40, 'MECH');
159 • INSERT INTO employees (emp_id, emp_name, dept_id)
160 VALUES
161 (101, 'Dharani dhar', 10),
162 (102, 'Rahul', 20),
163 (103, 'Arjun', 10),
164 (104, 'Sneha', 30),
165 (105, 'Kiran', NULL);
166 • SELECT * FROM departments;
```

Result Grid

dept_id	dept_name
10	CSE
20	ECE
30	IT
40	MECH

departments 61 x

Output

#	Time	Action	Message	Duration / Fetch
✓	118 13:43:09	SELECT * FROM departments LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
✗	119 13:44:25	CREATE TABLE departments (dept_id INT PRIMARY KEY, dept_name VARCHAR(50))	Error Code: 1050. Table 'departments' already exists	0.000 sec
✗	120 13:44:41	INSERT INTO departments (dept_id, dept_name) VALUES (10, 'CSE'), (20, 'ECE'), (30, 'IT'), (40, 'MECH')	Error Code: 1062. Duplicate entry '10' for key 'departments.PRIMARY'	0.015 sec
✓	121 13:44:45	SELECT * FROM departments LIMIT 0, 1000	4 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

MySQL Workbench

Mysql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)* SQL File 1

Limit to 1000 rows

```
154 VALUES
155 (10, 'CSE'),
156 (20, 'ECE'),
157 (30, 'IT'),
158 (40, 'MECH');
159 INSERT INTO employees (emp_id, emp_name, dept_id)
160 VALUES
161 (101, 'Dharani dhar', 10),
162 (102, 'Rahul', 20),
163 (103, 'Arjun', 10),
164 (104, 'Sneha', 30),
165 (105, 'Kiran', NULL);
166 SELECT * FROM departments;
167 SELECT * FROM employees;
```

Result Grid

	emp_id	emp_name	dept_id
▶	101	Dharani dhar	10
	102	Rahul	20
	103	Arjun	10
	104	Sneha	30
	105	Kiran	NULL
▲	NULL	NULL	NULL

employees 62 x

Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✗ 119	13:44:25	CREATE TABLE departments (dept_id INT PRIMARY KEY, dept_n...	Error Code: 1050. Table 'departments' already exists	0.000 sec
✗ 120	13:44:41	INSERT INTO departments (dept_id, dept_name) VALUES (10, 'CSE'), (2...	Error Code: 1062. Duplicate entry '10' for key 'departments.PRIMARY'	0.015 sec
✓ 121	13:44:45	SELECT * FROM departments LIMIT 0, 1000	4 row(s) returned	0.015 sec / 0.000 sec
✓ 122	13:45:53	SELECT * FROM employees LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

No object selected

Administration Schemas

Information

Object Info Session

MySQL Workbench

Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: DDL DML (P)* x SQL File 1

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

```
161 (101, 'Dharani dhar', 10),
162 (102, 'Rahul', 20),
163 (103, 'Arjun', 10),
164 (104, 'Sneha', 30),
165 (105, 'Kiran', NULL);
166 SELECT * FROM departments;
167 SELECT * FROM employees;
168 SELECT
169     employees.emp_id,
170     employees.emp_name,
171     departments.dept_name
172 FROM employees
173 INNER JOIN departments
174 ON employees.dept_id = departments.dept_id;
```

Result Grid

	emp_id	emp_name	dept_name
▶	101	Dharani dhar	CSE
	102	Rahul	ECE
	103	Arjun	CSE
	104	Sneha	IT

Administration Schemas

Information

No object selected

Result 63 x Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
120	13:44:41	INSERT INTO departments (dept_id, dept_name) VALUES (10, 'CSE'), (2...	Error Code: 1062. Duplicate entry '10' for key 'departments.PRIMARY'	0.015 sec
121	13:44:45	SELECT * FROM departments LIMIT 0, 1000	4 row(s) returned	0.015 sec / 0.000 sec
122	13:45:53	SELECT * FROM employees LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
123	13:49:36	SELECT employees.emp_id, employees.emp_name, departments....	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session



SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas

Information

No object selected

Object Info Session



Limit to 1000 rows

```
169     employees.emp_id,  
170     employees.emp_name,  
171     departments.dept_name  
172 FROM employees  
173 INNER JOIN departments  
174 ON employees.dept_id = departments.dept_id;  
175 • SELECT  
176     employees.emp_id,  
177     employees.emp_name,  
178     departments.dept_name  
179 FROM employees  
180 LEFT JOIN departments  
181 ON employees.dept_id = departments.dept_id;  
182
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	emp_id	emp_name	dept_name
▶	101	Dharani dhar	CSE
	102	Rahul	ECE
	103	Arjun	CSE
	104	Sneha	IT
	105	Kiran	NULL

Result 64 x

Output



Action Output

#	Time	Action	Message
✓ 121	13:44:45	SELECT * FROM departments LIMIT 0, 1000	4 row(s) returned
✓ 122	13:45:53	SELECT * FROM employees LIMIT 0, 1000	5 row(s) returned
✓ 123	13:49:36	SELECT employees.emp_id, employees.emp...	4 row(s) returned
✓ 124	14:01:36	SELECT employees.emp_id, employees.emp...	5 row(s) returned



SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys



Limit to 1000 rows

```
175 • SELECT
176     employees.emp_id,
177     employees.emp_name,
178     departments.dept_name
179 FROM employees
180 LEFT JOIN departments
181 ON employees.dept_id = departments.dept_id;
182 • SELECT
183     employees.emp_id,
184     employees.emp_name,
185     departments.dept_name
186 FROM employees
187 RIGHT JOIN departments
188 ON employees.dept_id = departments.dept_id;
```

Result Grid Filter Rows: Export: Wrap Cell Content:

	emp_id	emp_name	dept_name
▶	103	Arjun	CSE
	101	Dharani dhar	CSE
	102	Rahul	ECE
	104	Sneha	IT
	NULL	NULL	MECH

CSE

Administration Schemas

Information

No object selected

Result 65 x

Output

Action Output

#	Time	Action	Message
✓ 122	13:45:53	SELECT * FROM employees LIMIT 0, 1000	5 row(s) returned
✓ 123	13:49:36	SELECT employees.emp_id, employees.emp...	4 row(s) returned
✓ 124	14:01:36	SELECT employees.emp_id, employees.emp...	5 row(s) returned
✓ 125	14:05:31	SELECT employees.emp_id, employees.emp...	5 row(s) returned

Object Info Session



SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas

Information

No object selected

Object Info Session

DDL DML (P)* x SQL File 1



Limit to 1000 rows

```
192     departments.dept_name
193 FROM employees
194 LEFT JOIN departments
195 ON employees.dept_id = departments.dept_id
196
197 UNION
198
199 SELECT
200     employees.emp_id,
201     employees.emp_name,
202     departments.dept_name
203 FROM employees
204 RIGHT JOIN departments
205 ON employees.dept_id = departments.dept_id;
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:

	emp_id	emp_name	dept_name
▶	101	Dharani dhar	CSE
	102	Rahul	ECE
	103	Arjun	CSE
	104	Sneha	IT
	105	Kiran	NULL
	NULL	NULL	MFCH

Result 66 x

Output



Action Output

	#	Time	Action	Message
✓	123	13:49:36	SELECT employees.emp_id,	employees.emp... 4 row(s) returned
✓	124	14:01:36	SELECT employees.emp_id,	employees.emp... 5 row(s) returned
✓	125	14:05:31	SELECT employees.emp_id,	employees.emp... 5 row(s) returned
✓	126	14:06:02	SELECT employees.emp_id,	employees.emp... 6 row(s) returned



SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice**
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys



```
197 UNION
198
199 SELECT
200     employees.emp_id,
201     employees.emp_name,
202     departments.dept_name
203 FROM employees
204 RIGHT JOIN departments
205 ON employees.dept_id = departments.dept_id;
206 • SELECT
207     employees.emp_name,
208     departments.dept_name
209 FROM employees
210 CROSS JOIN departments;
```

Execute the statement under the keyboard cursor

No object selected

	emp_name	dept_name
▶	Dharani dhar	MECH
	Dharani dhar	IT
	Dharani dhar	ECE
	Dharani dhar	CSE
	Rahul	MECH
	Rahul	IT

#	Time	Action	Message
✓ 124	14:01:36	SELECT employees.emp_id, employees.emp...	5 row(s) returned
✓ 125	14:05:31	SELECT employees.emp_id, employees.emp...	5 row(s) returned
✓ 126	14:06:02	SELECT employees.emp_id, employees.emp...	6 row(s) returned
✓ 127	14:06:26	SELECT employees.emp_name, department...	20 row(s) returned

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

bank_management_system

bookflow_db

ddl_dml_practice

Tables

students

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

No object selected

Object Info Session

DDL DML (P)* x SQL File 1

Limit to 1000 rows

199 SELECT

200 employees.emp_id,

201 employees.emp_name,

202 departments.dept_name

203 FROM employees

204 RIGHT JOIN departments

205 ON employees.dept_id = departments.dept_id;

206 • SELECT

207 employees.emp_name,

208 departments.dept_name

209 FROM employees

210 CROSS JOIN departments;

211 • ALTER TABLE employees

212 ADD manager_id INT;

213 • UPDATE employees

214 SET manager_id = CASE emp_id

215 WHEN 101 THEN NULL

216 WHEN 102 THEN 101

217 WHEN 103 THEN 101

218 WHEN 104 THEN 101

219 WHEN 105 THEN 102

220 END;

Output

Action Output

#	Time	Action	Message	Duration
✓ 128	14:45:45	ALTER TABLE employees ADD manager_id INT	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
✗ 129	14:45:52	ALTER TABLE employees ADD manager_id INT	Error Code: 1060. Duplicate column name 'manager_id'	0.000 sec
✗ 130	14:46:02	UPDATE employees SET manager_id = CASE emp_id WHEN 101 TH...	Error Code: 1175. You are using safe update mode and you tried to updat...	0.000 sec
✗ 131	14:46:53	UPDATE employees SET manager_id = CASE emp_id WHEN 101 TH...	Error Code: 1175. You are using safe update mode and you tried to updat...	0.000 sec

MySQL Workbench

Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (F) x SQL File 1

Limit to 1000 rows

```
226 m.emp_name AS manager
227 FROM employees e
228 LEFT JOIN employees m
229 ON e.manager_id = m.emp_id;
230 USE ddl_dml_practice;
231 DELIMITER //
232
233 CREATE PROCEDURE show_students()
234 BEGIN
235     SELECT * FROM students;
236 END //
237
238 DELIMITER ;
239 CALL show_students();
```

Result Grid

	student_id	student_name	department	marks
1	1	Dharanidhar	CSE	85
2	2	Rahul	ECE	82
3	3	Arjun	CSE	92
4	4	Sneha	IT	88

Administration Schemas

Information

No object selected

Result 70 x Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
134	14:48:10	SELECT e.emp_name AS employee, m.emp_name AS manager FR...	5 row(s) returned	0.000 sec / 0.000 sec
135	14:49:19	USE ddl_dml_practice	0 row(s) affected	0.000 sec
136	14:49:27	CREATE PROCEDURE show_students() BEGIN SELECT * FROM stu...	0 row(s) affected	0.031 sec
137	14:49:38	CALL show_students()	4 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

MySQL Workbench

mysql@127.0.0.1:3306

FileEditViewQueryDatabaseServerToolsScriptingHelp

DDL DML (P)*SQL File 1

Limit to 1000 rows

237

238

239

240

241

242

243

244

245

246

247

248

249

250

DELIMITER ;

CALL show_students();

DELIMITER //

CREATE PROCEDURE students_by_department(IN dept VARCHAR(50))

BEGIN

SELECT *

FROM students

WHERE department = dept;

END //

DELIMITER ;

CALL students_by_department('CSE');

Schemas

Filter objects

bank_management_system

bookflow_db

ddl_dml_practice

Tables

students

Views

Stored Procedures

Functions

sys

Result Grid

Filter Rows:

Exports

Wrap Cell Contents

Result Grid

Form Editor

	student_id	student_name	department	marks
▶	1	Dharanidhar	CSE	85
	3	Arjun	CSE	92

AdministrationSchemas

Information

No object selected

Result 71

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 136	14:49:27	CREATE PROCEDURE show_students() BEGIN SELECT * FROM stu...	0 row(s) affected	0.031 sec
✓ 137	14:49:38	CALL show_students()	4 row(s) returned	0.016 sec / 0.000 sec
✓ 138	14:50:09	CREATE PROCEDURE students_by_department(IN dept VARCHAR(50))...	0 row(s) affected	0.031 sec
✓ 139	14:50:19	CALL students_by_department('CSE')	2 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session



SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys



```
266
267 • CREATE TRIGGER before_marks_update
268 BEFORE UPDATE ON students
269 FOR EACH ROW
270 BEGIN
271     INSERT INTO marks_log (student_id, old_marks, new_marks)
272     VALUES (OLD.student_id, OLD.marks, NEW.marks);
273 END //
274
275 DELIMITER ;
276 • UPDATE students
277 SET marks = 90
278 WHERE student_id = 1;
279 • SELECT * FROM students;
```

	student_id	student_name	department	marks
▶	1	Dharanidhar	CSE	90
	2	Rahul	ECE	82
	3	Arjun	CSE	92
	4	Sneha	IT	88
•	NULL	NULL	NULL	NULL

	#	Time	Action	Message
✓	143	15:01:36	CREATE TRIGGER before_marks_update BEFO...	0 row(s) affected
✗	144	15:01:53	UPDATE students SET marks = ...	Error Code: 1064. You have an error in y
✓	145	15:02:43	UPDATE students SET marks = 90 WHERE stud...	1 row(s) affected Rows matched: 1 Cha
✓	146	15:02:52	SELECT * FROM students LIMIT 0, 1000	4 row(s) returned

No object selected



SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

```
267 • CREATE TRIGGER before marks update
268 BEFORE
269 FOR EACH ROW
270 BEGIN
271     INSERT INTO marks_log (student_id, old_marks, new_marks)
272     VALUES (OLD.student_id, OLD.marks, NEW.marks);
273 END //
274
275 DELIMITER ;
276 • UPDATE students
277 SET marks = 90
278 WHERE student_id = 1;
279 • SELECT * FROM students;
280 • SELECT * FROM marks_log;
```

	log_id	student_id	old_marks	new_marks	changed_at
▶	1	1	85	90	2026-08-18 15:02:43
*	NULL	NULL	NULL	NULL	NULL

No object selected

#	Time	Action	Message
✖ 144	15:01:53	UPDATE students SET marks = ...	Error Code: 1064. You have an error in y
✔ 145	15:02:43	UPDATE students SET marks = 90 WHERE stud...	1 row(s) affected Rows matched: 1 Cha
✔ 146	15:02:52	SELECT * FROM students LIMIT 0, 1000	4 row(s) returned
✔ 147	15:03:13	SELECT * FROM marks_log LIMIT 0, 1000	1 row(s) returned

MySQL Workbench

mysql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

```
1 USE ddl_dml_practice;
2 CREATE TABLE students (
3     student_id INT PRIMARY KEY,
4     student_name VARCHAR(100),
5     department VARCHAR(50),
6     marks INT
7 );
8 SHOW TABLES;
9 DESCRIBE students;
10 ALTER TABLE students
11 ADD email VARCHAR(100);
12 DESCRIBE students;
13 ALTER TABLE students
14 MODIFY student_name VARCHAR(150);
15 DESCRIBE students;
```

Result Grid

Field	Type	Null	Key	Default	Extra
student_id	int	NO	PRI		
student_name	varchar(100)	YES			
department	varchar(50)	YES			
marks	int	YES			

Result 31 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓	56 12:06:09	USE ddl_dml_practice	0 row(s) affected	0.000 sec
✗	57 12:06:13	CREATE TABLE students (student_id INT PRIMARY KEY, student_name VARCHAR(100), departmen...	Error Code: 1050. Table 'students' already exists	0.000 sec
✓	58 12:06:24	SHOW TABLES	3 row(s) returned	0.015 sec / 0.000 sec
✓	59 12:08:57	DESCRIBE students	4 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Object Info Session

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator:

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

```
1 USE ddl_dml_practice;
2 CREATE TABLE students (
3     student_id INT PRIMARY KEY,
4     student_name VARCHAR(100),
5     department VARCHAR(50),
6     marks INT
7 );
8 SHOW TABLES;
9 DESCRIBE students;
10 ALTER TABLE students
11 ADD email VARCHAR(100);
12 DESCRIBE students;
13 ALTER TABLE students
14 MODIFY student_name VARCHAR(150);
15 DESCRIBE students;
```

Limit to 1000 rows

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Field	Type	Null	Key	Default	Extra
student_id	int	NO	PRI		
student_name	varchar(100)	YES			
department	varchar(50)	YES			
marks	int	YES			
email	varchar(100)	YES			

Administration Schemas

Information

No object selected

Result 32 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
60	12:09:06	ALTER TABLE students ADD email VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.032 sec
61	12:09:10	ALTER TABLE students ADD email VARCHAR(100)	Error Code: 1060. Duplicate column name 'email'	0.000 sec
62	12:09:13	ALTER TABLE students ADD email VARCHAR(100)	Error Code: 1060. Duplicate column name 'email'	0.015 sec
63	12:09:18	DESCRIBE students	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MySQL@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DOL DML (P)

```
2 CREATE TABLE students (  
3     student_id INT PRIMARY KEY,  
4     student_name VARCHAR(100),  
5     department VARCHAR(50),  
6     marks INT  
7 );  
8 SHOW TABLES;  
9 DESCRIBE students;  
10 ALTER TABLE students  
11 ADD email VARCHAR(100);  
12 DESCRIBE students;  
13 ALTER TABLE students  
14 MODIFY student_name VARCHAR(150);  
15 DESCRIBE students;  
16 RENAME TABLE students TO student records;
```

Limit to 1000 rows

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Field	Type	Null	Key	Default	Extra
student_id	int	NO	PRI		
student_name	varchar(150)	YES			
department	varchar(50)	YES			
marks	int	YES			
email	varchar(100)	YES			

Administration Schemas

Information

No object selected

Output

Action Output

#	Time	Action	Message	Duration / Fetch
62	12:09:13	ALTER TABLE students ADD email VARCHAR(100)	Error Code: 1060. Duplicate column name 'email'	0.015 sec
63	12:09:16	DESCRIBE students	5 row(s) returned	0.000 sec / 0.000 sec
64	12:09:29	ALTER TABLE students MODIFY student_name VARCHAR(150)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.015 sec
65	12:09:37	DESCRIBE students	5 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

MySQL Workbench

MySQL@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator:

SCHMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

Limit to 1000 rows

```
1 CREATE TABLE students (  
2     student_id INT PRIMARY KEY,  
3     student_name VARCHAR(100),  
4     department VARCHAR(50),  
5     marks INT  
6 );  
7  
8 SHOW TABLES;  
9 DESCRIBE students;  
10 ALTER TABLE students  
11 ADD email VARCHAR(100);  
12 DESCRIBE students;  
13 ALTER TABLE students  
14 MODIFY student_name VARCHAR(150);  
15 DESCRIBE students;  
16 RENAME TABLE students TO student_records;
```

Result Grid

Field	Type	Null	Key	Default	Extra
student_id	int	NO	PRI		
student_name	varchar(150)	YES			
department	varchar(50)	YES			
marks	int	YES			
email	varchar(100)	YES			

Administration Schemas

Information

No object selected

Result 33 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
62	12:09:13	ALTER TABLE students ADD email VARCHAR(100)	Error Code: 1060. Duplicate column name 'email'	0.015 sec
63	12:09:18	DESCRIBE students	5 row(s) returned	0.000 sec / 0.000 sec
64	12:09:29	ALTER TABLE students MODIFY student_name VARCHAR(150)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.015 sec
65	12:09:37	DESCRIBE students	5 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

29°C Mostly sunny

Search

ENG US

12:10 18-08-2026

MySQL Workbench

MySQL@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator:

Schemas

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DOL DML (P)

Limit to 1000 rows

```
6 marks INT
7 }; Execute the statement under the keyboard cursor
8 SHOW TABLES;
9 DESCRIBE students;
10 ALTER TABLE students
11 ADD email VARCHAR(100);
12 DESCRIBE students;
13 ALTER TABLE students
14 MODIFY student_name VARCHAR(150);
15 DESCRIBE students;
16 RENAME TABLE students TO student_records;
17 SHOW TABLES;
18 INSERT INTO student_records
19 (student_id, student_name, department, marks, email)
20 VALUES
```

Result Grid

Filter Rows:

Export: Wrap Cell Content:

Tables_in_ddl_dml_practice

- cse_students
- scholarship_students
- student_records

Administration Schemas

Information

No object selected

Result 34 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
64	12:09:29	ALTER TABLE students MODIFY student_name VARCHAR(150)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.015 sec
65	12:09:37	DESCRIBE students	5 row(s) returned	0.015 sec / 0.000 sec
66	12:10:21	RENAME TABLE students TO student_records	0 row(s) affected	0.032 sec
67	12:10:25	SHOW TABLES	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

29°C Mostly sunny

Search

ENG US

12:10 18-08-2026

MySQL Workbench

MySQL@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator:

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

Limit to 1000 rows

```
14 MODIFY student_name VARCHAR(150);
15 DESCRIBE student_name;
16 RENAME TABLE students TO student_records;
17 SHOW TABLES;
18 INSERT INTO student_records
19 (student_id, student_name, department, marks, email)
20 VALUES
21 (1, 'Dharanidhar', 'CSE', 85, 'dd@gmail.com'),
22 (2, 'Rahul', 'ECE', 78, 'rahul@gmail.com'),
23 (3, 'Arjun', 'CSE', 92, 'arjun@gmail.com');
24 SELECT * FROM student_records;
25 TRUNCATE TABLE student_records;
26 SELECT * FROM student_records;
27 DESCRIBE student_records;
28 DROP TABLE student_records;
```

Result Grid

student_id	student_name	department	marks	email
1	Dharanidhar	CSE	85	dd@gmail.com
2	Rahul	ECE	78	rahul@gmail.com
3	Arjun	CSE	92	arjun@gmail.com
4	Sneha	IT	88	sneha@gmail.com

Administration Schemas

Information

No object selected

student_records 35 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
66	12:10:21	RENAME TABLE students TO student_records	0 row(s) affected	0.032 sec
67	12:10:25	SHOW TABLES	3 row(s) returned	0.000 sec / 0.000 sec
68	12:10:42	INSERT INTO student_records (student_id, student_name, department, marks, email) VALUES (1, 'Dharanidhar', 'CSE', 85, 'dd@gmail.com'), (2, 'Rahul', 'ECE', 78, 'rahul@gmail.com'), (3, 'Arjun', 'CSE', 92, 'arjun@gmail.com');	Error Code: 1062 Duplicate entry '1' for key 'student_records PRIMARY'	0.000 sec
69	12:10:49	SELECT * FROM student_records LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Apply Context Help Snippets

Object Info Session

29°C Mostly sunny

Search

ENG US

12:10 18-08-2026

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

Limit to 1000 rows

```
15 • DESCRIBE students;
16 • RENAME TABLE students TO student_records;
17 • SHOW TABLES;
18 • INSERT INTO student_records
19   (student_id, student_name, department, marks, email)
20   VALUES
21   (1, 'Dharani dhar', 'CSE', 85, 'dd@gmail.com'),
22   (2, 'Rahul', 'ECE', 78, 'rahul@gmail.com'),
23   (3, 'Arjun', 'CSE', 92, 'arjun@gmail.com');
24 • SELECT * FROM student_records;
25 • TRUNCATE TABLE student_records;
26 • SELECT * FROM student_records;
27 • DESCRIBE student_records;
28 • DROP TABLE student_records;
29 • SHOW TABLES;
```

Result Grid

student_id	student_name	department	marks	email
1	Dharani dhar	CSE	85	dd@gmail.com
2	Rahul	ECE	78	rahul@gmail.com
3	Arjun	CSE	92	arjun@gmail.com

Administration Schemas

Information

No object selected

student_records 36 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
68	12:10:42	INSERT INTO student_records (student_id, student_name, department, marks, email) VALUES (1, 'Dharani dh...	Error Code: 1062. Duplicate entry '1' for key 'student_records PRIMARY'	0.000 sec
69	12:10:49	SELECT * FROM student_records LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
70	12:11:05	TRUNCATE TABLE student_records	0 row(s) affected	0.047 sec
71	12:11:09	SELECT * FROM student_records LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

29°C Mostly sunny

Search

ENG US

12:11 18-08-2026

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: DDL DML (P)

Limit to 1000 rows

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

```
15 • DESCRIBE students;
16 • RENAME TABLE students TO student_records;
17 • SHOW TABLES;
18 • INSERT INTO student_records
19 (student_id, student_name, department, marks, email)
20 VALUES
21 (1, 'Dharani dhar', 'CSE', 85, 'dd@gmail.com'),
22 (2, 'Rahul', 'ECE', 78, 'rahul@gmail.com'),
23 (3, 'Arjun', 'CSE', 92, 'arjun@gmail.com');
24 • SELECT * FROM student_records;
25 • TRUNCATE TABLE student_records;
26 • SELECT * FROM student_records;
27 • DESCRIBE student_records;
28 • DROP TABLE student_records;
29 • SHOW TABLES;
```

Result Grid

Field	Type	Null	Key	Default	Extra
student_id	int	NO	PRI	NULL	
student_name	varchar(150)	YES		NULL	
department	varchar(50)	YES		NULL	
marks	int	YES		NULL	
email	varchar(100)	YES		NULL	

Administration Schemas

Information

No object selected

Result 37 x

Output

Action Output

#	Time	Action	Message
69	12:10:49	SELECT * FROM student_records LIMIT 0, 1000	4 row(s) returned
70	12:11:05	TRUNCATE TABLE student_records	0 row(s) affected
71	12:11:09	SELECT * FROM student_records LIMIT 0, 1000	0 row(s) returned
72	12:11:20	DESCRIBE student_records	5 row(s) returned

Object Info Session

MySQL Workbench

MySQL@127.0.0.1:3306

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHMAS

Filter objects

bank_management_system

bookflow_db

ddl_dml_practice

students

Views

Stored Procedures

Functions

sys

DDL DML (P)

Limit to 1000 rows

19

(student_id, student_name, department, marks, email)

20

VALUES

21

(1, 'Dharani dhan', 'CSE', 85, 'dd@gmail.com'),

22

(2, 'Rahul', 'ECE', 78, 'rahul@gmail.com'),

23

(3, 'Arjun', 'CSE', 92, 'arjun@gmail.com');

24

SELECT * FROM student_records;

25

TRUNCATE TABLE student_records;

26

SELECT * FROM student_records;

27

DESCRIBE student_records;

28

DROP TABLE student_records;

29

SHOW TABLES;

30

USE ddl_dml_practice;

31

CREATE TABLE students (

32

student_id INT PRIMARY KEY,

33

student name VARCHAR(100),

Result Grid

Filter Rows

Exports

Wrap Cell Contents

Tables_in_ddl_dml_practice

cse_students

scholarship_students

Administration

Schemas

Information

No object selected

Result 38

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
71	12-11-09	SELECT * FROM student_records LIMIT 0.1000	0 row(s) returned	0.016 sec / 0.000 sec
72	12-11-20	DESCRIBE student_records	5 row(s) returned	0.000 sec / 0.000 sec
73	12-11-30	DROP TABLE student_records	0 row(s) effected	0.016 sec
74	12-11-35	SHOW TABLES	2 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

#	Time	Action	Message	Duration / Fetch
71	12-11-09	SELECT * FROM student_records LIMIT 0.1000	0 row(s) returned	0.016 sec / 0.000 sec
72	12-11-20	DESCRIBE student_records	5 row(s) returned	0.000 sec / 0.000 sec
73	12-11-30	DROP TABLE student_records	0 row(s) effected	0.016 sec
74	12-11-35	SHOW TABLES	2 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

mysql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator: [mysql@127.0.0.1:3306](#)

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

Limit to 1000 rows

```
32 student_id INT PRIMARY KEY,  
33 Execute the statement under the keyboard cursor  
34 department VARCHAR(50),  
35 marks INT  
36 );  
37 INSERT INTO students  
38 (student_id, student_name, department, marks)  
39 VALUES  
40 (1, 'Dharanidhar', 'CSE', 85),  
41 (2, 'Rahul', 'ECE', 78),  
42 (3, 'Arjun', 'CSE', 92),  
43 (4, 'Sneha', 'IT', 88),  
44 (5, 'Kiran', 'CSE', 74);  
45 SELECT * FROM students;  
46 UPDATE students
```

Result Grid

	student_id	student_name	department	marks
▶	1	Dharanidhar	CSE	85
	2	Rahul	ECE	78
	3	Arjun	CSE	92
	4	Sneha	IT	88
	5	Kiran	CSE	74

students 39 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
74	12:11:35	SHOW TABLES	2 row(s) returned	0.000 sec / 0.000 sec
75	12:12:43	CREATE TABLE students (student_id INT PRIMARY KEY, student_name VARCHAR(100), departmen...	0 row(s) affected	0.046 sec
76	12:12:50	INSERT INTO students (student_id, student_name, department, marks) VALUES (1, 'Dharanidhar', 'CSE', 85), (...)	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
77	12:12:54	SELECT * FROM students LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions: [mysql@127.0.0.1:3306](#)

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Apply Context Help Snippets

Object Info Session

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator:

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
 - sys

DOL DML (P)

```
36 }
37 INSERT INTO students
38 (student_id, student_name, department, marks)
39 VALUES
40 (1, 'Dharanidhar', 'CSE', 85),
41 (2, 'Rahul', 'ECE', 78),
42 (3, 'Arjun', 'CSE', 92),
43 (4, 'Sneha', 'IT', 88),
44 (5, 'Kiran', 'CSE', 74);
45 SELECT * FROM students;
46 UPDATE students
47 SET marks = 82
48 WHERE student_id = 2;
49 SELECT * FROM students;
50 DELETE FROM students
```

Limit to 1000 rows

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

student_id	student_name	department	marks
1	Dharanidhar	CSE	85
2	Rahul	ECE	82
3	Arjun	CSE	92
4	Sneha	IT	88
5	Kiran	CSE	74

students 40 x

Administration Schemas

Information

No object selected

Output

Action Output

#	Time	Action	Message	Duration / Fetch
78	12:13:10	UPDATE students SET marks = 82 WHERE student_id = 2	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
79	12:13:18	UPDATE students SET marks = 82 WHERE student_id = 2	0 row(s) affected Rows matched: 1 Changed: 0 Warnings: 0	0.000 sec
80	12:13:31	UPDATE students SET marks = 82 WHERE student_id = 2	0 row(s) affected Rows matched: 1 Changed: 0 Warnings: 0	0.000 sec
81	12:13:34	SELECT * FROM students LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

Limit to 1000 rows

```
39 VALUES
40 (1, 'Dharanidhar', 'CSE', 85),
41 (2, 'Rahul', 'ECE', 78),
42 (3, 'Arjun', 'CSE', 92),
43 (4, 'Sneha', 'IT', 88),
44 (5, 'Kiran', 'CSE', 74);
45 • SELECT * FROM students;
46 • UPDATE students
47   SET marks = 82
48   WHERE student_id = 2;
49 • SELECT * FROM students;
50 • DELETE FROM students
51   WHERE student_id = 5;
52 • SELECT * FROM students;
53 • SELECT *
```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

student_id	student_name	department	marks
1	Dharanidhar	CSE	85
2	Rahul	ECE	82
3	Arjun	CSE	92
4	Sneha	IT	88
5	Kiran	CSE	74

students 41 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
81	12:13:34	SELECT * FROM students LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
82	12:13:43	DELETE FROM students WHERE student_id = 5	1 row(s) affected	0.015 sec
83	12:13:47	DELETE FROM students WHERE student_id = 5	0 row(s) affected	0.000 sec
84	12:13:51	SELECT * FROM students LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

Administration Schemas

Information

No object selected

Object Info Session

MySQL Workbench

MySql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator: www.mysql.com/doc/workbench/

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

Limit to 1000 rows

```
47 SET marks = 82;
48 WHERE student_id = 2;
49 SELECT * FROM students;
50 DELETE FROM students;
51 WHERE student_id = 5;
52 SELECT * FROM students;
53 SELECT *
54
55 FROM students
56 WHERE marks > 80;
57 SELECT *
58 FROM students
59 WHERE department = 'CSE';
60 SELECT *
61 FROM students
```

Result Grid

student_id	student_name	department	marks
1	Dharanidhar	CSE	85
2	Rahul	ECE	82
3	Arjun	CSE	92
4	Sneha	IT	88
...	...	...	...

students 42 x

Output

#	Time	Action	Message	Duration / Fetch
82	12:13:43	DELETE FROM students WHERE student_id = 5	1 row(s) affected	0.015 sec
83	12:13:47	DELETE FROM students WHERE student_id = 5	0 row(s) affected	0.000 sec
84	12:13:51	SELECT * FROM students LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
85	12:14:02	SELECT * FROM students WHERE marks > 80 LIMIT 0, 1000	4 row(s) returned	0.016 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration **Schemas**

Information

No object selected

Object Info **Session**

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator:

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

Limit to 1000 rows

```
47 SET marks = 82
48 WHERE Execute the statement under the keyboard cursor
49 SELECT * FROM students;
50 DELETE FROM students
51 WHERE student_id = 5;
52 SELECT * FROM students;
53 SELECT *
54
55 FROM students
56 WHERE marks > 80;
57 SELECT *
58 FROM students
59 WHERE department = 'CSE';
60 SELECT *
61 FROM students
```

Result Grid

student_id	student_name	department	marks
1	Dharanidhar	CSE	85
3	Arjun	CSE	92
...	...	...	...

Administration Schemas

Information

No object selected

students 43 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
83	12:13:47	DELETE FROM students WHERE student_id = 5	0 row(s) affected	0.000 sec
84	12:13:51	SELECT * FROM students LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
85	12:14:02	SELECT * FROM students WHERE marks > 80 LIMIT 0, 1000	4 row(s) returned	0.016 sec / 0.000 sec
86	12:14:11	SELECT * FROM students WHERE department = 'CSE' LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Apply Context Help Snippets

MySQL Workbench

mysql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

Limit to 1000 rows

Execute the statement under the keyboard cursor

```
53 SELECT *
54
55 FROM students
56 WHERE marks > 86;
57 SELECT *
58 FROM students
59 WHERE department = 'CSE';
60 SELECT *
61 FROM students
62 ORDER BY marks DESC;
63 SELECT *
64 FROM students
65 ORDER BY marks ASC;
66 SELECT department, COUNT(*) AS total_students
67 FROM students
```

Result Grid

student_id	student_name	department	marks
3	Arjun	CSE	92
4	Sneha	IT	88
1	Dharanidhar	CSE	85
2	Rahul	ECE	82

students 44

Output

Action Output

#	Time	Action	Message
✓ 84	12:13:51	SELECT * FROM students LIMIT 0, 1000	4 row(s) returned
✓ 85	12:14:02	SELECT * FROM students WHERE marks > 80 LIMIT 0, 1000	4 row(s) returned
✓ 86	12:14:11	SELECT * FROM students WHERE department = 'CSE' LIMIT 0, 1000	2 row(s) returned
✓ 87	12:14:23	SELECT * FROM students ORDER BY marks DESC LIMIT 0, 1000	4 row(s) returned

Object Info Session

29°C Mostly sunny

Search

ENG US

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder.

Markup and share

MySQL Workbench

mysql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

Limit to 1000 rows

```
53 SELECT *
54
55 FROM students
56 WHERE marks > 80;
57 SELECT *
58 FROM students
59 WHERE department = 'CSE';
60 SELECT *
61 FROM students
62 ORDER BY marks DESC;
63 SELECT *
64 FROM students
65 ORDER BY marks ASC;
66 SELECT department, COUNT(*) AS total_students
67 FROM students
```

Execute the statement under the keyboard cursor

Result Grid

	student_id	student_name	department	marks
▶	2	Rahul	ECE	82
	1	Dharanidhar	CSE	85
	4	Sneha	IT	88
	3	Arjun	CSE	92
*	total	total	total	total

students 45

Output

Action Output

#	Time	Action	Message
✓	85 12:14:02	SELECT * FROM students WHERE marks > 80 LIMIT 0, 1000	4 row(s) returned
✓	86 12:14:11	SELECT * FROM students WHERE department = 'CSE' LIMIT 0, 1000	2 row(s) returned
✓	87 12:14:23	SELECT * FROM students ORDER BY marks DESC LIMIT 0, 1000	4 row(s) returned
✓	88 12:14:35	SELECT * FROM students ORDER BY marks ASC LIMIT 0, 1000	4 row(s) returned

Administration Schemas

Information

No object selected

Object Info Session

SQLAdditions

Automatic disabled. U manually current ca toggle a

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshot

Markup and s

MySQL Workbench

mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

Limit to 1000 rows

```
59 WHERE department = 'CSE';
60 * SELECT Execute the statement under the keyboard cursor
61 FROM students
62 ORDER BY marks DESC;
63 * SELECT *
64 FROM students
65 ORDER BY marks ASC;
66 * SELECT department, COUNT(*) AS total_students
67 FROM students
68 GROUP BY department;
69 * SELECT department, AVG(marks) AS average_marks
70 FROM students
71 GROUP BY department;
72 * SELECT department, COUNT(*) AS total_students
73 FROM students
```

Result Grid

department	total_students
CSE	2
ECE	1
IT	1

Administration Schemas

Information

No object selected

Output

Action Output

#	Time	Action	Message
86	12:14:11	SELECT * FROM students WHERE department = 'CSE' LIMIT 0, 1000	2 row(s) returned
87	12:14:23	SELECT * FROM students ORDER BY marks DESC LIMIT 0, 1000	4 row(s) returned
88	12:14:35	SELECT * FROM students ORDER BY marks ASC LIMIT 0, 1000	4 row(s) returned
89	12:14:45	SELECT department, COUNT(*) AS total_students FROM students GROUP BY department LIMIT 0, 1000	3 row(s) returned

Object Info Session

SQL Additions

Automatic disabled. U manually current ca toggle a

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshot

Markup and s

MySQL Workbench

mysql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

Limit to 1000 rows

```
59 WHERE department = 'CSE';
60 SELECT
61 FROM students
62 ORDER BY marks DESC;
63 SELECT *
64 FROM students
65 ORDER BY marks ASC;
66 SELECT department, COUNT(*) AS total_students
67 FROM students
68 GROUP BY department;
69 SELECT department, AVG(marks) AS average_marks
70 FROM students
71 GROUP BY department;
72 SELECT department, COUNT(*) AS total_students
73 FROM students
```

Result Grid

department	average_marks
CSE	88.5000
ECE	82.0000
IT	88.0000

Administration Schemas

Information

No object selected

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
88	12:14:35	SELECT * FROM students ORDER BY marks ASC LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000
89	12:14:45	SELECT department, COUNT(*) AS total_students FROM students GROUP BY department LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000
90	12:14:59	SELECT department, COUNT(*) AS total_students FROM students GROUP BY department LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000
91	12:15:11	SELECT department, AVG(marks) AS average_marks FROM students GROUP BY department LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000

MySQL Workbench

MySQL@127.0.0.1:3306

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHMAS

Filter objects

bank_management_system

bookflow_db

ddl_dml_practice

Tables

students

Views

Stored Procedures

Functions

sys

DDL DML (P)

Limit to 1000 rows

65 ORDER BY marks ASC;

66 SELECT

67 FROM students

68 GROUP BY department;

69 SELECT department, AVG(marks) AS average_marks

70 FROM students

71 GROUP BY department;

72 SELECT department, COUNT(*) AS total_students

73 FROM students

74 GROUP BY department

75 HAVING COUNT(*) > 1;

76 SELECT department, AVG(marks) AS average_marks

77 FROM students

78 GROUP BY department

79 HAVING AVG(marks) > 85;

Result Grid

Filter Rows:

Export:

Wrap Cell Contents

department

total_students

CSE

2

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration

Schemas

Information

No object selected

Object Info

Session

Result 49

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
89	12:14:45	SELECT department, COUNT(*) AS total_students FROM students GROUP BY department LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
90	12:14:59	SELECT department, COUNT(*) AS total_students FROM students GROUP BY department LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
91	12:15:11	SELECT department, AVG(marks) AS average_marks FROM students GROUP BY department LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
92	12:15:22	SELECT department, COUNT(*) AS total_students FROM students GROUP BY department HAVING COUNT(*) > 1	1 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

```
69 • SELECT department, AVG(marks) AS average_marks
70 FROM
71 GROUP BY department;
72 • SELECT department, COUNT(*) AS total_students
73 FROM students
74 GROUP BY department
75 HAVING COUNT(*) > 1;
76 • SELECT department, AVG(marks) AS average_marks
77 FROM students
78 GROUP BY department
79 HAVING AVG(marks) > 85;
80 • SELECT MIN(marks) AS minimum_marks
81 FROM students;
82 • SELECT MAX(marks) AS maximum_marks
83 FROM students;
```

Result Grid

department	average_marks
CSE	88.5000
IT	88.0000

Administration Schemas

Information

No object selected

Result 50 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
90	12:14:59	SELECT department, COUNT(*) AS total_students FROM students GROUP BY department LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
91	12:15:11	SELECT department, AVG(marks) AS average_marks FROM students GROUP BY department LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
92	12:15:22	SELECT department, COUNT(*) AS total_students FROM students GROUP BY department HAVING COUNT(*) > 1	1 row(s) returned	0.000 sec / 0.000 sec
93	12:15:33	SELECT department, AVG(marks) AS average_marks FROM students GROUP BY department HAVING AVG(marks) > 85	2 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

29°C

Search

ENG

12:15

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

MySQL@127.0.0.1:3306

FileEditViewQueryDatabaseServerToolsScriptingHelp

DDL DML (P)

Limit to 1000 rows

69 SELECT department, AVG(marks) AS average_marks

70 FROM students;

71 GROUP BY department;

72 SELECT department, COUNT(*) AS total_students

73 FROM students

74 GROUP BY department

75 HAVING COUNT(*) > 1;

76 SELECT department, AVG(marks) AS average_marks

77 FROM students

78 GROUP BY department

79 HAVING AVG(marks) > 85;

80 SELECT MIN(marks) AS minimum_marks

81 FROM students;

82 SELECT MAX(marks) AS maximum_marks

83 FROM students;

Result Grid

Filter Rows:

Export

Wrap Cell Contents

minimum_marks

82

AdministrationSchemas

Information

No object selected

Object Info

Session

Result 51

Output

Action Output

#	Time	Action	Message
91	12:15:11	SELECT department, AVG(marks) AS average_marks FROM students GROUP BY department LIMIT 0, 1000	3 row(s) returned
92	12:15:22	SELECT department, COUNT(*) AS total_students FROM students GROUP BY department HAVING COUNT(*) > 1	1 row(s) returned
93	12:15:33	SELECT department, AVG(marks) AS average_marks FROM students GROUP BY department HAVING AVG(marks) > 85	2 row(s) returned
94	12:15:41	SELECT MIN(marks) AS minimum_marks FROM students LIMIT 0, 1000	1 row(s) returned

SQLAdditions

Automatic content disabled. Use the manually get the current caret position to toggle automatic content.

Snipping Tool

Screenshot copied to clipboard

Automatically saved to screenshots folder

Markup and share

MySQL Workbench

MySQL@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

Limit to 1000 rows

```
76 • SELECT department, AVG(marks) AS average_marks
77 FROM students
78 GROUP BY department
79 HAVING AVG(marks) > 85;
80 • SELECT MIN(marks) AS minimum_marks
81 FROM students;
82 • SELECT MAX(marks) AS maximum_marks
83 FROM students;
84 • SELECT COUNT(*) AS total_students
85 FROM students;
86 • SELECT SUM(marks) AS total_marks
87 FROM students;
88 • SELECT AVG(marks) AS average_marks
89 FROM students;
90 • CREATE TABLE cse_students (
```

Result Grid

Filter Rows:

Export:

Wrap Cell Contents: ☐

maximum_marks

92

Administration Schemas

Information

No object selected

Object Info Session

Result 52 x

Output

Action Output

#	Time	Action	Message
92	12-15:22	SELECT department, COUNT(*) AS total_students FROM students GROUP BY department HAVING COUNT(*)...	1 row(s) returned
93	12-15:33	SELECT department, AVG(marks) AS average_marks FROM students GROUP BY department HAVING AVG(...	2 row(s) returned
94	12-15:41	SELECT MIN(marks) AS minimum_marks FROM students LIMIT 0, 1000	1 row(s) returned
95	12-15:50	SELECT MAX(marks) AS maximum_marks FROM students LIMIT 0, 1000	1 row(s) returned

SQLAdditions

Automatic completion disabled. Use tab manually get current caret position toggle auto

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder

Markup and share

MySQL Workbench

mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

Limit to 1000 rows

```
76 • SELECT department, AVG(marks) AS average_marks
77 FROM students
78 GROUP BY department
79 HAVING AVG(marks) > 85;
80 • SELECT MIN(marks) AS minimum_marks
81 FROM students;
82 • SELECT MAX(marks) AS maximum_marks
83 FROM students;
84 • SELECT COUNT(*) AS total_students
85 FROM students;
86 • SELECT SUM(marks) AS total_marks
87 FROM students;
88 • SELECT AVG(marks) AS average_marks
89 FROM students;
90 • CREATE TABLE cse_students (
```

Result Grid

Filter Rows: Export: Wrap Cell Contents:

total_students

Administration Schemas

Information

No object selected

Result 53 x

Output

Action Output

#	Time	Action	Message
93	12:15:33	SELECT department, AVG(marks) AS average_marks FROM students GROUP BY department HAVING AVG(...	2 row(s) returned
94	12:15:41	SELECT MIN(marks) AS minimum_marks FROM students LIMIT 0, 1000	1 row(s) returned
95	12:15:50	SELECT MAX(marks) AS maximum_marks FROM students LIMIT 0, 1000	1 row(s) returned

Snipping Tool

Screenshot copied to clipboard. Automatically saved to screenshots.

Markup and...

MySQL Workbench

Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

Limit to 1000 rows

```
76 • SELECT department, AVG(marks) AS average_marks
77 FROM students
78 GROUP BY department
79 HAVING AVG(marks) > 85;
80 • SELECT MIN(marks) AS minimum_marks
81 FROM students;
82 • SELECT MAX(marks) AS maximum_marks
83 FROM students;
84 • SELECT COUNT(*) AS total_students
85 FROM students;
86 • SELECT SUM(marks) AS total_marks
87 FROM students;
88 • SELECT AVG(marks) AS average_marks
89 FROM students;
90 • CREATE TABLE cse_students (
```

Result Grid

Filter Rows: Export: Wrap Cell Content:

total_marks
347

Administration Schemas

Information

No object selected

Object Info Session

Result 54 x

Output

Action Output

#	Time	Action	Message
94	12-15:41	SELECT MIN(marks) AS minimum_marks FROM students LIMIT 0, 1000	1 row(s) returned
95	12-15:50	SELECT MAX(marks) AS maximum_marks FROM students LIMIT 0, 1000	1 row(s) returned
96	12-15:56	SELECT COUNT(*) AS total_students FROM students LIMIT 0, 1000	1 row(s) returned
97	12-16:02	SELECT SUM(marks) AS total_marks FROM students LIMIT 0, 1000	1 row(s) returned

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder

Markup and share

23°C Mostly sunny

Search

ENG US

MySQL Workbench

mysql@127.0.0.1:3306

FileEditViewQueryDatabaseServerToolsScriptingHelp

DDL DML (P)

Limit to 1000 rows

76 • SELECT department, AVG(marks) AS average_marks

77 FROM students

78 GROUP BY department

79 HAVING AVG(marks) > 85;

80 • SELECT MIN(marks) AS minimum_marks

81 FROM students;

82 • SELECT MAX(marks) AS maximum_marks

83 FROM students;

84 • SELECT COUNT(*) AS total_students

85 FROM students;

86 • SELECT SUM(marks) AS total_marks

87 FROM students;

88 • SELECT AVG(marks) AS average_marks

89 FROM students;

90 • CREATE TABLE cse students (

Result Grid

Filter Rows

Export

Wrap Cell Contents

average_marks

86.7500

AdministrationSchemas

Information

No object selected

Result 55

Read OnlyContext HelpSnippets

Action Output

#	Time	Action	Message
95	12:15:50	SELECT MAX(marks) AS maximum_marks FROM students LIMIT 0, 1000	1 row(s) returned
96	12:15:56	SELECT COUNT(*) AS total_students FROM students LIMIT 0, 1000	1 row(s) returned
97	12:16:02	SELECT SUM(marks) AS total_marks FROM students LIMIT 0, 1000	1 row(s) returned
98	12:16:09	SELECT AVG(marks) AS average_marks FROM students LIMIT 0, 1000	1 row(s) returned

SQLAdditions

Automatic c
disabled. Use
manually ge
current care
toggle aut

MySQL Workbench

Mysql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

```
96 student_id INT,
97 student_name VARCHAR(100)
98 );
99 INSERT INTO cse_students VALUES
100 (1, 'Dd'),
101 (2, 'Arjun'),
102 (3, 'Rahul');
103
104 INSERT INTO scholarship_students VALUES
105 (2, 'Arjun'),
106 (3, 'Rahul'),
107 (4, 'Sneha');
108 SELECT student_id, student_name
109 FROM cse_students
110
```

Result Grid

student_id	student_name
1	Dd
2	Arjun
3	Rahul
4	Sneha

Administration Schemas

Information

No object selected

Output

Action Output

#	Time	Action	Message	Duration
100	12:16:28	CREATE TABLE scholarship_students (student_id INT, student_name VARCHAR(100))	Error Code: 1050 Table 'scholarship_students' already exists	0.000 sec
101	12:16:33	INSERT INTO cse_students VALUES (1, 'Dd'), (2, 'Arjun'), (3, 'Rahul')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
102	12:16:37	INSERT INTO scholarship_students VALUES (2, 'Arjun'), (3, 'Rahul'), (4, 'Sneha')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
103	12:16:43	SELECT student_id, student_name FROM cse_students UNION SELECT student_id, student_name FROM s...	4 row(s) returned	0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the tool manually get help from current caret position toggle automatic

MySQL Workbench

mysql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

bank_management_system

bookflow_db

ddl_dml_practice

Tables

students

Views

Stored Procedures

Functions

sys

DDL DML (P)

Limit to 1000 rows

```
121 (1, 'Dd'),
122 (2, 'Arjun'),
123 (3, 'Rahul');
124 SELECT * FROM cse_students;
125 SELECT * FROM scholarship_students;
126 SELECT student_id, student_name
127 FROM cse_students
128
129 UNION
130
131 SELECT student_id, student_name
132 FROM scholarship_students;
133 SELECT student_id, student_name
134 FROM cse_students
135
```

Result Grid

	student_id	student_name
1	Dd	
2	Arjun	
3	Rahul	
4	Sneha	

Administration Schemas

Information

No object selected

Object Info Session

Result 59 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
104	12:16:57	USE ddl_dml_practice	0 row(s) affected	0.015 sec
105	12:17:02	SELECT student_id, student_name FROM cse_students UNION SELECT student_id, student_name FROM s...	4 row(s) returned	0.000 sec / 0.000
106	12:17:16	SELECT student_id, student_name FROM cse_students UNION SELECT student_id, student_name FROM s...	4 row(s) returned	0.016 sec / 0.000
107	12:17:29	SELECT student_id, student_name FROM cse_students UNION SELECT student_id, student_name FROM s...	4 row(s) returned	0.016 sec / 0.000

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

MySQL@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

- bank_management_system
- bookflow_db
- ddl_dml_practice
 - Tables
 - students
 - Views
 - Stored Procedures
 - Functions
- sys

DDL DML (P)

```
1 • USE ddl_dml_practice;
2 • CREATE TABLE students (
3     student_id INT PRIMARY KEY,
4     student_name VARCHAR(100),
5     department VARCHAR(50),
6     marks INT
7 );
8 • SHOW TABLES;
9 • DESCRIBE students;
10 • ALTER TABLE students
11     ADD email VARCHAR(100);
12 • DESCRIBE students;
13 • ALTER TABLE students
14     MODIFY student_name VARCHAR(150);
15 • DESCRIBE students;
```

Result Grid

Tables_in_ddl_dml_practice

- cse_students
- scholarship_students
- students

Administration Schemas

Information

No object selected

Result 39

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
55	12:01:08	SELECT student_id, student_name FROM cse_students INTERSECT SELECT student_id, student_name FR...	2 row(s) returned	0.000 sec / 0.000 sec
56	12:06:09	USE ddl_dml_practice	0 row(s) affected	0.000 sec
57	12:06:13	CREATE TABLE students (student_id INT PRIMARY KEY, student_name VARCHAR(100), departmen...	Error Code: 1050. Table 'students' already exists	0.000 sec
58	12:06:24	SHOW TABLES	3 row(s) returned	0.015 sec / 0.000 sec