

2023



MURUGESAN & CO.

Chennai based Manufacturer, Exporter and Supplier of Hydraulic Hoses, Hydraulic Hose End Fittings, Electro Plating, Hydraulic Adapter, Electroplating, Precision Components, Press Components etc.

Profile

&

Product Catalog

ABOUT US

Established in the year 2005, [Murugesan & Company](#) has pioneered in the manufacturing, wholesale exporting and supplying business of Hose Assemblies and Hydraulic Pipe Fittings. Our excellent range of Hydraulic Hoses, Hydraulic Hose End Fittings, Hydraulic Adapters and Precision Components is widely used by several clients all over India. Our Products aims at serving various industries like earth movers, compressors, plastic molders, cranes and for other special purpose machineries. Consistency of quality in our products has gained us a large number of customers from each part of the world.

Since the inception in this business arena, we have been striving to cater to diverse requirements of customers by offering durable products at cost effective prices. Our strong thrust to provide premier quality products to clients in India has gained us prominence in this business segment and keeps us ahead in the market from our competitors. We relentlessly induce latest technology and innovation into our designs, engineering and production process. Over the years, by offering superb quality of products, the company has achieved a reputed clientele base comprising world reputed large corporate houses.

Customer satisfaction has always been the primary objective of our company; hence all the products are passed through an extensive quality check system. We have a Quality Control System to perform stage wise inspection, development, random testing and sampling of the products before delivery. We take special care to avoid any leakage and pressure drop due to any fault in the products. Our product range includes,

- Hydraulic Hose End Fittings
- Hydraulic Hose Assemblies
- SS Hoses
- Metal Finishers – All types
- Flange Fittings
- Press Components

HYDRAULIC HOSE END FITTINGS

We manufacture best quality Hydraulic End Fittings, which are fitted on either side of the Hydraulic Hoses to catering to specific applications demanded by the customer. Hydraulic Hose End Fittings are widely used in Various Industries. We manufacture End Fittings in special purpose machines such as Semi Automatic Lathes, C.N.C. Lathes, Thread Chaser, etc. Our company manufactures End Fittings from Mild Steel, Stainless Steel and any other material according to the specifications of customers. These are secured by argon welding (TIG) on S.S. Hose depending upon Hose type and service conditions to form a complete Hose Assembly.

Type of End Connections: Threaded type BSP, BSPT, NPT, NPTF, METRIC, JIC & other standards.

Flange: As per BS, ASA, DIN and other standards.

End Fittings Manufactured

- ✓ Fixed Male
- ✓ Camaction Coupling
- ✓ Fixed Flange
- ✓ Fixed Flange on Pipe End
- ✓ Fixed Female Connector
- ✓ Fixed Male Connector
- ✓ Full Female Union
- ✓ Pipe End
- ✓ Stand Pipe
- ✓ Swivel Flange
- ✓ Swivel Female Union and many more



HYDRAULIC HOSE ASSEMBLIES

Hydraulic Hose Assemblies Product Range:

- ✓ we assemble hoses having working pressure up to 10,000 PSI
- ✓ we manufacture all hoses needed for the industrial purpose
- ✓ Hydraulic hoses 3/16" ID to 5" ID Spiral & Braided
- ✓ Available in all international specs. SAE, DIN, BS & IS., EN. & ISO
- ✓ Mining hoses
- ✓ Petroleum transfer Oil Suction & Discharge hoses & grease hose
- ✓ Fuel hoses, petrol & diesel dispensing hoses
- ✓ Water & Suction Discharge Hoses
- ✓ Air, water, pneumatic, Welding & Rock drill hoses
- ✓ Chemical hoses, steam hoses, car washing

Hose Assemblies

- ✓ Hose Assemblies Ex-stock For Heavy Earth Moving Machineries.
- ✓ Pay loaders
- ✓ Multi Utility Vehicles Excavators
- ✓ Dumpers
- ✓ Drills
- ✓ Dozers & Trucks and all machineries



STEEL HOSES

The Stainless Steel Hydraulic Hoses are provided in stainless steel grades (AISI) 321, 316, 316L, & 304. These Hoses can be manufactured in specific length specified by clients' with the end fittings in Flanged/Threaded types. SS Braided Hydraulic Hose are supplied to take care of external damage and to increase pressure ratings.

Hydraulics Hoses Supplied

- ✓ Water Suction and Deliver Hoses
- ✓ Air Pneumatic Hoses
- ✓ Steam Hoses
- ✓ Welding Hoses
- ✓ Petrol Dispensing Hose
- ✓ Oil Suction and Discharge Hoses
- ✓ Carbon Free Hoses
- ✓ Sand Blasting Hoses
- ✓ Rock Drill Hoses
- ✓ Chemical Hoses



METAL FINISHERS – PLATING

We are also a single source provider of a full range of product finishing services offered through a combination of internal capabilities and strategic alliances with related service providers. Whether it's Zinc plating, Silver plating, Electroless Nickel plating, Zincteck plating, Tin plating, General Metal Finishing offers what manufacturers need today....quality, competitiveness, and service. Our dedicated plating professionals look forward to working with you.



FLANGE FITTINGS

- ✓ BS Standard
- ✓ SAE Standard
- ✓ DIN Standard
- ✓ BS Standard 4SP/4SH
- ✓ SAE Standard 4SP/4SH
- ✓ DIN Standard 4SP/4SH
- ✓ BS Standard Interlock SAE Standard Interlock
- ✓ DIN Standard Interlock
- ✓ SAE Standard Flange INSAP Standard Water Blast
- ✓ Elbow Adaptors Straight Adaptors Special Fittings


HAND PRIMER

Hand primer is screwed in to the feed pump above the suction valve. They are used to pump the fuel from the tank to the fuel injection pump when the engine is at rest. We specialize in manufacturing of Hand primers that are screwed above the suction valve into the feed pump. Our hand primers are mainly used when the engine is at rest for pumping in the fuel from the tank to the fuel injection pump. Our company has a capacious warehouse where we store huge quantities of these hand primers for quick delivery to our clients. These can be availed in customized sizes as per specifications and requirements and at the most economical and industry leading prices.




FERRULE

NO-SKIVE FERRULE FOR SAE 100 R1-AT / EN 853 / 1SN HOSE




PART NO.	HOSE I.D.		Ø D	L					
	INCH	MM							
IF - 404	1/4	6	20	30.5					
IF - 405	5/16	8	21	30.5					
IF - 406	3/8	10	24	32					
IF - 416	1	25	43	50					
IF - 420	1.1/4	32	53	59					
IF - 424	1.1/2	38	58	63					
IF - 432	2	50	73	77					

NO-SKIVE FERRULE FOR SAE 100 R1 AT / R2 AT / EN 853 / 1SN / 2SN HOSE



PART NO.	HOSE I.D.		Ø D	L					
	INCH	MM							
IF - 4504	1/4	6	22	30.5					
IF - 4505	5/16	8	24	30.5					
IF - 4506	3/8	10	25	32					
IF - 4508	1/2	13	28	34					
IF - 4510	5/8	16	32	38					
IF - 4512	3/4	19	36	42.5					
IF - 4516	1	25	46	50					
IF - 4520	1.1/4	32	56	59					
IF - 4524	1.1/2	38	65	63					
IF - 4532	2	50	76	79					



DIN STANDARD

METRIC FEMALE 24° & 60° CONE DIN 3868 - DKL (SLIP ON NUT) (SAE 100 R1 AT / R2 AT / EN 853 / 1SN / 2SN)								
PART NO.	HOSE I.D.		Ø DIN	Ø F	CH	Ød	L	
	INCH	MM						
** IF - 8904	1/4	6	8L	M14x1.5	17	3	48.0	
IF - 8945	1/4	6	10L	M16x1.5	19	3	48.5	
IF - 8905	5/16	8	10L	M16x1.5	19	5	48.5	
IF - 8906	3/8	10	12L	M18x1.5	22	6	52.5	
IF - 8908	1/2	13	15L	M22x1.5	27	9	54.5	
IF - 8910	5/8	16	18L	M26x1.5	32	12	61.5	
** CRIMPED BACK NUT								


45° METRIC FEMALE SWEPT ELBOW 24° & 60° CONE DIN 3868 - DKL (SLIP ON NUT) (SAE 100 R1 AT / R2 AT / EN 853 / 1SN / 2SN)								
PART NO.	HOSE I.D.		Ø DIN	Ø F	CH	Ød	K	L
	INCH	MM						
** IF - 8704	1/4	6	8L	M14x1.5	17	3	17	64
* IF - 8705	5/16	8	10L	M16x1.5	19	5	19	67
* IF - 8706	3/8	10	12L	M18x1.5	22	6	22	77
* IF - 8708	1/2	13	15L	M22x1.5	27	9	25	83
* SINGLE PIECE ** SINGLE PIECE CRIMPED BACK NUT								

90° METRIC FEMALE SWEPT ELBOW 24° & 60° CONE DIN 3868 - DKL (SLIP ON NUT) (SAE 100 R1 AT / R2 AT / EN 853 / 1SN / 2SN)								
PART NO.	HOSE I.D.		Ø DIN	Ø F	CH	Ød	K	L
	INCH	MM						
** IF - 8804	1/4	6	8L	M14x1.5	17	3	30	52
* IF - 8805	5/16	8	10L	M16x1.5	19	5	32	54
* IF - 8806	3/8	10	12L	M18x1.5	22	6	38	63
* IF - 8808	1/2	13	15L	M22x1.5	27	9	40	70
IF - 8810	5/8	16	18L	M26x1.5	32	12	41	71
* SINGLE PIECE ** SINGLE PIECE CRIMPED BACK NUT								

METRIC MALE 24° CONE SEAT L.T - DIN 3853 / 3861 SERIES 'L' DIN 2353 (SAE 100 R1 AT / R2 AT / EN 853 / 1SN / 2SN)								
PART NO.	HOSE I.D.		Ø DIN	Ø F	CH	Ød	L	
	INCH	MM						
IF - 11043	1/4	6	6L	M12x1.5	14	3	49.5	
IF - 11004	1/4	6	8L	M14x1.5	14	3	49.5	
IF - 11045	1/4	6	10L	M16x1.5	17	3	50.5	
IF - 11005	5/16	8	10L	M16x1.5	17	5	50.5	
IF - 11056	5/16	8	12L	M18x1.5	19	5	51.5	
IF - 11065	3/8	10	10L	M16x1.5	17	6	53.5	
IF - 11006	3/8	10	12L	M18x1.5	19	6	55.5	
IF - 11068	3/8	10	15L	M22x1.5	22	6	56.5	
IF - 11008	1/2	13	15L	M22x1.5	22	9	58.0	
IF - 11010	5/8	16	18L	M26x1.5	27	12	62.0	
IF - 11012	3/4	19	22L	M30x2	30	14	70.5	
IF - 11016	1	25	28L	M36x2	36	19	79.5	
IF - 11020	1.1/4	32	35L	M45x2	46	25	92.5	
IF - 11024	1.1/2	38	42L	M52x2	55	31	97.5	


DIN STANDARD 4SP/4SH

**METRIC MALE 24° CONE SEAT H.T - DIN 3853 / 3861 SERIES 'S' DIN 2353
(EN 856 / 4SP / 4SH)**




PART NO.	HOSE I.D.		Ø DIN	Ø F	CH	Ød	L		
	INCH	MM							
IF - S220045	1/4	6	8S	M16x1.5	17	3	58.5		
IF - S220046	1/4	6	10S	M18x1.5	19	3	58.5		
IF - S220067	3/8	10	12S	M20x1.5	22	6	63.5		
IF - S220068	3/8	10	14S	M22x1.5	24	6	65.5		
IF - S22008	1/2	13	14S	M22x1.5	24	9	70.0		
IF - S220089	1/2	13	16S	M24x1.5	27	9	70.0		
IF - S220010	5/8	16	20S	M30x2	32	12	79.0		
IF - S22001210	3/4	19	20S	M30x2	32	14	83.5		
IF - S22001216	3/4	19	25S	M36x2	41	14	84.5		
IF - S22001616	1	25	25S	M36x2	41	18	101.5		

**90° 'O' RING METRIC FEMALE SWEEP ELBOW 24° CONE SEAT H.T -
DIN 3865 SERIES 'S' DIN 2353 (SLIP ON NUT) (EN 856 / 4SP / 4SH)**



PART NO.	HOSE I.D.		Ø DIN	Ø F	CH	Ød	K	L	
	INCH	MM							
IF - S200545	1/4	6	8S	M16x1.5	19	3	38	67	
IF - S200546	1/4	6	10S	M18x1.5	22	3	38	67	
IF - S200567	3/8	10	12S	M20x1.5	24	6	38	74	
IF - S200568	3/8	10	14S	M22x1.5	27	6	40	76	
IF - S200508	1/2	13	14S	M22x1.5	27	9	40	80	
IF - S200589	1/2	13	16S	M24x1.5	30	9	40	82	
IF - S200510	5/8	16	20S	M30x2	36	12	52	100	
IF - S20051216	3/4	19	25S	M36x2	46	13	64	108	
IF - S20051620	1	25	30S	M42x2	50	18	74	129	
IF - S20052024	1.1/4	32	38S	M52x2	60	24	85	153	


**O' RING METRIC FEMALE 24° CONE SEAT H.T - DIN 3865 SERIES 'S' DIN 2353 (SLIP ON NUT)
(EN 856 / 4SP / 4SH)**



PART NO.	HOSE I.D.		Ø DIN	Ø F	CH	Ød	L		
	INCH	MM							
IF - S200445	1/4	6	8S	M16x1.5	19	3	55.5		
IF - S200446	1/4	6	10S	M18x1.5	22	3	56.0		
IF - S200467	3/8	10	12S	M20x1.5	24	6	59.5		
IF - S200468	3/8	10	14S	M22x1.5	27	6	60.0		
IF - S200408	1/2	13	14S	M22x1.5	27	9	65.0		
IF - S200489	1/2	13	16S	M24x1.5	30	9	66.0		
IF - S20041012	5/8	16	20S	M30x2	36	12	77.0		
IF - S200412	3/4	19	20S	M30x2	36	14	78.5		
IF - S20041216	3/4	19	25S	M36x2	46	14	78.5		
IF - S200416	1	25	25S	M36x2	46	18	94.5		
IF - S20041620	1	25	30S	M42x2	50	18	96.5		
IF - S20042024	1.1/4	32	38S	M52x2	60	24	107.5		


DIN STANDARD INTERLOCK

METRIC MALE 24° CONE SEAT H.T - DIN 3853 / 3861 SERIES 'S' DIN 2353 (SAE100 R13)




PART NO.	HOSE I.D.		Ø F	CH	Ød	L		
	INCH	MM						
IF - M220012	3/4	19	M36x2	36	13	89		
IF - M220016	1	25	M42x2	46	18	107		
IF - M220020	1.1/4	32	M52x2	55	22	132		

'O' RING METRIC FEMALE 24° CONE SEAT H.T - DIN 3865 SERIES 'S' DIN 2353
(SLIP ON NUT) (SAE100 R13)




PART NO.	HOSE I.D.		Ø F	CH	Ød	L		
	INCH	MM						
IF - M200412	3/4	19	M36x2	46	13	85		
IF - M200416	1	25	M42x2	50	18	100		
IF - M200420	1.1/4	32	M52x2	60	22	121		

90° 'O' RING METRIC FEMALE ELBOW 24° CONE SEAT H.T - DIN 3865 SERIES 'S' DIN 2353
(SLIP ON NUT) (SAE100 R13)



PART NO.	HOSE I.D.		Ø F	CH	Ød	K	L	
	INCH	MM						
IF - M200512	3/4	19	M36x2	46	13	65	112	
IF - M200516	1	25	M42x2	50	18	75	134	
IF - M200520	1.1/4	32	M52x2	60	22	85	165	


45° 'O' RING METRIC FEMALE ELBOW 24° CONE SEAT H.T - DIN 3865 SERIES 'S' DIN 2353
(SLIP ON NUT) (SAE100 R13)



PART NO.	HOSE I.D.		Ø F	CH	Ød	K	L	
	INCH	MM						
IF - M200612	3/4	19	M36x2	46	13	33	126	
IF - M200616	1	25	M42x2	50	18	36	147	
IF - M200620	1.1/4	32	M52x2	60	22	40	176	


SAE STANDARD FLANGE

90° SAE - J518 FLANGE 3000 PSI (EN 856 / 4SP / 4SH)




PART NO.	HOSE I.D.		FLANGE Ø	ØD	Ød	K	L	
	INCH	MM						
IF - S120112	3/4	19	3/4"	38.1	13	54	108	
IF - S12011216	3/4	19	1"	44.5	13	61	116	
IF - S120116	1	25	1"	44.5	18	61	129	
IF - S12011620	1	25	1.1/4"	50.8	18	67	129	
IF - S120120	1.1/4	32	1.1/4"	50.8	24	67	153	
IF - S12012024	1.1/4	32	1.1/2"	60.3	24	79	162	
IF - S120124	1.1/2	38	1.1/2"	60.3	29	79	172	
IF - S12012432	1.1/2	38	2"	71.4	29	31	31	
IF - S120132	2	50	2"	71.4	40	118	197	

90° SAE - J518 FLANGE 6000 PSI (EN 856 / 4SP / 4SH)



PART NO.	HOSE I.D.		FLANGE Ø	ØD	Ød	K	L	
	INCH	MM						
IF - S120412	3/4	19	3/4"	41.3	13	54	108	
IF - S12041216	3/4	19	1"	47.6	13	61	108	
IF - S120416	1	25	1"	47.6	18	66	129	
IF - S12041620	1	25	1.1/4"	54	18	72	129	
IF - S120420	1.1/4	32	1.1/4"	54	24	77	153	
IF - S12042024	1.1/4	32	1.1/2"	63.5	24	84	153	
IF - S120424	1.1/2	38	1.1/2"	63.5	29	89	172	
IF - S120432	2	50	2"	79.4	40	123	197	

45° SAE - J518 FLANGE 6000 PSI (EN 856 / 4SP / 4SH)



PART NO.	HOSE I.D.		FLANGE Ø	ØD	Ød	K	L	
	INCH	MM						
IF - S120512	3/4	19	3/4"	41.3	13	28	119	
IF - S12051216	3/4	19	1"	47.6	13	28	119	
IF - S120516	1	25	1"	47.6	18	32	138	
IF - S12051620	1	25	1.1/4"	54	18	36	141	
IF - S120520	1.1/4	32	1.1/4"	54	24	36	155	
IF - S12052024	1.1/4	32	1.1/2"	63.5	24	42	170	
IF - S120524	1.1/2	38	1.1/2"	63.5	29	42	179	
IF - S120532	2	50	2"	79.4	40	60	210	

Some Machineries/Facilities:

CNC Machine – 10 Nos

100 ton Press – 2 Nos

Some of our valued Customers:

- Delphi TVS
- Kavya Exports Pvt. Ltd, Chennai
- Ali Stewa Trading Company, Oman
- Al Fouzan Trading Company, Dammam, Saudi Arabia



Feel free to contact or visit us!



Murugesan & Co.,

Your best hydraulic hose supplier & partner from India

S128 (Development Plot), Kakkalur Industrial Estate,
Tiruvallur District, Tamilnadu 602003

Mobile:+91-9382701199

E-Mail: murugesangroups@hotmail.com