PHARMACOVIGILANCE SYSTEM MASTER FILE

PSMF Summary Document

WORKORA SYNTHETIC PHARMACOVIGILANCE TRAINING PACK

1. Purpose, scope and regulatory basis

This document summarises the pharmacovigilance (PV) system structure, governance, safety-data handling, signal management, quality controls and supporting records represented in the supplied training pack. A PSMF is a controlled description of the PV system in place; it must remain accurate, current, accessible and traceable.

Regulatory framing: the content structure follows the EU PSMF framework in Commission Implementing Regulation (EU) No 520/2012, as amended, and EMA Good Pharmacovigilance Practices (GVP), particularly Module II (PSMF), Module I (quality systems), Module VI (case management) and Module IX (signal management). Requirements vary by jurisdiction; confirm the applicable national rules before operational use.

The supplied pack is a limited training dataset. It supports an index of eight SOPs and four computerised systems, but does not substantiate the full global operational footprint or product-specific annexes.

2. Organisational structure and governance

The source pack identifies QPPV, Safety Operations, Quality Assurance / Quality and IT as functional roles. The role-based structure below is a summary model based on those supplied roles; reporting lines, site locations, headcount and named role holders were not included.

Function / role	Core accountability	Evidence / interface
MAH senior management (not identified)	Provide adequate authority, staffing, resources and oversight for the PV system; retain ultimate accountability.	Management oversight minutes, resource plans and escalation records — not supplied.
QPPV	Overall oversight of the PV system; review safety issues; promote compliance; ensure escalation and appropriate regulatory action; maintain PSMF access and currency.	QPPV CV, appointment, contact details, deputy/back-up plan and delegated-task list — not supplied.
Safety Operations	Operational case processing, literature monitoring, signal detection support, safety data review and tracking.	PV-SOP-003 and PV-SOP-008; operational logs not supplied.
Quality Assurance / Quality	Quality system oversight, controlled documentation, audit/CAPA governance, system quality oversight.	PV-SOP-006, PV-SOP-007; audit/CAPA records not supplied.
IT / system administration	Technical administration, access management, backup, security, availability and system support.	PV-SYS-01 to PV-SYS-04 inventory; technical architecture and validation packages not supplied.
Medical / clinical reviewers (role not explicitly listed)	Medical assessment of cases and safety topics, benefit-risk input and clinical review.	PV-SOP-002 assigns ownership to QPPV; reviewer roster/qualifications not supplied.

Vendors / partners (if applicable)	Perform delegated PV activities under written agreements, oversight, quality controls and audit rights.	PV-SOP-005; vendor names, contracts and delegated tasks not supplied.

2.1 QPPV responsibilities

- Maintain oversight of the PV system and ensure it is capable of collecting, processing, evaluating and reporting safety information in applicable markets.
- Have sufficient authority and access to relevant safety data, systems, personnel, quality records and management to fulfil the role.
- Oversee case processing and regulatory reporting compliance, including timely escalation of serious, medically important or otherwise reportable information.
- Oversee signal management, aggregate safety reporting, risk management plans and safety-related regulatory actions, as applicable to the product portfolio.
- Ensure the PSMF accurately describes the current PV system and that changes are assessed, documented and reflected in controlled records.
- Ensure adequate training, documented procedures, quality controls, audit/CAPA follow-up and vendor oversight.
- Maintain documented absence coverage / deputy arrangements and ensure continuity of QPPV oversight.
- Provide or support regulatory authority access to relevant PSMF information and PV records in accordance with applicable requirements.

QPPV-specific particulars requiring completion: legal name; qualifications and summary CV; place of residence/operation; business contact details; appointment date; availability; deputy identity and contact details; proof of any required database registration; delegated responsibilities and escalation route.

3. Safety information sources and global safety database architecture

The pack confirms a safety database (PV-SYS-01), document management system (PV-SYS-02), training records system (PV-SYS-03) and signal analytics system (PV-SYS-04). It does not identify product names, source channels, vendor/platform names, hosting locations, interfaces, and database schema or data-retention settings.

3.1 Safety information sources to be covered

- Spontaneous reports from healthcare professionals, patients, consumers and caregivers.
- Medical information / product complaint channels when they contain suspected adverse reaction information.
- Solicited sources such as patient support programmes, market research and organised data collection, where applicable.
- Clinical trials and post-authorisation studies, including investigator and study safety outputs.
- Published and screened scientific literature.
- Competent authority communications, safety referrals, regulatory databases and published safety communications.

- Partners, distributors, licensees, vendors and other contractual service providers.

These are standard source categories to assess for applicability; the supplied pack does not confirm that each channel is currently active.

3.2 Logical architecture (functional view)

Layer / component	Purpose and control expectations	Pack evidence / status
Intake channels	Receive reports; timestamp receipt; capture source, reporter, patient, event and suspect product; route to PV intake.	Specific channels and interfaces not supplied.
Safety database – PV-SYS-01	Central case record; duplicate checks; coding; medical review; case versioning; regulatory submission tracking; audit trail.	Validated; IT owner; weekly backup; last access review 20-May-2026.
Document management – PV-SYS-02	Controlled SOPs, case attachments, source documents, signal records, aggregate reports, RMPs and PSMF versions.	Remediation open; Quality owner; weekly backup; last access review 28-Feb-2026.
Training records – PV-SYS-03	Role-based training assignment, completion evidence, effectiveness checks and overdue tracking.	Remediation open; IT owner; weekly backup; last access review 27-Jun-2026.
Signal analytics – PV-SYS-04	Data extraction, signal detection, validation support, trend review and signal tracking.	Remediation open; Quality owner; weekly backup; last access review 05-May-2026.
Reporting / authority interface	Generate and submit required individual and aggregate reports using applicable jurisdictional formats and gateways.	Named gateways, markets and submission controls not supplied.
Security / continuity	Role-based access, least privilege, periodic access review, backup restore tests, disaster recovery and business continuity.	Weekly backup frequency recorded for all four systems; restore testing and recovery objectives not supplied.

3.3 Data flow and lifecycle

Proposed functional flow: report receipt → intake validation and duplicate search → case creation and data entry → medical review and coding → seriousness/expectedness/causality assessment as applicable → quality control → regulatory submission where required → follow-up and case closure → inclusion in aggregate review and signal detection → archival with retrievable audit trail.

System controls expected for an operational design include unique case identifiers, role-based permissions, validated interfaces, controlled dictionaries and coding versions, electronic audit trails, time-stamped status changes, data reconciliation, backup/restore evidence, change control, periodic access review and documented business continuity testing.

4. Signal management workflow

Signal management is a documented, traceable process. The following workflow is a recommended description for this training PSMF and should be aligned to the organisation's approved PV-SOP-003 and actual signal tracking tool.

Stage	Activity / decision	Expected record
1. Signal detection	Review safety database outputs, literature, external safety information, studies and other applicable sources at defined frequencies.	Detection plan, search strategy, data cut-off, outputs and review log.
2. Triage and prioritisation	Assess seriousness, novelty, strength of evidence, potential public-health impact, exposure, vulnerable populations and need for urgent action.	Signal intake record and prioritisation rationale.
3. Validation	Determine whether available evidence supports a new potentially causal association or a new aspect of a known association; assess duplicates and alternative explanations.	Validation assessment with evidence and reviewer sign-off.
4. Signal assessment	Evaluate all relevant clinical/non-clinical evidence, case series, literature, epidemiology, biological plausibility, class effects and benefit-risk implications.	Detailed assessment report and documented uncertainties.
5. Recommendation / decision	Decide whether to close, monitor, request further data, update product information/RMP, implement risk minimisation or notify authorities.	Decision record, rationale, approver and due dates.
6. Implementation and follow-up	Complete regulatory submissions, label changes, communications, educational materials or other actions; monitor effectiveness.	Action tracker, submission evidence and effectiveness review.
7. Closure and trending	Close only when rationale and actions are documented; retain history and periodically re-review where warranted.	Signal log, closure rationale and audit trail.

Escalation: any emerging evidence suggesting a potentially serious risk requiring prompt prevention or minimisation should be escalated without waiting for routine cycle completion. The QPPV (or formally designated deputy) should be informed according to the approved escalation procedure. Maintain traceability of dates, analyses, decisions, rationale and responsible persons.

5. Pharmacovigilance processes and performance oversight

Process	Minimum elements to describe / monitor	Pack evidence
Case intake and processing	Receipt channels, validation, duplicate detection, data entry, medical review, coding, follow-up, QC, submission and reconciliation.	PV-SOP-001; PV-SOP-002.
Literature monitoring	Databases/sources, search terms, frequency, screening, case identification and documented negative searches.	PV-SOP-008.
Aggregate reporting	PSUR/PBRER or other applicable reports, data lock points, authoring, review, approval and submission controls.	PV-SOP-004.

Risk management	Safety specification, pharmacovigilance plan, risk minimisation measures and effectiveness assessment.	Not separately indexed in supplied SOP list.
Signal management	Detection methods/frequency, triage, validation, assessment, decision, action and closure.	PV-SOP-003.
Vendor oversight	Due diligence, written agreements, delegated-task oversight, reconciliation, metrics, audits and issue escalation.	PV-SOP-005.
Business continuity	Incident response, backup, recovery, alternate processing and periodic testing.	PV-SOP-006.
Audit and CAPA	Risk-based audit programme, findings, root cause, corrective/preventive actions and effectiveness checks.	PV-SOP-007.

5.1 Suggested performance indicators

- Percentage of valid cases submitted within applicable regulatory timelines.
- Case processing backlog and ageing by seriousness / priority.
- Percentage of cases passing quality review first time; data correction and duplicate rates.
- Literature screening completed on schedule; missed or late screening checks.
- Signal detection, validation and assessment activities completed to planned frequency and target dates.
- Aggregate reports and risk-management deliverables submitted by due date.
- Overdue training by role and completion of effectiveness checks.
- Open audit findings/CAPAs by severity, ageing and on-time effectiveness verification.
- Vendor reconciliation completion, overdue deliverables and unresolved quality issues.
- System availability, backup success, restore-test success and overdue access reviews.

No numerical PV performance results or thresholds were included in the source pack. Targets and reporting periods must be approved by the MAH and documented before use.

6. Quality management system (QMS)

The QMS should cover quality planning, adherence and control/improvement across PV activities. It should include controlled procedures, training, document and record management, deviation management, change control, audit, CAPA, vendor oversight, computerised-system validation, access control, business continuity and management review.

6.1 SOP index (source register)

SOP ID	Title	Owner	Version	Effective date	Training complete
PV-SOP-001	Case Intake	QPPV	4.2	2025-02-25	95%
PV-SOP-002	Medical Review	QPPV	4.3	2025-04-01	87%
PV-SOP-003	Signal Management	Safety Operations	3.3	2025-04-21	93%

PV-SOP-004	Aggregate Reports	QPPV	4.5	2025-02-08	97%
PV-SOP-005	Vendor Oversight	QPPV	2.2	2025-03-25	98%
PV-SOP-006	Business Continuity	Quality Assurance	3.0	2026-01-04	92%
PV-SOP-007	Audit and CAPA	QPPV	3.5	2025-05-26	96%
PV-SOP-008	Literature Monitoring	Safety Operations	1.1	2026-07-06	94%

Training completion ranges from 87% to 98% in the supplied register. PV-SOP-002 Medical Review has the lowest recorded completion (87%) and should be prioritised for overdue-user follow-up and training effectiveness review. Percentages are copied from the training pack and were not independently verified.

6.2 Computerised system inventory and status

System ID	Purpose	Owner	Validation status	Backup	Last access review
PV-SYS-01	Safety database	IT	Validated	Weekly	2026-05-20
PV-SYS-02	Document management	Quality	Remediation open	Weekly	2026-02-28
PV-SYS-03	Training records	IT	Remediation open	Weekly	2026-06-27
PV-SYS-04	Signal analytics	Quality	Remediation open	Weekly	2026-05-05

Key quality observation: three of four systems are marked 'Remediation open' (document management, training records and signal analytics). These open remediation items require documented issue descriptions, risk assessments, owners, target dates, interim controls, closure evidence and effectiveness checks. The safety database is marked 'Validated'; the scope/date of validation and current validated state should still be evidenced.

6.3 Document and record controls

- Maintain approved, version-controlled SOPs with effective dates, owners, review dates and controlled distribution.
- Record role-based training before personnel perform assigned PV tasks; retain completion and effectiveness evidence.
- Retain case source documents, assessments, signal records, submissions, reconciliation records, aggregate reports, audit/CAPA records and QPPV oversight evidence in a searchable system.
- Maintain an index and change log for the PSMF; record the date, responsible person and reason for each relevant change.
- Ensure records are legible, attributable, contemporaneous, original/verified, accurate, complete, consistent, enduring and available.

7. Audit history, deviations and CAPA

The supplied training pack contains an Audit and CAPA SOP entry (PV-SOP-007, version 3.5, effective 26-May-2025, training completion 96%) but no audit schedule, completed audit reports, findings, deviations, CAPA records or effectiveness checks. Therefore, no completed audit can be represented as having occurred.

Audit / quality record	Status based on supplied pack	Required completion
Scheduled audit programme	Not supplied	Add audit universe, risk rationale, scope, planned dates, auditors and status.
Completed audit history	Not supplied	List each completed audit, date, audited area/vendor/site, report reference and outcome.
Findings / observations	Not supplied	Record finding ID, classification, description, root cause, risk and owner.
CAPA register	Not supplied	Record action, accountable owner, due date, completion evidence and approval.
Effectiveness checks	Not supplied	Document method, sample/period, result, verifier and closure decision.
Inspection history / authority requests	Not supplied	Record authority, date, scope, response deadline, response and commitments.
System remediation	Open for PV-SYS-02, PV-SYS-03 and PV-SYS-04	Create or link remediation tickets and document closure evidence.

PSMF audit annex should include a list of all scheduled and completed audits. Until the actual records are supplied, this section is an evidence-gap register, not an audit-history statement.

8. Change control and PSMF maintenance

The MAH should assign a PSMF owner and maintain a controlled log of material changes. Each entry should identify the version, effective date, section changed, change description, reason, author, reviewer/approver and related change-control reference. Review the PSMF after changes to QPPV or deputy, organisational structure, PV sites, products/markets, vendors, safety sources, systems, processes, SOPs, audit findings or regulatory requirements.

Version	Date	Change description	Prepared / approved by
1.0	06-Nov-2026	Initial training summary compiled from supplied synthetic pack; gaps explicitly identified.	Prepared for training; approval not provided.

9. PSMF completion checklist and outstanding information

- ☐ MAH legal entity name, registered address, PV system scope, countries/markets and PSMF reference number.
- ☐ PSMF physical/electronic location and access arrangements; named PSMF custodian.

- ☐ QPPV identity, CV, qualifications, contact details, place of operation, appointment and deputy/back-up arrangements.
- ☐ Organisation chart, reporting lines, sites, role holders, PV activity locations and staffing/resource details.
- ☐ Complete product list and applicable authorisations; relevant product-specific and jurisdictional annexes.
- ☐ Actual safety-data sources, intake channels, partner/vendor list, contracts and delegated-task register.
- ☐ System names, suppliers, hosting/site locations, interfaces, data flows, validation evidence, security/access model, backup and disaster-recovery test results.
- ☐ Approved process descriptions, frequencies, timelines, reconciliation controls and regulatory submission routes.
- ☐ PV performance metrics, approved thresholds, actual results and management review evidence.
- ☐ Audit schedule and completed audit history, findings, deviations, CAPA and effectiveness-check evidence.
- ☐ Open remediation records for PV-SYS-02, PV-SYS-03 and PV-SYS-04, with owners and target dates.
- ☐ PSMF change log and controlled annexes, including SOP/policy list and subcontracting information.

10. Conclusion

The supplied pack provides a useful foundation for a training PSMF summary: eight indexed SOPs, four safety-related systems, and functional ownership across QPPV, Safety Operations, Quality and IT, and documented weekly backups. The safety database is listed as validated; three supporting systems have open remediation status. The most important completion priorities are to document the named QPPV and deputy, formalise the organisational and global system descriptions, close or control the three system remediations, and obtain the actual audit/CAPA history and PV performance evidence.

This document should not be represented as a complete, approved or inspection-ready PSMF until all identified gaps are resolved, reviewed by the QPPV and Quality function, and approved by the MAH.

References

- European Commission. Commission Implementing Regulation (EU) No 520/2012 on the performance of pharmacovigilance activities, consolidated text. EUR-Lex: https://eur-lex.europa.eu/eli/reg_impl/2012/520/2026-02-12/eng
- European Medicines Agency. Good pharmacovigilance practices (GVP), including Module II (PSMF) and Module IX (Signal management). https://www.ema.europa.eu/en/human-regulatory-overview/post-authorisation/pharmacovigilance-post-authorisation/good-pharmacovigilance-practices-gvp
- European Medicines Agency. GVP Module IX – Signal management (Rev. 1). https://www.ema.europa.eu/en/documents/scientific-guideline/guideline-good-pharmacovigilance-practices-gvp-module-ix-signal-management-rev-1_en.pdf

- Source material: WORKORA Synthetic Pharmacovigilance Training Pack, supplied ZIP (README.txt, sop_register.csv, safety_system_inventory.csv, psmf_section_checklist.txt).