


Linux Commands Practice Report

Introduction

Linux is one of the most widely used operating systems in cloud computing, DevOps, and software development. The terminal allows administrators to perform file management, system administration, automation, and scripting tasks efficiently. This report documents a practical Linux command session executed using Git Bash on Windows.



```
MINGW64 Users\j\j\Desktop\project
j@DESKTOP-242DMCU MINGW64 ~/Desktop/project (master)
$ history
1 cd linux
2 ls
3 whoami
4 pwd
5 touch file_name
6 touch dharan dharani abc
7 ls
8 touch "abcd hijk"
9 ls
10 touch file1 "file2 with multiple words" bubu dudu dan du.py bubu.py
11 whoami
12 pwd
13 touch file_name
14 touch dharan dharanika dhanshi
15 ls
16 touch "dgg abc"
17 ls
18 touch file1 "file2 with multiple words" bubu dudu ad du.py bubu.js dudu.html kmm.java
19 ls
20 touch file1 "file2 with multiple words" bubu dudu dan du.py bubu.js dudu.html kmm.java
21 ls
22 mkdir new_folder
23 ls
24 ls -ltr
25 ls -ltr
26 ls -lhh
27 rm abc
28 ls
29 rm abcd hijk
30 rm mkdir hyderabad vijayavada
31 touch apple grape banana kiwi guava pineapple orange dragonfruit
32 ls
33 ls -ltr
34 mkdir vizag kannur palakkad salem erode kurnool dhone
35 ls
36 ls -la
37 history
38 ls
39 touch nbita
40 ls
41 touch doreman shzuka suneo gian shinhan
42 ls
43 ls -a
44 ls -ltr
45 ls -la
46 ls -lh
```

Objective

The objective of this exercise is to understand basic Linux commands, practice file and directory management, and become familiar with terminal-based operations that are essential for cloud engineers and DevOps professionals.

Commands Observed

- `cd` – Change directory.
- `ls` – List files and folders.
- `pwd` – Display current directory.
- `whoami` – Show current logged-in user.
- `touch` – Create empty files.
- `mkdir` – Create directories.
- `rm` – Remove files/directories.
- `history` – Display command history.
- `ls -l`, `ls -la`, `ls -lh`, `ls -ltr` – Display detailed file information using different formats.

Explanation

The screenshot shows a sequence of Linux commands executed in Git Bash. Multiple files and folders were created using the `touch` and `mkdir` commands. Commands such as `ls`, `ls -l`, `ls -la`, and

ls -lh were used to verify the created files and display detailed information. The rm command removed unnecessary files and directories. The history command displayed all previously executed commands, helping users review their work. This exercise improves familiarity with the Linux command-line interface and builds confidence for working with cloud platforms such as AWS and container technologies like Docker and Kubernetes.

Applications

Linux commands are extensively used in AWS EC2 instances, Docker containers, Kubernetes clusters, CI/CD pipelines, server administration, shell scripting, automation, log analysis, and software deployment.

Conclusion

This practical session demonstrates the importance of Linux commands in modern IT environments. Mastering these commands provides a strong foundation for system administration, cloud computing, DevOps, and software engineering. Regular practice enables users to manage servers efficiently and automate repetitive administrative tasks.