

Ex. No. 1 – Installation of Windows Operating System

Commands Used for Installation Verification:

1. Display Windows Version

Winver

2. Display System Information

Systeminfo

3. Display Computer Name

Hostname

4. Display Disk Information

diskpart

list disk

5. Check Windows Activation Status

slmgr /xpr

6. Display IP Configuration

Ipconfig

Output:

```
C:\Users\dharanitharan>ipconfig
```

Windows IP Configuration

Ethernet adapter Ethernet 3:

```
Connection-specific DNS Suffix . :  
Link-local IPv6 Address . . . . . : fe80::7db4:f823:cdb9:8535%9  
IPv4 Address. . . . . : 192.168.56.1  
Subnet Mask . . . . . : 255.255.255.0  
Default Gateway . . . . . :
```

Unknown adapter McAfee VPN:

```
Media State . . . . . : Media disconnected  
Connection-specific DNS Suffix . :
```

Wireless LAN adapter Wi-Fi 4:

```
Media State . . . . . : Media disconnected  
Connection-specific DNS Suffix . :
```

Wireless LAN adapter Wi-Fi 5:

```
Media State . . . . . : Media disconnected  
Connection-specific DNS Suffix . :
```

Wireless LAN adapter Wi-Fi:

```
Connection-specific DNS Suffix . :  
Link-local IPv6 Address . . . . . : fe80::ab6f:e671:bbe8:c0d6%5  
IPv4 Address. . . . . : 10.10.34.132  
Subnet Mask . . . . . : 255.255.240.0  
Default Gateway . . . . . : 10.10.40.1
```

Windows IP Configuration

Ethernet adapter Ethernet 3:

Connection-specific DNS Suffix . :
Link-local IPv6 Address : fe80::7db4:f823:cdb9:8535%9
IPv4 Address. : 192.168.56.1
Subnet Mask : 255.255.255.0
Default Gateway :

Unknown adapter McAfee VPN:

Media State : Media disconnected
Connection-specific DNS Suffix . :

Wireless LAN adapter Wi-Fi 4:

Media State : Media disconnected
Connection-specific DNS Suffix . :

Wireless LAN adapter Wi-Fi 5:

Media State : Media disconnected
Connection-specific DNS Suffix . :

Wireless LAN adapter Wi-Fi:

Connection-specific DNS Suffix . :
Link-local IPv6 Address : fe80::ab6f:e671:bbe8:c0d6%5
IPv4 Address. : 10.10.34.132
Subnet Mask : 255.255.240.0
Default Gateway : 10.10.40.1