

```
mysql> CREATE VIEW v1 AS
-> SELECT employee_id, salary
-> FROM employees1;
Query OK, 0 rows affected (0.01 sec)
```

```
mysql>
mysql>
mysql> -- DISPLAY VIEW
mysql> SELECT * FROM v1;
+-----+-----+
| employee_id | salary |
+-----+-----+
| 1           | 60000  |
| 2           | 65000  |
| 3           | 70000  |
| 4           | 75000  |
| 5           | 80000  |
| 6           | 85000  |
| 7           | 90000  |
| 8           | 95000  |
| 9           | 100000 |
| 10          | 105000 |
| 11          | 110000 |
| 12          | 115000 |
| 13          | 120000 |
| 14          | 125000 |
| 15          | 130000 |
| 16          | 135000 |
| 17          | 140000 |
| 18          | 145000 |
| 19          | 150000 |
| 20          | 155000 |
+-----+-----+
20 rows in set (0.00 sec)
```

```
mysql>
mysql>
mysql> -- DESCRIBE VIEW
mysql> DESC v1;
+-----+-----+-----+-----+-----+-----+
| Field      | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| employee_id | int  | YES  |     | NULL    |       |
| salary      | int  | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.02 sec)
```

```
mysql>
mysql>
mysql> -- DISPLAY VIEW AFTER INSERT
mysql> SELECT * FROM v1;
```

employee_id	salary
1	60000
2	65000
3	70000
4	75000
5	80000
6	85000
7	90000
8	95000
9	100000
10	105000
11	110000
12	115000
13	120000
14	125000
15	130000
16	135000
17	140000
18	145000
19	150000
20	155000
101	100001

21 rows in set (0.00 sec)

```
mysql>
mysql>
mysql> -- DISPLAY ORIGINAL TABLE
mysql> SELECT * FROM employees1;
```

employee_id	first_name	last_name	device_serial	salary
1	John	Smith	ABC123	60000
2	Jane	Doe	DEF456	65000
3	Bob	Johnson	GHI789	70000
4	Sally	Fields	JKL012	75000
5	Michael	Smith	MNO345	80000
6	Emily	Jones	PQR678	85000
7	David	Williams	STU901	90000
8	Sarah	Johnson	VWX234	95000
9	James	Brown	YZA567	100000
10	Emma	Miller	BCD890	105000
11	William	Davis	EFG123	110000
12	Olivia	Garcia	HIJ456	115000
13	Christopher	Rodriguez	KLM789	120000
14	Isabella	Wilson	NOP012	125000
15	Matthew	Martinez	QRS345	130000
16	Sophia	Anderson	TUV678	135000
17	Daniel	Smith	WXY901	140000
18	Mia	Thomas	ZAB234	145000
19	Joseph	Hernandez	CDE567	150000
20	Abigail	Smith	FGH890	155000
101	NULL	NULL	NULL	100001

21 rows in set (0.00 sec)

```
mysql> DELETE FROM v1
--> WHERE employee_id = 10;
Query OK, 1 row affected (0.00 sec)
```

```
mysql>
```

```
mysql>
```

```
mysql> -- DISPLAY VIEW AFTER DELETE
```

```
mysql> SELECT * FROM v1;
```

employee_id	salary
1	60000
2	65000
3	70000
4	75000
5	80000
6	85000
7	90000
8	95000
9	100000
11	110000
12	115000
13	120000
14	125000
15	130000
16	135000
17	140000
18	145000
19	150000
20	155000
101	100001

```
20 rows in set (0.00 sec)
```

```
mysql> -- DISPLAY ORIGINAL TABLE
```

```
mysql> SELECT * FROM employees1;
```

employee_id	first_name	last_name	device_serial	salary
1	John	Smith	ABC123	60000
2	Jane	Doe	DEF456	65000
3	Bob	Johnson	GHI789	70000
4	Sally	Fields	JKL012	75000
5	Michael	Smith	MNO345	80000
6	Emily	Jones	PQR678	85000
7	David	Williams	STU901	90000
8	Sarah	Johnson	VWX234	95000
9	James	Brown	YZA567	100000
11	William	Davis	EFG123	110000
12	Olivia	Garcia	HIJ456	115000
13	Christopher	Rodriguez	KLM789	120000
14	Isabella	Wilson	NOP012	125000
15	Matthew	Martinez	QRS345	130000
16	Sophia	Anderson	TUV678	135000
17	Daniel	Smith	WXY901	140000
18	Mia	Thomas	ZAB234	145000
19	Joseph	Hernandez	CDE567	150000
20	Abigail	Smith	FGH890	155000
101	NULL	NULL	NULL	100001

```
20 rows in set (0.00 sec)
```

[illegible]