Status	Finished
Started	Thursday, 1 October 2026, 3:57 PM
Completed	Thursday, 1 October 2026, 4:02 PM
Duration	5 mins 6 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Incorrect

Mark 0.00 out of 1.00

Only values (without keys) can be printed in dictionary?

- a. True
- b. False ✗

Question **2**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

- a. It will merge all the elements of dictionary 'D1' in dictionary 'D2'.
- b. None of the mentioned
- c. It will create a new dictionary.
- d. It will merge all the elements of dictionary 'D2' in dictionary 'D1'. ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Dictionaries are flexible in nature, means elements can be added or removed from it.

- a. False
- b. True ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Traversing a dictionary can be done using ____.

- a. None of the mentioned
- b. loop ✓
- c. if statement
- d. jump statement

Question **5**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Which function helps to merge dictionary 'D1' and 'D2'?

- a. merge
- b. append
- c. get
- d. update ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

- a. D1.disp(7)
- b. D1.get(7) ✓
- c. D1.pop(7)
- d. D1.values(7)

Question **8**

Correct

Mark 1.00 out of 1.00

____ function returns the value corresponding to the key passed as the argument.

- a. del
- b. values
- c. get ✓
- d. update

Question **9**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

- a. ['Emily', 'John', 'Erik'] ✓
- b. ['Janice', 'Emily', 'John', 'Eleanor']
- c. ['Janice', 'Emily', 'John']
- d. ['Janice', 'John', 'Erik']

Question **10**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

- a. d1 = dict{ }
- b. d1 = [ ]
- c. d1 =
- d. d1 = { } ✓

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following is used to delete an element from Dictionary?

a. remove
b. None of the mentioned
c. delete
d. pop ✓

Question **12**

Correct

Mark 1.00 out of 1.00

In dictionary Keys and values are separated by _____.

a. Colon (:) ✓
b. dot(.)
c. Comma(,)
d. Semicolon(;)

Question **13**

Correct

Mark 1.00 out of 1.00

Which function/statement delete all the items of the dictionary?

a. delete( )
b. clear( ) ✓
c. pop( )
d. del

Question **14**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. False ✓
b. True

Question **15**

Correct

Mark 1.00 out of 1.00

Which function/statement delete the dictionary from the memory?

a. delete

b. clear

c. del ✓

d. pop