Spectrum® MedTech

Trusted Tools for **Life Saving** *moments*



CARDIAC CARE YOU CAN COUNT ON



Spectrum Med Tech Pvt. Ltd. is young and dynamic organization **established in 2012** with the mission to develop indigenous production capabilities in strategic **Medical Device fields.** The first Medical Device facility was set up in North Gujarat at G.I.D.C. Sidhpur Industrial Area (about 3 km from Sidhpur city area). We have received the reputation of supplying reliable and **high quality Vascular Interventional** Devices and created distinct identity in a short tenure. We cater the needs of domestic and overseas customers more effectively with the products of **International and European quality & Standards** at competitive prices. The reason behind the company's successful reputation and reliable products is its alliance with the reputed Raw Material Suppliers and business channel partners in India and Oversea.

We are manufacturing wide range of quality products as per customer's specification and requirements by fulfilling the exercises of complete quality control at all levels of production to ensure higher quality standards.

The organization has quality manpower with highest educational qualification and most appropriate experience and expertise for medical devices.

BALLOON INFLATION DEVICE


Eminence®-I

Gun Type Balloon Inflation Device

- 30 ATM / Bar angled Pressure Gauge for accurate pressure reading.
- 20ml clear syringe barrel with smooth moving plunger.
- High Pressure tubing allows positioning the devices.
- Reliable for any procedures.
- Available Non-Sterile & Sterile Pack.

Benefits

- Suitable for the left and right hands.
- Stable pressure output.
- Fast and easy pressure release.
- High pressure device suit for multiple clinical usage.



Ordering Information

Product Code	Description
SME 100	Gun Type Balloon Inflation Device-I
SME 1PP	Gun Type Balloon Inflation Device-I with Y-Push Pull Kit
SME 1PC	Gun Type Balloon Inflation Device-I with Y-Push Click Kit
SME 1SC	Gun Type Balloon Inflation Device-I with Y-Screw Type Kit

BALLOON INFLATION DEVICE

Eminence®-II

Screw Type Balloon Inflation Device

- 30 ATM / Bar angled Pressure Gauge for accurate pressure reading.
- 20ml clear syringe barrel with smooth moving plunger.
- High Pressure tubing allows positioning the devices.
- Reliable for any procedures.
- Available Non-Sterile & Sterile Pack.

Benefits

- Suitable for the left and right hands.
- Stable pressure output.
- Fast and easy pressure release.
- High pressure device suit for multiple clinical usage.



Ordering Information

Product Code	Description
SME 200	Balloon Inflation Device-II
SME 2PP	Balloon Inflation Device-II with Y-Push Pull Kit
SME 2PC	Balloon Inflation Device-II with Y-Push Click Kit
SME 2SC	Balloon Inflation Device-II with Y-Screw Type Kit

BALLOON INFLATION DEVICE

Eminence®-III


SG Type Balloon Inflation Device

Features

- Ergonomic and reliable design.
- Precise manometer.
- 30 ATM maximum pressure.
- 20ml clear syringe barrel with smooth moving plunger.
- Available Non-Sterile & Sterile Pack.

Benefits

- Suitable for the left and right hands.
- Stable pressure output.
- Fast and easy pressure release.
- High pressure device suit for multiple clinical usage.



Ordering Information

Product Code	Description
SME 300	Balloon Inflation Device-III
SME 3PP	Balloon Inflation Device-III with Y-Push Pull Kit
SME 3PC	Balloon Inflation Device-III with Y-Push Click Kit
SME 3SC	Balloon Inflation Device-III with Y-Screw Type Kit

Y-CONNECTOR

Fabulous®

Y-Push Click Connector

- Prevent back blood flow in closed position and minimal in Half-Open position.
- Avoid air access into the device in Half-Open or Closed positions.
- Single handed operation.
- Allows the operator total control e manipulation of catheters and wires lacking concern of blood back flow.
- Available Non-Sterile & Sterile Pack.



Ordering Information


Product Code	Description
SMFBC1	Y-Push Click Connector
SMFBC2	Y-Push Click Connector, Sidearm with Stopcock
SMFBC3	Y-Push Click Connector, Sidearm with Stopcock, Insertion Tool
SMFBC4	Y-Push Click Connector, Insertion Tool, Torquer
SMFBC5	Y-Push Click Connector, Sidearm with Stopcock, Insertion Tool, Torquer

Y-CONNECTOR

Fabulous®

Y-Push Pull Connector

- Push pull Mechanism allows single handed manipulation to open and close the valve.
- Silicon valve of the device minimizes blood loss while giving the clinician ability to advance other interventional devices.
- Available Non-Sterile & Sterile Pack.



Ordering Information

Product Code	Description
SMFBP1	Y-Push Pull Connector, Sidearm with Stopcock
SMFBP2	Y-Push Pull Connector, Sidearm with Stopcock, Insertion Tool
SMFBP3	Y-Push Pull Connector, Sidearm with Stopcock, Insertion Tool, Torquer
SMFBP4	Y-Push Pull Connector , Insertion Tool, Torquer

Y-CONNECTOR

Fabulous®

Y-Screw Type Connector

- Large lumen compatible for up to 9F devices.
- SCREW head knob features fine pitch threads for moderate closer without kinking Guide wire or catheter.
- Optimal sealing surface of blood control.
- Single handed operation.
- Available Non-Sterile & Sterile Pack.



Ordering Information

Product Code	Description
SMFBS1	Y-Screw Type Connector
SMFBS2	Y-Screw Type Connector, Sidearm with Stopcock
SMFBS3	Y-Screw Type Connector, Insertion Tool
SMFBS4	Y-Screw Type Connector, Insertion Tool, Torquer
SMFBS5	Y-Screw Type Connector, Sidearm with Stopcock, Insertion Tool, Torquer

Y-CONNECTOR

Fabulous®

W Type Connector

- Prevent back blood flow in closed position and minimal in Half-Open position.
- Avoid air access into the device in Half-Open or Closed positions.
- Single handed operation.
- Allows the operator total control e manipulation of catheters and wires lacking concern of blood back flow.
- Available Non-Sterile & Sterile Pack.



Ordering Information


Product Code	Description
SMFBS6	Y Screw W type Connector with & without side port, Torquer and Insertion Tool

Y-CONNECTOR

Fabulous®

PK-2 Connector

- Large lumen - main branch ID: 10F/3.33mm* - can be used in combination with various products for a variety of interventional procedures.
- Easy to use and hemostatic valve features a locking mechanism.
- Two valves (hemostatic and fixed) greatly reduce blood loss during the procedure.
- Available Non-Sterile & Sterile Pack.



Ordering Information


Product Code	Description
SMFBPK2	Y Pull & Screw type Connector, with Extension tube, Torquer and Insertion Tool

Y-CONNECTOR

Fabulous®

Air Vent Rotating Hemostasis Valve(RHV)

Key Features



■ **AIR VENT Button**

- Installed to remove inner air bubbles caused by the insertion of the catheter.
- Minimizes air bubble stress for the operator.

■ **Independently Rotating Valve Head**

- Specially designed to prevent the twist of multiple catheters when rotating for screwing or unscrewing.


DIVIDER

■ **Detachable Divider** PATENT THE WORLD'S FIRST

- Allows the operator to recognize different catheters in the same shape anytime.

■ **New Side Port Angle**

- Optimized for multiple RHVs and the second catheter.

■ **One-hand Grip and Stable Positioning**

- Ergonomically designed for easy grip and stable positioning with three supporing stands.

■ **Compact Size**

- Available in 9Fr lumen sizes.
- Optimized body length suitable for various treatment cases.

These features make the Fabulous AIR VENT RHV a versatile and user-friendly device for medical procedures. If you need more information or have any specific questions, feel free to ask.

Ordering Information

Product Code	Description
SMFBAV9	Rotating Hemostasis Valve (RHV)with Air Vent, Extension Tube, Torquer, Insertion Tool

MANIFOLD

MULTIWAY®

2 Port 3 Port Manifold

- Continues large internal lumen for high flow rates.
- Smooth turning handles.
- Latex free.
- 250 PSI Pressure.
- Available Non-Sterile & Sterile Pack.



Ordering Information

Product Code	Description
SMMW2N	2-Port Manifold Right ON
SMMW2F	2-Port Manifold Right OFF
SMMW3N	3-Port Manifold Right ON
SMMW3NC	3-Port Manifold Right ON with Colour
SMMW3F	3-Port Manifold Right OFF
SMMW3FC	3-Port Manifold Right OFF with Colour

Angiography & Blunt Introducer Needle

easyway®

- Available Size : 18g / 20g
- Companionable for up to 0.018” PTCA Guide wires.
- Transparent / Pink hub for visualizing the guidewire.
- Smooth hub-to-cannula transition for easy introduction.
- Highly precise Sharp Back cut / Bevel cut cannula provides quick access.
- Tip guard to protect the Tip
- SS material AISI304.
- Available Non-Sterile & Sterile Pack.



Ordering Information

Product Code	Description
SMASIT	Blunt Introducer (20 G) - Length - 10 CM
SMA18G	18 G White Hub - Length - 7 CM
SMAP18G	18 G Pink Hub - Length - 7 CM
SMAP20G	20 G White Hub - Length - 4 CM

CONTROL DEVICE

Exact®

12 ML CONTROL SYRINGE

- Palm plunger and side ring grip allows Smooth Operation.
- Highly transparent.
- 12 ml barrel is ideal for use with small catheters.
- Available Non-Sterile & Sterile Pack.



Ordering Information

Product Code	Description
SMEX12	Control Device with Rotator

TORQUER

Exact®

- Fluoresce Colored Body Improves Visualization in Low Light Conditions.
- Smooth Operation.
- Compatible for up to 0.018” PTCA Guide wires.
- Collet Material Brass & PC
- Available Non-Sterile & Sterile Pack.





Ordering Information

Product Code	Description
SMTORQ	Torquer (Pink)
SMTORQO	Torquer (Orange)
SMTORQW	Torquer (White)

CATHETER

SPLENDiD®

Angiographic Catheter



- Three Stage Braided nylon construction.
- Body, proximal tip and distal tip.
- Body: Unique stainless-steel braid provides excellent 1:1 twist control and kink resistance with wide cavity.
- Proximal Tip: Soft non-braided nylon maximize flexibility and better shape retention.
- Distal Tip: Soft Tip with Radiopacity for less vessel damage.
- No leakage under 1200 psi.


Product Code Description	Shape Size	I.D
SPLENDID ANGIOGRAPHIC CATHETER	5 F	0.056”
	6 F	0.071”

Ordering Information

Curve Type	Distil End Shape	Frinch Size 5F	Frinch Size 6F
Judkins Left			
	JL 3.5	SD5JL35D	SD6JL35D
	JL 4.0	SD5JL40D	SD6JL40D
Judkins Right	JL 3.5	SD5JR35D	SD6JR35D
	JL 4.0	SD5JR40D	SD6JR40D
Amplatz Left	JL 1.0	SD5AL10D	SD6AL10D
	JL 2.0	SD5AL20D	SD6AL20D
Amplatz Right	JL 1.0	SD5AR10D	SD6AR10D
	JL 2.0	SD5AR20D	SD6AR20D
Internal Mammy	IM	SD5IMD	SD6IMD
Williamson Technique	3DRC	SD53DRCD	SD63DRCD
Multipurpose	MPA1	SD5MPA1D	SD6MPA1D

CATHETER

SPLENDID®



Guiding Catheter

- Flat wire braided middle layer offers outstanding flexibility and excellent kink resistance.
- 1:1 torque for easy operation and accurate placement.
- Robust secondary curve provides great backup support and curve retention.
- Soft and flexible tip minimize the damage to the vessel wall.
- PTFE internal wall provides smooth lumen to ensure the excellent track ability.
- Large lumen guarantees the good performance.

Product Code Description	Shape Size	I.D
SPLENDID GUIDING CATHETER	5 F	0.056”
	6 F	0.071”

Ordering Information

Curve Type	Distil End Shape	Frinch Size 5F	Frinch Size 6F
Judkins Left	JL 3.0	SD5JL30G	SD6JL30G
	JL 3.5	SD5JL35G	SD6JL35G
	JL 4.0	SD5JL40G	SD6JL40G
Judkins Right	JL 3.5	SD5JR35G	SD6JR35G
	JL 4.0	SD5JR40G	SD6JR40G
Amplatz Left	JL 1.0	SD5AL10G	SD6AL10G
	JL 2.0	SD5AL20G	SD6AL20G
Amplatz Right	JL 1.0	SD5AR10G	SD6AR10G
	JL 2.0	SD5AR20G	SD6AR20G
Extra Backup	JL 3.0	SD5XB30G	SD6XB30G
	JL 3.5	SD5XB35G	SD6XB35G
	JL 3.0	SD5EB30G	SD6EB30G
	JL 3.5	SD5EB35G	SD6EB35G
Internal Mammy	IM	SD5IMG	SD6IMG
Williamson Technique	3DRC	SD53DRCG	SD63DRCG
Multipurpose	MPA1	SD5MPA1G	SD6MPA1G

easyway®

IV CANNULA

• Device comprises a siliconized ground Stainless Steel needles with ultra-thin, ultra-sharp and triple facet bevel to ensure smooth and painless venipuncture during cannulation thus reducing pain and discomfort experienced during the insertion.

• Gently tapered catheter tip aligns with the needle bevel to provide smooth transition from needle to catheter.

• Device is made of best-in-class kink resistant and biocompatible PTFE*, with extremely smooth inner and outer surfaces to ensure easy venipuncture.

• Transparent flashback chamber for immediate confirmation of venipuncture and ensure smooth flow of blood OR any other fluid.




Sr. No.	Product Name	Guage and Length	Product Code	Diameter (mm)	Flow Rate ml/min
1	IV Cannula	14G x 45 mm	EW14G45	2.1	270
2	IV Cannula	16G x 45 mm	EW16G45	1.8	200
3	IV Cannula	18G x 45 mm	EW18G45	1.3	85
4	IV Cannula	18G x 32 mm	EW18G32	1.3	85
5	IV Cannula	20G x 45 mm	EW20G45	1.1	55
6	IV Cannula	20G x 32 mm	EW20G32	1.1	55
7	IV Cannula	22G x 25 mm	EW22G25	0.9	33
8	IV Cannula	24G x 19 mm	EW24G19	0.7	18

GUIDEWIRE

SPLENDID®

Guide Wire

- Full length tapered core wire for Excellent Push ability.
- Soft tip with memory retention.
- Good Tensile Strength.
- Distal and Proximal end are polished.
- PTFE coated stainless steel spring body.
- Safety strip welded with spring body.



Ordering Information

Sr. No.	Distil End Shape	Distil End Shape	Frinch Size 5F	Frinch Size 6F
1	SMSDG18150S	0.018	150	Straight
2	SMSDG25150S	0.025	150	Straight
3	SMSDG32150S	0.032	150	Straight
4	SMSDG35150S	0.035	150	Straight
5	SMSDG38150S	0.038	150	Straight
6	SMSDG18260S	0.018	260	Straight
7	SMSDG25260S	0.025	260	Straight
8	SMSDG32260S	0.032	260	Straight
9	SMSDG35260S	0.035	260	Straight
10	SMSDG38260S	0.038	260	Straight
11	SMSDG18150J	0.018	150	J-Tip
12	SMSDG25150J	0.025	150	J-Tip
13	SMSDG32150J	0.032	150	J-Tip
14	SMSDG35150J	0.035	150	J-Tip
15	SMSDG38150J	0.038	150	J-Tip
16	SMSDG18260J	0.018	260	J-Tip
17	SMSDG25260J	0.025	260	J-Tip
18	SMSDG32260J	0.032	260	J-Tip
19	SMSDG35260J	0.035	260	J-Tip
20	SMSDG38260J	0.038	260	J-Tip

ANGIO KIT

Customized Pack

Angiography Kit & Angioplasty Kit

- Large Bore Y-Connector, Insertion Tool and Torquer to facilitate the PTCA Procedure.
- High Pressure Braided Tubing 1200 PSI (83 Bar) Tubing for easy flow of contrast.
- Control Device (12ml)
- 2 / 3 Port Manifold Right On / Off
- Can be Produced as per customer Specifications.



Ordering Information

Product Code	Description
SMCG01	2 / 3 Port Manifold Right On / Off, Pressure Monitoring Line, I.V.Set (Vented), 5 ml Syringe, 10 ml Syringe, 10 ml Luer Lock Syringe, Angiography Needle(18 G White)
SMCP04	Y-Connector Kit, 2 / 3 Port Manifold Right On / Off, Control Device (12ml), High Pressure Braided Tubing (1200 PSI), Angiography Needle (18 G / 20 G)

Note : Kit Will be available by customizing it, according to the customer's needs.

Our Other Products Portfolio



Normal Pressure
Monitoring Lines



High Pressure
Braided Tubing



Suction Tip & Catheter



Oxygen Mask A & P



Nebulizer Mask A & P



CPAP Mask




NIV Mask



High Concentration Mask



HEPA Filter



BV Filter




Breathing Filter



Indian Bain Circuit

Our Other Products Portfolio



Ventilator Circuit Corrugated




Double Water Trap Circuit



Catheter Mount



T- Piece Recovery kit



Ventilator circuit Expandable



CPAP/BiPAP Tube



Electrosurgical Grounding Pad with Cable



Surgical Pencil



Skin Stapler



Urine Bag



Nasal Cannula

DNV

MANAGEMENT SYSTEM CERTIFICATE

Certificate no.:	Initial certification date:	Valid:
C852902	01 June 2023	01 June 2026 – 31 May 2029

This is to certify that the management system of

Spectrum MedTech Pvt. Ltd.

Plot No. 215, G.I.D.C Estate, Sidhpur, State Highway-41, Sidhpur - 384151, Gujarat, India

has been found to conform to the Quality Management System standard:

ISO 13485:2016

This certificate is valid for the following scope:

Design, Manufacture, Sales , Distribution of Sterile / Non-Sterile Medical Devices for Interventional cardiology, Surgery, Infusion and Catheters.

Place and date:
Høvik, 22 May 2026

For the issuing office:
DNV Product Assurance AS
Veritasveien 1, 1363 Høvik, Norway

NORWEGIAN ACCREDITATION MSYS 018

Cecilie Gudesen Torp

Cecilie Gudesen Torp
Management Representative

Lack of fulfilment of conditions as set out in the Certification Agreement may render this Certificate invalid. ICP-4-5-i5-ISO13485-f1 rev3

ACCREDITED UNIT: DNV Product Assurance AS, Veritasveien 1, 1363 Høvik, Norway - TEL: +47 67 57 99 00. www.dnv.com



SPECTRUM MEDTECH PVT. LTD.

Manufacturing Unit :
Plot No. 215, GIDC Estate, Sidhpur,
State Highway - 41, Sidhpur - 384151
Gujarat, India.

E-mail : info@spectrummedtech.com
Web : www.spectrummedtech.com

Customer Care No.: +91 (0) 2767-227215 | +91 98799 08277

ISO 13485: 2016 certified