

SPRING BOOT

IMPORTANT **INTERVIEW** CONCEPTS



@java_in.depth

Spring Boot Important Interview Concepts
every Java developer should know before
interviews.

Save this post for revision.

1. AUTO CONFIGURATION

Spring Boot automatically configures your application based on the dependencies present in the classpath.

Example:

If spring-boot-starter-data-jpa is added →
Spring Boot auto-configures JPA + Hibernate + DataSource.

Key Annotation:

@EnableAutoConfiguration

Why interviewers ask it:

To check if you understand how Spring Boot reduces configuration.

2. @SPRINGBOOTAPPLICATION

@SpringBootApplication is the main annotation of Spring Boot.

It combines three annotations:



```
@Configuration  
@EnableAutoConfiguration  
@ComponentScan
```

Meaning:

- configuration class
- automatic configuration
- scans components (beans)

Why important:

This single annotation bootstraps the entire application.

3. STARTER DEPENDENCIES

Spring Boot provides starter dependencies to simplify dependency management.

Examples:

- spring-boot-starter-web
- spring-boot-starter-data-jpa
- spring-boot-starter-security
- spring-boot-starter-test


Benefits:

- ✓ No version conflicts
- ✓ Pre-configured dependencies
- ✓ Faster project setup

4. SPRING BOOT ACTUATOR

Actuator provides production-ready features. It helps monitor your application.

Common endpoints:

A dark-themed terminal window with three window control buttons (red, yellow, green) in the top-left corner. It contains a list of four endpoints, each on a new line, with the forward slash character highlighted in pink.

```
/actuator/health  
/actuator/info  
/actuator/metrics  
/actuator/beans
```

Use cases:

- health monitoring
- application metrics
- debugging production issues

Very common interview question.

5. APPLICATION.PROPERTIES / APPLICATION.YML

This file stores application configuration.

```
server.port=8081
spring.datasource.url=jdbc:mysql://localhost:3306/app
spring.jpa.hibernate.ddl-auto=update
```

Used for:

- database config
- server config
- security settings
- logging configuration

Spring Boot loads it automatically from resources folder.

6. DEPENDENCY INJECTION

Spring Boot uses Spring's IoC container for dependency injection.

```
@Service
public class UserService {

    @Autowired
    private UserRepository repo;

}
```

Benefits:

- ✓ loose coupling
- ✓ better testing
- ✓ cleaner architecture

Important interview concept.

7. PROFILES

Spring Profiles allow environment-specific configuration.

Example environments:

- dev
- test
- prod

Activate profile:

A dark-themed terminal window with three window control buttons (red, yellow, green) in the top-left corner. The text `spring.profiles.active=dev` is displayed in a light blue/cyan monospace font.

```
spring.profiles.active=dev
```

Use case:

Different database configs for development and production.


8. SPRING BOOT DEVTOOLS

DevTools improves developer productivity.

Features:

- ✓ automatic restart
- ✓ live reload
- ✓ faster development

Dependency:

A dark-themed terminal window with three window control buttons (red, yellow, green) in the top-left corner. The text 'spring-boot-devtools' is displayed in a monospaced font.

```
spring-boot-devtools
```

Very useful during development.

If you're preparing for Java / Spring Boot interviews, save this post.

WANT PART 2?

Let Me Know In Comments!