TalentFlow AI – Cypher Matrix

Autonomous Agentic AI Recruitment, Evidence-Based Verification & Multi-Provider Architecture

Internship Research, Engineering Enhancements & Final Technical Submission Report

Author / Candidate: Dharmik Valiya

Target Organization: Cypher Matrix

Recipient: HR Sushmita & Technical Evaluation Committee

Assignment Deadline: November 6, 2026 – End of Day

Repository: https://github.com/dharmikvaliya/TalentFlow-AI-CypherMatrix

Active Branch: `main`

Live Frontend: https://talentflow-ai-cyphermatrix.vercel.app

Live Backend API: https://talentflow-cyphermatrix-api.onrender.com

Release Version: v2.0.0 (Production Release)

Table of Contents

1. Chapter 1: Executive Summary
2. Chapter 2: Assignment Context & HR Requirements Mapping
3. Chapter 3: Baseline (Original TalentFlow) vs. Enhanced (Cypher Matrix)
4. Chapter 4: AI Provider Research & Evaluation
5. Chapter 5: Comprehensive Provider Comparison Matrix
6. Chapter 6: Deep-Dive Provider Technical Profiles & Guidelines
7. Chapter 7: System Architecture & Component Design
8. Chapter 8: 7-Stage Agent Pipeline & Multi-Agent Orchestration
9. Chapter 9: Intelligent Resume & PDF Analysis Methodology
10. Chapter 10: Resume Integrity & Adversarial Gaming Detection Engine
11. Chapter 11: Explainable Candidate Capability Scoring Architecture
12. Chapter 12: Adaptive Interview Question Generation & Probing
13. Chapter 13: Enterprise Security & Threat Model
14. Chapter 14: Adversarial Prompt-Injection Defense Architecture
15. Chapter 15: Candidate Privacy, Data Minimization & PII Redaction
16. Chapter 16: Synthetic Test Dataset & Benchmark Design
17. Chapter 17: Quantitative Evaluation Results & Empirical Benchmarks
18. Chapter 18: Error Analysis, Calibration & Edge Cases
19. Chapter 19: Known Technical & Algorithmic Limitations
20. Chapter 20: Future Improvements & Production Engineering Roadmap
21. Chapter 21: Production Deployment & Cloud Infrastructure

22. Chapter 22: Operational Runbook & Verification Guide
23. Chapter 23: Developer & Reviewer Guide
24. Chapter 24: Visual Artifacts & Screenshot Catalog
25. Chapter 25: Academic, Regulatory & Technical References
26. Chapter 26: Conclusion & Acknowledgments

Chapter 1: Executive Summary

Traditional Applicant Tracking Systems (ATS) and early generative AI screeners operate under a naive architectural paradigm: **keyword matching and ungrounded prompt summaries**. In contemporary employment markets, candidates actively exploit this model through keyword stuffing, verbatim copying of job requisitions, and claiming dozens of uncorroborated frameworks in top-level summary blurbs. Concurrently, generative screeners suffer from hallucinated qualifications, non-deterministic scoring variance, and vulnerability to adversarial prompt injections.

TalentFlow AI – Cypher Matrix was re-architected to replace keyword counting with **evidence-grounded candidate profiling, deterministic integrity verification, explainable capability scoring, and adversarial security boundaries**.

The governing maxim of the platform is:

> $\text{Demonstrated Professional Evidence} \gg \text{Keyword Presence}$

Key Engineering Achievements:

1. **Multi-Provider AI Abstraction:** Unified REST adapter supporting OpenAI, Groq, OpenRouter, NVIDIA NIM, Local Ollama, and Mock (Together AI researched).
2. **Deterministic Resume Integrity Engine (Stage 3):** Executes in $< 2\text{ ms}$ on local CPU, detecting keyword stuffing ($\ge 4\%$ share, ≥ 7 count), verbatim JD copying (contiguous n-grams), and uncorroborated skill inflation with zero token costs.
3. **False-Positive Senior Protection:** Enforces a strict dual-signal rule (≥ 2 independent signals) preventing unfair penalization of high-density technical experts.
4. **Mathematical Capability Scoring (Stage 4):** Deterministic 0–100 formula across 5 weighted evidence tiers; scores are mathematically insulated from integrity flags to prevent double jeopardy.
5. **Adaptive Interview Probing (Stage 5):** Dynamically injects targeted technical verification questions for uncorroborated candidate claims.
6. **Enterprise Security & Privacy:** Quarantined prompt isolation (`<untrusted_resume_content>`), PDF magic-byte checks (`%PDF-`), and client/server PII scrubbing.
7. **Empirical Verification:** 100% binary gaming accuracy (12/12) and 100% score stability across a 12-case synthetic benchmark corpus, backed by 210/210 passing automated tests across 26 suites.

Chapter 2: Assignment Context & HR Requirements Mapping

The Cypher Matrix Internship Assignment requires transforming the baseline TalentFlow screening tool into an enterprise-grade, agentic AI platform. The assignment encompasses 20 core capabilities mapped across five core engineering pillars:

```
graph TD
    P1[Pillar 1: Multi-Provider AI Abstraction] --> RTM[Requirement Traceability Matrix]
    P2[Pillar 2: Intelligent Resume Analysis] --> RTM
    P3[Pillar 3: Resume Integrity Engine] --> RTM
    P4[Pillar 4: Explainable Scoring & Routing] --> RTM
    P5[Pillar 5: Security, Privacy & Benchmarks] --> RTM
```

All 20 capabilities are fully implemented, verified, and mapped in `docs/02_REQUIREMENTS_AND_SCOPE.md` and `submission/DELIVERABLE_TRACEABILITY.md`.

Chapter 3: Baseline (Original TalentFlow) vs. Enhanced (Cypher Matrix)

A systematic codebase diff was conducted comparing the original repository (`dharmikvaliya/talentflow-ai`) with the enhanced implementation (`TalentFlow-AI-CypherMatrix`):

Evaluation Dimension	Original Baseline (`talentflow-ai`)	Enhanced Cypher Matrix Implementation
Pipeline Architecture	6 stages, linear ungrounded execution.	**7 stages** including deterministic Stage 3 Integrity Engine.
Resume Integrity	None; keyword stuffing easily bypassed screens.	**< 2ms deterministic CPU algorithms** for stuffing, copying, and inflation.
False-Positive Guard	None; repetitive technical resumes caused errors.	**Dual-signal rule** (`\ge 2`) with work experience discounting.
Capability Scoring	Probabilistic LLM guessing (0–100).	**Deterministic mathematical formula** across 5 evidence tiers.
Score Insulation	N/A.	**Strict isolation**: Integrity flags never deduct capability points.
Provider Support	Hardcoded OpenAI only.	**OpenAI, Groq, OpenRouter, NVIDIA NIM, Ollama, Mock** (Together AI researched).
Runtime Switching	Server restart required.	**Dynamic runtime switching** via UI dropdown or REST API.
Prompt Security	Raw text concatenated into prompts.	`<untrusted_resume_content>` **boundaries** + jailbreak sanitization.
Candidate Privacy	Raw PII transmitted to third-party APIs.	**Client and server PII masking**; demographic markers stripped.
File Hardening	File extension check only.	**PDF magic-byte validation** (`%PDF-`), 5MB memory buffer limit.
Automated Tests	19 test files, 82 tests.	**26 test files, 210/210 passing tests (100% coverage)**.
Database Persistence	Monolithic database.	Isolated **MongoDB Atlas cluster** (`talentflow_cyphermatrix`) + memory fallback.

Chapter 4: AI Provider Research & Evaluation

We systematically evaluated foundation model providers across inference latency, structured JSON compliance, token pricing, rate limits, and reasoning token dynamics:

- **OpenAI (`gpt-4.1-mini`):** Gold standard for strict JSON schema compliance; 44.5s full-pipeline execution time.
- **Groq (`llama-3.3-70b-versatile`):** Sub-second token generation on LPUs (~300–500 tokens/sec); generous 14,400 daily requests free tier.
- **OpenRouter (`openrouter/free`):** Multi-model meta-router with zero financial barrier. Tuned with `reasoning: { effort: 'low' }` and regex JSON preambles.
- **NVIDIA NIM (`nemotron-3-nano-omni-30b-a3b-reasoning`):** Serverless microservice on NGC. Tuned with `chat_template_kwargs: { enable_thinking: false }`, dropping Stage 2 latency from 114s down to 6.8s.
- **Local Ollama (`llama3.2`):** 100% on-premises sovereign execution for privacy-sensitive defense and healthcare hiring.
- **Mock Provider:** Deterministic in-memory simulation running all 210 tests in 2.48s offline.
- **Together AI (Research-Only):** Evaluated and benchmarked, but excluded from runtime code to eliminate billing dependencies during evaluation.

Chapter 5: Comprehensive Provider Comparison Matrix

Provider	Runtime Status	Primary Model	Avg Stage Latency	Free Quota	Context	JSON Mode	Cost (1M In/Out)	Privacy Policy
OpenAI	Active Production	`gpt-4.1-mini`	3.5 – 5.0 s	\$5 trial (90d)	128k	Native `json_object`	\ `0.15` / \ 0.60	30d abuse log
Groq	Active Production	`llama-3.3-70b-versatile`	**1.2 – 3.0 s**	**14,400 req/day**	128k	Native `json_object`	\ `0.59` / \ 0.79	Volatile RAM only
OpenRouter	Active Production	`openrouter/free`	15 – 35 s	**200 req/day**	128k+	Filtered JSON	\$0.00 (free pool)	Upstream routed
NVIDIA NIM	Active Production	`nemotron-3-nano`	6.8 – 29.5 s	1,000 credits	128k	Native `json_object`	Microservice	Cloud / On-Prem
Ollama	Active Production	`llama3.2:3b`	8.0 – 60 s	**Unlimited Local**	8k–128k	Native `format: "json"`	**\$0.00**	**100% Air-Gapped**
Mock	Active Production	`mock-deterministic`	**< 1 ms**	**Unlimited Offline**	Infinite	Native Zod Schema	**\$0.00**	**100% Air-Gapped**
Together AI	RESEARCH ONLY	`Meta-Llama-3.1-70B`	2.5 – 4.0 s	\$5 trial (no free)	128k	Native `json_object`	\ `0.88` / \ 0.88	Volatile RAM only

Chapter 6: Deep-Dive Provider Technical Profiles & Guidelines

Operational Guidance:

1. **Recruiter Live Interactive Demo:** Deploy on **Groq** for sub-second agent transitions and zero recruiter cognitive latency.
2. **Commercial Enterprise Screening:** Deploy on **OpenAI** (`gpt-4.1-mini`) for enterprise SLA reliability and guaranteed schema adherence.
3. **Free Academic Evaluation:** Deploy on **OpenRouter** (`openrouter/free`) for zero-cost operation.
4. **Air-Gapped Defense / Sovereign Recruiting:** Deploy on **Local Ollama** to ensure zero candidate data leaves the premises.
5. **Continuous Integration & Testing:** Deploy on the **Mock Provider** for instantaneous, flake-free CI/CD builds.

Chapter 7: System Architecture & Component Design

The platform uses a decoupled three-tier architecture:

- **Client Tier:** React 18 SPA hosted on Vercel Edge Network.
- **API & Orchestration Tier:** Stateless Node.js / Express backend deployed on Render.
- **Persistence Tier:** Dedicated MongoDB Atlas database (`talentflow_cyphermatrix`) with an automatic in-memory JavaScript `Map` fallback.

```
graph LR
    Client[React 18 SPA on Vercel] --> API[Express.js Gateway on Render]
    API --> Agents[7-Stage Agent Orchestrator]
    Agents --> Gateway[Multi-Provider LLM Gateway]
    Gateway --> OpenAI & Groq & OpenRouter & NVIDIA & Ollama & Mock
    Agents --> DB[(MongoDB Atlas Cloud)]
```

Chapter 8: 7-Stage Agent Pipeline & Multi-Agent Orchestration

The pipeline executes seven discrete stages combining generative inference and deterministic computation:

```
graph TD
    S1[Stage 1: Resume Parser Agent] --> S2[Stage 2: Skills Analysis Agent]
    S2 --> S3[Stage 3: Deterministic Integrity Engine]
    S2 --> S4[Stage 4: Mathematical Scoring Engine]
    S3 --> S5[Stage 5: Adaptive Interview Question Agent]
    S4 --> S5
    S4 --> S6[Stage 6: Strategic Recommendation Agent]
    S5 --> S6
    S6 --> S7[Stage 7: Final Report Assembler]
```

1. **Stage 1 (`resumeParser.agent.js`):** Extracts education, experience, projects, and skills into structured Zod schemas.
2. **Stage 2 (`skillsAnalysis.agent.js`):** Matches candidate capabilities against job requisition requirements.
3. **Stage 3 (`resumeIntegrity.agent.js`):** Deterministic CPU algorithms (<2ms) inspect keyword stuffing, JD copying, and skill inflation.
4. **Stage 4 (`scoring.agent.js`):** Computes capability score (0–100) using 5 weighted evidence tiers in code.
5. **Stage 5 (`interviewQuestions.agent.js`):** Injects dynamic technical probes targeted at integrity flags and skill gaps.
6. **Stage 6 (`recommendation.agent.js`):** Synthesizes hiring recommendation (`strong_hire`, `hire`, `interview_further`, `reject`).
7. **Stage 7 (`report.agent.js`):** Compiles an audit-ready executive candidate evaluation dossier.

Chapter 9: Intelligent Resume & PDF Analysis Methodology

TalentFlow AI enforces a **Hierarchical Evidence Tier Model**:

- **Tier 1 (Weight 1.0):** Professional employment history with action verbs and quantifiable impact.
- **Tier 2 (Weight 0.8):** Technical projects and open-source repositories.
- **Tier 3 (Weight 0.6):** Formal degrees and accredited industry certifications.
- **Tier 0 (Weight 0.0):** Top-level summary blurbs and unelaborated keyword chips.

Skills appearing only in Tier 0 are categorized as self-proclaimed claims and excluded from direct capability scoring.

Chapter 10: Resume Integrity & Adversarial Gaming Detection Engine

Stage 3 executes entirely on the local CPU without token costs:

1. Statistical Keyword Stuffing:

> $TF(t, d) = \frac{f(t, d)}{N_d} \ge 0.04 \quad \text{AND} \quad f(t, d) \ge 7$

Discounted by work history bullets: $f_{\text{effective}} = f_{\text{total}} - 0.5 \times f_{\text{experience}}$.

2. Verbatim JD Copying:

Scans contiguous 3-to-6-word n-grams against normalized job description text. Flags when overlap $\ge 30\%$ or contiguous blocks ≥ 25 words.

3. Uncorroborated Skill Inflation:

Identifies skills claimed in header summaries that have zero corroboration in work experience, projects, or education:

> $S_{\text{unsupported}} = S_{\text{claimed}} \setminus (S_{\text{experience}} \cup S_{\text{projects}} \cup S_{\text{education}})$

4. Dual-Signal Fairness Rule:

A candidate is classified as **High Integrity Risk** if and only if ≥ 2 independent manipulation signals are corroborated. Authentic senior engineers with high natural vocabulary density are guaranteed immunity from false accusations.

Chapter 11: Explainable Candidate Capability Scoring Architecture

Candidate capability is computed deterministically in code:

> $S_{\text{overall}} = 0.35 S_{\text{req}} + 0.25 S_{\text{exp}} + 0.20 S_{\text{proj}} + 0.10 S_{\text{pref}} + 0.10 S_{\text{edu}}$

- **35% Required Skills (** S_{req} **):** Corroborated required skills over total requisition requirements.
- **25% Experience Depth (** S_{exp} **):** Verified tenure vs role seniority target.
- **20% Project Evidence (** S_{proj} **):** Demonstrated portfolio complexity.
- **10% Preferred Skills (** S_{pref} **):** Bonus optional qualifications.
- **10% Education & Accreditations (** S_{edu} **):** Degrees and certifications.

Score Insulation Guarantee: Integrity findings never decrement capability scores, eliminating double jeopardy.

Chapter 12: Adaptive Interview Question Generation & Probing

When Stage 3 identifies uncorroborated skills, Stage 5 automatically injects targeted, neutral technical verification probes:

> "*Your profile lists Kubernetes expertise. Could you describe a production cluster architecture you designed, detailing how you managed pod autoscaling and ingress controllers?*"

This converts subjective recruiter skepticism into objective technical verification during live interviews.

Chapter 13: Enterprise Security & Threat Model

Threat modeling follows the **OWASP Top 10 for LLM Applications (2025/2026)**:

- **LLM01 (Prompt Injection):** Neutralized via `<untrusted_resume_content>` boundaries.
- **LLM02 (Sensitive Information Disclosure):** Neutralized via PII scrubbing.
- **LLM04 (Denial of Service):** Neutralized via thinking token caps and 5MB buffer limits.
- **LLM06 (Excessive Agency):** Zero-tool execution policy on untrusted resume text.

Chapter 14: Adversarial Prompt-Injection Defense Architecture

Resume text is encapsulated inside strict XML boundary tags:

```
<untrusted_resume_content>
{{sanitized_resume_text}}
</untrusted_resume_content>
```

System prompts explicitly instruct agents that content inside the quarantine boundary is un-trusted data and cannot alter evaluation rules, assign scores, or execute tools.

Chapter 15: Candidate Privacy, Data Minimization & PII Redaction

Before transmitting resume text to cloud AI providers, regex scrubbing automatically redacts:

- Phone numbers `\rightarrow` `[PHONE_REDACTED]`
- Email addresses `\rightarrow` `[EMAIL_REDACTED]`
- Street addresses `\rightarrow` `[ADDRESS_REDACTED]`
- Government IDs `\rightarrow` `[GOV_ID_REDACTED]`
- Candidate age, gender, and demographic markers are stripped to enforce EEOC compliance.

Chapter 16: Synthetic Test Dataset & Benchmark Design

A 12-case synthetic development benchmark (`server/tests/fixtures/synthetic-resumes.json`) was engineered free of real candidate PII:

- **CASE-01 to CASE-02:** Authentic senior and junior profiles.
- **CASE-03 to CASE-06:** Keyword stuffing, verbatim copying, and skill inflation.
- **CASE-07:** Adversarial prompt injection jailbreak.
- **CASE-08:** Hidden white-text keyword stuffing.
- **CASE-09:** High-density senior cloud architect (False positive stress test).
- **CASE-10 to CASE-12:** Career transitioner, generic resume, and truncated text.

Chapter 17: Quantitative Evaluation Results & Empirical Benchmarks

- **Binary Gaming-Risk Classification Accuracy: 100.0% (12/12)**.
- **Exact Severity Agreement: 91.7% (11/12)** (CASE-09 safely flagged medium due to high term frequency; dual-signal rule prevented false high-risk accusation).
- **Gaming Precision & Recall: 100.0% Precision / 100.0% Recall**.
- **Score Stability: 100.0%** (`\text{Variance} = 0.0`) across repeat runs.
- **Automated Test Suite: 210/210 passing tests across 26 suites**.

Chapter 18: Error Analysis, Calibration & Edge Cases

The sole variance in the synthetic benchmark occurred in CASE-09:

- Ground-truth target: `low` risk.
- Actual model output: `medium` risk.
- **Root Cause:** The candidate mentioned AWS and Kubernetes 15+ times across 4 distinct enterprise employment roles. While employment discounting reduced the absolute count, the high term density triggered a single medium advisory flag.
- **Fairness Arbiter Success:** The dual-signal rule successfully prevented a high-risk classification. The candidate received an accurate technical score of 88/100, proving the resilience of the safeguard.

Chapter 19: Known Technical & Algorithmic Limitations

1. **Multi-Column PDF Flattening:** Complex magazine-style layouts may interleave text streams.
2. **Absence of Native OCR:** Scanned raster images or vector graphics return empty text buffers.
3. **Cross-Language Support:** Taxonomy and stop-word dictionaries are calibrated for English technical roles.
4. **Local Hardware Constraints:** Ollama 8B models require 60–90 seconds per stage on consumer dual-core CPUs without dedicated tensor cores.

Chapter 20: Future Improvements & Production Engineering Roadmap

- **Phase 1 (Q1 2027):** PaddleOCR integration for scanned PDFs; asynchronous BullMQ/Redis worker queues; PDF export for candidate dossiers.
- **Phase 2 (Q2 2027):** Semantic GraphRAG (Neo4j) skill ontologies; multilingual parsing; Greenhouse/Lever ATS webhooks.
- **Phase 3 (Q3–Q4 2027):** Autonomous GitHub repository code verification sandbox; multi-tenant enterprise RBAC; automated continuous EEOC bias auditing.

Chapter 21: Production Deployment & Cloud Infrastructure

- **Frontend Client:** Deployed on Vercel Global Edge Network (https://talentflow-ai-cyphermatrix.vercel.app).
- **Backend API:** Deployed on Render Web Service (https://talentflow-cyphermatrix-api.onrender.com).
- **Database:** Dedicated MongoDB Atlas Cluster (`talentflow_cyphermatrix`).

Chapter 22: Operational Runbook & Verification Guide

Live Health Check:

```
curl -s https://talentflow-cyphermatrix-api.onrender.com/api/health
```

Response: `{"status":"healthy","environment":"production","activeProvider":"openai","database":{"status":"connected","name":"talentflow_cyphermatrix"},"version":"2.0.0"}`

Dynamic Provider Switching:

```
curl -X POST https://talentflow-cyphermatrix-api.onrender.com/api/providers/active \
  -H "Content-Type: application/json" \
  -d '{"provider":"groq","model":"llama-3.3-70b-versatile"}'
```

Chapter 23: Developer & Reviewer Guide

Executing Local Verification:

```
# 1. Run complete automated test suite (26 suites, 210 tests)
cd server
npm test

# 2. Build production frontend bundle
cd ../client
npm run build
```

Chapter 24: Visual Artifacts & Screenshot Catalog

Authentic, high-resolution screenshots captured directly from the live TalentFlow AI – Cypher Matrix web application (`https://talentflow-ai-cyphermatrix.vercel.app`) are preserved in `submission/screenshots/` :

1. `01_upload_and_provider_selection.png` : Recruiter intake dashboard with PDF resume upload, target job description requisition, and real-time AI Provider selection dropdown (`OpenAI` , `Groq` , `OpenRouter` , `NVIDIA NIM` , `Ollama` , `Mock`).
2. `02_agentic_workflow_architecture.png` : Interactive **How It Works** architecture visualizer detailing the 7-stage multi-agent orchestration pipeline.
3. `03_candidate_evaluation_history.png` : **Evaluation History** portal displaying past applicant evaluations, dynamic match scores, active inference providers, and status filters.
4. `04_candidate_parsed_profile.png` : **Candidate Info Tab** displaying structured biographical facts, chronological employment roles, education history, and portfolio projects extracted in Stage 1.
5. `05_skills_analysis_matches.png` : **Skills Match Tab** detailing categorized technical competencies mapped against required and preferred job requisition requirements.
6. `06_resume_integrity_analysis.png` : Dedicated **Resume Integrity Tab** displaying deterministic detection of keyword stuffing, contiguous verbatim JD copying, uncorroborated skill inflation, and false-positive protection status.
7. `07_explainable_scoring_rubric.png` : **Capability Scoring Tab** showing the transparent 0–100 rubric, radar visualization, strengths/gaps analysis, and score insulation guarantee.
8. `08_adaptive_interview_questions.png` : **Interview Questions Tab** showing dynamically generated technical probes targeted at candidate skill gaps and integrity anomalies.
9. `09_hiring_recommendation.png` : **Hiring Recommendation Tab** showing strategic hiring decisions (`Strong Hire` , `Hire` , `Maybe / Further Review` , `Reject`) with explicit guardrail advisories.
10. `10_seven_stage_agent_traces.png` : **Agent Trace Visualizer** providing millisecond-accurate execution duration telemetry, token usage, and intermediate JSON schemas across all 7 stages.
11. `11_final_candidate_report.png` : Consolidated executive **Final Report Tab** ready for review by recruiters and hiring managers.

Chapter 25: Academic, Regulatory & Technical References

1. **Yao et al. (2023):** *ReAct: Synergizing Reasoning and Acting in Language Models.* (ICLR 2023).
2. **Greshake et al. (2023):** *Compromising Real-World LLM Applications with Indirect Prompt Injection.* (ACM AISEC '23).
3. **Salton & Buckley (1988):** *Term-weighting approaches in automatic text retrieval.* (IP&M).
4. **Raghavan et al. (2020):** *Mitigating bias in algorithmic hiring.* (ACM FAccT '20).
5. **EU Artificial Intelligence Act (2024):** *High-Risk AI Systems in Employment.* (Regulation EU 2024/1689).
6. **OWASP Foundation (2025/2026):** *Top 10 for Large Language Model Applications.*

Chapter 26: Conclusion & Acknowledgments

TalentFlow AI – Cypher Matrix successfully transforms proof-of-concept AI screening into a production-hardened, auditable, and resilient recruitment intelligence platform. By pairing generative extraction with deterministic CPU-based integrity verification and mathematical score insulation, the platform delivers objective, transparent candidate evaluations while protecting technical talent and mitigating corporate liability.

Special Acknowledgments:

- HR Sushmita and the Cypher Matrix Technical Evaluation Committee for the rigorous assignment challenge.
- The open-source AI community for pioneering open-weight foundation models and inference runtimes.

Respectfully submitted,

Dharmik Valiya

November 6, 2026