

PRACTICAL-5

FLASK

```
Microsoft Windows [Version 10.0.26200.9457]
(c) Microsoft Corporation. All rights reserved.

C:\OneDrive\Desktop\FLASK>python --version
Python 3.14.6

C:\OneDrive\Desktop\FLASK>python -m venv venv

C:\OneDrive\Desktop\FLASK>venv\Scripts\activate

(venv) C:\OneDrive\Desktop\FLASK>pip install flask
Collecting flask
  Using cached flask-3.1.3-py3-none-any.whl.metadata (3.2 kB)
Collecting blinker>=1.9.0 (from flask)
  Using cached blinker-1.9.0-py3-none-any.whl.metadata (1.6 kB)
Collecting click>=8.1.3 (from flask)
  Using cached click-8.5.0-py3-none-any.whl.metadata (2.6 kB)
Collecting itsdangerous>=2.2.0 (from flask)
  Using cached itsdangerous-2.2.0-py3-none-any.whl.metadata (1.9 kB)
Collecting jinja2>=3.1.2 (from flask)
  Using cached jinja2-3.1.6-py3-none-any.whl.metadata (2.9 kB)
Collecting markupsafe>=2.1.1 (from flask)
  Using cached markupsafe-3.0.3-cp314-cp314-win_amd64.whl.metadata (2.8 kB)
Collecting werkzeug>=3.1.0 (from flask)
  Using cached werkzeug-3.1.0-py3-none-any.whl.metadata (4.0 kB)
Using cached flask-3.1.3-py3-none-any.whl (103 kB)
Using cached blinker-1.9.0-py3-none-any.whl (8.5 kB)
Using cached click-8.5.0-py3-none-any.whl (125 kB)
Using cached itsdangerous-2.2.0-py3-none-any.whl (16 kB)
Using cached jinja2-3.1.6-py3-none-any.whl (134 kB)
Using cached markupsafe-3.0.3-cp314-cp314-win_amd64.whl (15 kB)
Using cached werkzeug-3.1.0-py3-none-any.whl (226 kB)
Installing collected packages: markupsafe, itsdangerous, click, blinker, werkzeug, jinja2, flask
Successfully installed blinker-1.9.0 click-8.5.0 flask-3.1.3 itsdangerous-2.2.0 jinja2-3.1.6 markupsafe-3.0.3 werkzeug-3.1.8

[notice] A new release of pip is available: 26.1.2 -> 26.2.1
[notice] To update, run: python.exe -m pip install --upgrade pip

(venv) C:\OneDrive\Desktop\FLASK>python
Python 3.14.6 (tags/v3.14.6:c63a6c6, Jun 10 2026, 10:26:10) [MSC v.1944 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license" for more information.
```

```
>>> import flask
>>> exit()

(venv) C:\OneDrive\Desktop\FLASK>python script.py
python: can't open file 'C:\\OneDrive\\Desktop\\FLASK\\script.py': [Errno 2] No such file or directory

(venv) C:\OneDrive\Desktop\FLASK>python script.py
python: can't open file 'C:\\OneDrive\\Desktop\\FLASK\\script.py': [Errno 2] No such file or directory

(venv) C:\OneDrive\Desktop\FLASK>python script.py
python: can't open file 'C:\\OneDrive\\Desktop\\FLASK\\script.py': [Errno 2] No such file or directory

(venv) C:\OneDrive\Desktop\FLASK>C:\OneDrive\Desktop
'C:\OneDrive\Desktop' is not recognized as an internal or external command,
operable program or batch file.

(venv) C:\OneDrive\Desktop\FLASK>dir
Volume in drive C has no label.
Volume Serial Number is 8898-402C

Directory of C:\OneDrive\Desktop\FLASK

22-09-2026  11:04    <DIR>        .
22-09-2026  11:08    <DIR>        ..
22-09-2026  11:05    <DIR>        venv
               0 File(s)                0 bytes
               3 Dir(s)  295,527,194,624 bytes free

(venv) C:\OneDrive\Desktop\FLASK>note script.py
'note' is not recognized as an internal or external command,
operable program or batch file.

(venv) C:\OneDrive\Desktop\FLASK>notepad script.py

(venv) C:\OneDrive\Desktop\FLASK>python script.py

(venv) C:\OneDrive\Desktop\FLASK>python script.py

(venv) C:\OneDrive\Desktop\FLASK>type script.py

(venv) C:\OneDrive\Desktop\FLASK>type script.py
```

```
(venv) C:\OneDrive\Desktop\FLASK>notepad script.py

(venv) C:\OneDrive\Desktop\FLASK>type script.py
from flask import Flask

app = Flask(__name__)

@app.route('/')
def home():
    return "hello, this is our first flask website"

if __name__ == '__main__':
    app.run(debug=True)
(venv) C:\OneDrive\Desktop\FLASK>python script.py
* Serving Flask app 'script'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 982-055-020

(venv) C:\OneDrive\Desktop\FLASK>
```

```
(venv) C:\OneDrive\Desktop\FLASK>notepad script.py

(venv) C:\OneDrive\Desktop\FLASK>python script.py
* Serving Flask app 'script'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 982-055-020

(venv) C:\OneDrive\Desktop\FLASK>
```



```


(venv) C:\OneDrive\Desktop\FLASK>type script.py
from flask import Flask

app = Flask(__name__)

@app.route('/')
def home():
    return "hello, this is our first flask website"

if __name__ == '__main__':
    app.run(debug=True)
(venv) C:\OneDrive\Desktop\FLASK>python script.py
* Serving Flask app 'script'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 982-055-020
127.0.0.1 - - [22/Sep/2026 12:13:26] "GET / HTTP/1.1" 404 -
127.0.0.1 - - [22/Sep/2026 12:13:31] "GET /home/dharshan HTTP/1.1" 200 -

```




```

(venv) C:\OneDrive\Desktop\FLASK>notepad script.py

(venv) C:\OneDrive\Desktop\FLASK>python script.py
* Serving Flask app 'script'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 982-055-020
127.0.0.1 - - [22/Sep/2026 12:14:55] "GET / HTTP/1.1" 404 -
127.0.0.1 - - [22/Sep/2026 12:14:56] "GET / HTTP/1.1" 404 -
127.0.0.1 - - [22/Sep/2026 12:15:12] "GET / HTTP/1.1" 404 -
127.0.0.1 - - [22/Sep/2026 12:15:17] "GET /home/19 HTTP/1.1" 200 -


```



Age = 19

```
(venv) C:\OneDrive\Desktop\FLASK>notepad script.py


(venv) C:\OneDrive\Desktop\FLASK>python script.py
* Serving Flask app 'script'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 982-055-020
127.0.0.1 - - [22/Sep/2026 12:17:05] "GET / HTTP/1.1" 404 -
127.0.0.1 - - [22/Sep/2026 12:17:08] "GET /about HTTP/1.1" 200 -
```



This is about page

```
(venv) C:\OneDrive\Desktop\FLASK>notepad script.py

(venv) C:\OneDrive\Desktop\FLASK>python script.py
* Serving Flask app 'script'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 982-055-020
127.0.0.1 - - [22/Sep/2026 12:18:42] "GET /admin HTTP/1.1" 200 -
```




admin

```
Administrator: C:\Windows\S... x + v
Microsoft Windows [Version 10.0.26200.9457]
(c) Microsoft Corporation. All rights reserved.

C:\OneDrive\Desktop\FLASK>python -m venv venv

C:\OneDrive\Desktop\FLASK>venv\Scripts\activate

(venv) C:\OneDrive\Desktop\FLASK>python post_example.py
* Serving Flask app 'post_example'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5800
Press CTRL+C to quit
* Restarting with stat
* Debugger is Active!
* Debugger PIN: 982-855-020
127.0.0.1 - - [22/Sep/2026 13:38:37] "POST /login HTTP/1.1" 500 -
Traceback (most recent call last):
  File "C:\OneDrive\Desktop\FLASK\venv\Lib\site-packages\flask\app.py", line 1536, in __call__
    return self.wsgi_app(environ, start_response)
    ~~~~~^~~~~~
  File "C:\OneDrive\Desktop\FLASK\venv\Lib\site-packages\flask\app.py", line 1514, in wsgi_app
    response = self.handle_exception(e)
  File "C:\OneDrive\Desktop\FLASK\venv\Lib\site-packages\flask\app.py", line 1511, in wsgi_app
    response = self.full_dispatch_request()
  File "C:\OneDrive\Desktop\FLASK\venv\Lib\site-packages\flask\app.py", line 920, in full_dispatch_request
    return self.finalize_request(rv)
    ~~~~~^~~~~~
  File "C:\OneDrive\Desktop\FLASK\venv\Lib\site-packages\flask\app.py", line 939, in finalize_request
    response = self.make_response(rv)
  File "C:\OneDrive\Desktop\FLASK\venv\Lib\site-packages\flask\app.py", line 1212, in make_response
    raise TypeError(
    ~~~~~^~~~~~
TypeError: The view function for 'login' did not return a valid response. The function either returned None or ended without a return statement.
127.0.0.1 - - [22/Sep/2026 13:38:37] "GET /login?_debugger__yes&cmd=resource&f=style.css HTTP/1.1" 200 -
127.0.0.1 - - [22/Sep/2026 13:38:37] "GET /login?_debugger__yes&cmd=resource&f=debugger.js HTTP/1.1" 200 -
127.0.0.1 - - [22/Sep/2026 13:38:37] "GET /login?_debugger__yes&cmd=resource&f=console.png&s=CmpYTQ0fhcixZqwgXHZL HTTP/1.1" 200 -
127.0.0.1 - - [22/Sep/2026 13:38:37] "GET /login?_debugger__yes&cmd=resource&f=console.png HTTP/1.1" 200 -
127.0.0.1 - - [22/Sep/2026 13:39:37] "POST /login HTTP/1.1" 200 -
127.0.0.1 - - [22/Sep/2026 13:39:37] "GET /favicon.ico HTTP/1.1" 404 -
```



```
Administrator: C:\Windows\S... x + v
127.0.0.1 - - [22/Sep/2026 13:38:37] "POST /login HTTP/1.1" 500 -
Traceback (most recent call last):
  File "C:\OneDrive\Desktop\FLASK\venv\Lib\site-packages\flask\app.py", line 1536, in __call__
    return self.wsgi_app(environ, start_response)
    ~~~~~^~~~~~
  File "C:\OneDrive\Desktop\FLASK\venv\Lib\site-packages\flask\app.py", line 1514, in wsgi_app
    response = self.handle_exception(e)
  File "C:\OneDrive\Desktop\FLASK\venv\Lib\site-packages\flask\app.py", line 1511, in wsgi_app
    response = self.full_dispatch_request()
  File "C:\OneDrive\Desktop\FLASK\venv\Lib\site-packages\flask\app.py", line 920, in full_dispatch_request
    return self.finalize_request(rv)
    ~~~~~^~~~~~
  File "C:\OneDrive\Desktop\FLASK\venv\Lib\site-packages\flask\app.py", line 939, in finalize_request
    response = self.make_response(rv)
  File "C:\OneDrive\Desktop\FLASK\venv\Lib\site-packages\flask\app.py", line 1212, in make_response
    raise TypeError(
    ~~~~~^~~~~~
TypeError: The view function for 'login' did not return a valid response. The function either returned None or ended without a return statement.
127.0.0.1 - - [22/Sep/2026 13:38:37] "GET /login?_debugger__yes&cmd=resource&f=style.css HTTP/1.1" 200 -
127.0.0.1 - - [22/Sep/2026 13:38:37] "GET /login?_debugger__yes&cmd=resource&f=debugger.js HTTP/1.1" 200 -
127.0.0.1 - - [22/Sep/2026 13:38:37] "GET /login?_debugger__yes&cmd=resource&f=console.png&s=CmpYTQ0fhcixZqwgXHZL HTTP/1.1" 200 -
127.0.0.1 - - [22/Sep/2026 13:38:37] "GET /login?_debugger__yes&cmd=resource&f=console.png HTTP/1.1" 200 -
127.0.0.1 - - [22/Sep/2026 13:39:37] "POST /login HTTP/1.1" 200 -
127.0.0.1 - - [22/Sep/2026 13:39:37] "GET /favicon.ico HTTP/1.1" 404 -

(venv) C:\OneDrive\Desktop\FLASK>notepad login.html

(venv) C:\OneDrive\Desktop\FLASK>notepad get_example.py

(venv) C:\OneDrive\Desktop\FLASK>python get_example.py
* Serving Flask app 'get_example'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5800
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 982-855-020
127.0.0.1 - - [22/Sep/2026 13:42:36] "GET /login?uname=ayush&pass=google HTTP/1.1" 200 -
```

