

Other / General

- **Barcode** varchar(50)
- **Material_Source** varchar(50)
- **HRC** varchar(50)
- **Rework_Details** varchar(500)
- **Entry_System** varchar(50)
- **NC_row_Id** int

MODULE 7 — SERVICE & MAINTENANCE

14 tables

Booking

■ *Booking_Master_1 → Booking_Service_Details_1 → Booking_Service_Spare_List_1*

■ **Booking_Master_1**

34 columns

Foreign Key / Reference

- [FK] ● **Booking_Id** varchar(50) *FK → Booking_Master_1.BM_ID*
- [FK] ● **Customer_Id** int *FK → Customer_Master.CM_Id*
- [FK] ● **Vehicle_Model_No_Id** int *FK → Vehicle_Master_1.VM_ID*
- [FK] ● **Vehicle_Name_Id** int *FK → Vehicle_Master_1.VM_ID*
- [FK] ● **Vehicle_Id** int *FK → Vehicle_Master_1.VM_ID*

Document No / Code

- **Booking_No** varchar(50)
- **Customer_Code** varchar(500)
- **Serial_No** varchar(500)
- **Vehicle_No** varchar(500)
- **Vehicle_Model_No** varchar(50)
- **Service_Bill_No** varchar(100)
- **Vehicle_Serial_No** varchar(500)
- **Service_job_No** varchar(500)
- **LM_customer_code** varchar(200)

Date / Time

- **Booking_Date** datetime
- **Service_Bill_date** datetime
- **financial_Year** varchar(10)

Name / Description / Address

- **Customer_Name** varchar(500)
- **Model_Sub_Type_Name** varchar(50)
- **Vehicle_Name** varchar(50)
- **Remarks** varchar(500)
- **System_Name** varchar(50)

Quantity / UOM

- **Vehicle_Count_No** int

Type / Category / Config

- **Model_Sub_Type_Id** int

Status / Flag

- **Status** varchar(50)
- **Booking_Status** varchar(50)
- **Viewing_Status** varchar(50)
- **Conformation_status** varchar(100)

Audit / Tracking
● Created_Date datetime ● Created_By varchar(50) ● Updated_By varchar(50) ● Updated_Date datetime
Other / General
Row_Id
● Confirmation_ID varchar(100)

■ **Booking_Service_Details_1**

35 columns

Primary Key
[PK] ID int
Foreign Key / Reference
[FK] ● Booking_Id int <i>FK</i> → <i>Booking_Master_1.BM_Id</i>
[FK] ● Customer_Id int <i>FK</i> → <i>Customer_Master.CM_Id</i>
[FK] ● Vehicle_Model_No_Id int <i>FK</i> → <i>Vehicle_Master_1.VM_Id</i>
[FK] [NN] Vehicle_Name_Id int <i>FK</i> → <i>Vehicle_Master_1.VM_Id</i>
[FK] ● Item_Id int <i>FK</i> → <i>Item_Master.IM_Id</i>
Document No / Code
● Booking_No varchar(50) ● Customer_Code varchar(500) ● Serial_No varchar(500) ● Vehicle_No varchar(50) ● Vehicle_Model_No varchar(50) ● Display_No int ● Service_Billed_No varchar(100)
Date / Time
● Booking_Date datetime ● Service_Date datetime ● Deleted_Date datetime ● Service_Billed_date datetime ● financial_Year varchar(50)
Name / Description / Address
● Customer_Name varchar(50) ● Model_Sub_Type_Name varchar(50) ● Vehicle_Name varchar(50) ● Item_Name varchar(500) ● Problem_Description varchar(max) ● Remarks varchar(max) ● System_Name varchar(50)
Type / Category / Config
● Model_Sub_Type_Id int
Status / Flag
● Status char(10) ● Service_Status varchar(50)
Audit / Tracking
● Created_By varchar(50) ● Created_Date datetime ● service_updated_date datetime
Other / General

- **Services_By** varchar(50)
- **Deleted_By** varchar(50)
- **Deleted_System** varchar(50)
- **Service_JobNo** varchar(500)

■ **Booking_Service_Spare_List_1**

33 columns

Primary Key
[PK] ID int
Foreign Key / Reference
[FK] ● Booking_Id int <i>FK</i> → <i>Booking_Master.1.BM_ID</i>
[FK] ● Customer_Id int <i>FK</i> → <i>Customer_Master.CM_Id</i>
[FK] ● Item_Id int <i>FK</i> → <i>Item_Master.IM_ID</i>
[FK] ● Spare_Item_Id int <i>FK</i> → <i>Item_Master.IM_ID</i>
Document No / Code
● Booking_No varchar(50)
● Customer_Code varchar(500)
● Display_No int
● Spare_Item_Code varchar(500)
● Material_Issue_No varchar(50)
Date / Time
● Booking_Date datetime
● Service_Date datetime
● financial_Year varchar(50)
Name / Description / Address
● Customer_Name varchar(500)
● Item_Name varchar(500)
● Problem_Description varchar(max)
● Remarks varchar(max)
● System_Name varchar(50)
● Spare_Item_Name varchar(500)
Amount / Financial
● Checked_Value int
Quantity / UOM
● Spare_Item_Qty decimal(18, 2)
● Spare_Uom varchar(50)
● Spare_BOM_Qty decimal(18, 2)
Status / Flag
● Status char(10)
● Service_Status varchar(50)
Audit / Tracking
● Created_By varchar(50)
● Created_Date datetime
● service_updated_date datetime
Other / General
● Services_By varchar(50)
● Barcode varchar(50)
● Issued_By varchar(50)
● Meterial_Collected_By varchar(50)
● Service_JobNo varchar(500)

Service Order

■ *Service_Order* → *Service_Order_Details*; *Customer_Master* → *Service_Order*

■ Service_Order

41 columns

Foreign Key / Reference
[FK] [NN] Supplier_ID int <i>FK</i> → <i>Supplier_Master.SM_Id</i>
[FK] ● Created_by varchar(50) <i>FK</i> → <i>User_Master.UM_Username</i>
Document No / Code
[NN] PO_No varchar(50)
● Contact_No varchar(50)
● Purchase_Req_No varchar(50)
Date / Time
● PO_Date datetime
● Delivery_Date datetime
Name / Description / Address
[NN] Supplier_Name varchar(450)
● Supplier_Address varchar(250)
● Contact_Person varchar(50)
● Remarks varchar(250)
● Desc_Per decimal(18, 2)
Amount / Financial
● Total_Before_Disc decimal(18, 2)
● Desc_Amt decimal(18, 2)
● Freight_Amount decimal(18, 2)
● Taxable_Amount decimal(18, 2)
● Tax_Per decimal(18, 2)
● IGST_Per decimal(18, 2)
● SGST_Per decimal(18, 2)
● CGST_Per decimal(18, 2)
● IGST_Amt decimal(18, 2)
● SGST_Amt decimal(18, 2)
● CGST_Amt decimal(18, 2)
● Net_Amt decimal(18, 2)
● Freight_Terms varchar(max)
Type / Category / Config
● PO_Type varchar(50)
Status / Flag
● PO_Status varchar(50)
● Approval_Status varchar(333)
Audit / Tracking
● Created_Date datetime
Other / General
ID
● Validity_Until varchar(50)
● Payment_Terms varchar(max)
● Vendor_Ref varchar(50)
● Insurence decimal(18, 2)
● Delivery_Terms varchar(max)
● Packing_Forward decimal(18, 2)
● Mode_Of_Despatch varchar(250)

- **Special_Instruction** varchar(250)
- **Project** varchar(250)
- **Grade** char(10)
- **Statsu** varchar(50)

■ **Service_Order_Details**

31 columns

Foreign Key / Reference
[FK] ● Item_ID int <i>FK</i> → <i>Item_Master.IM_ID</i>
[FK] ● Created_by varchar(50) <i>FK</i> → <i>User_Master.UM_Username</i>
Document No / Code
● PR_NO varchar(50)
● PO_NO varchar(50)
● Item_Code varchar(350)
● HSN_Code varchar(50)
Date / Time
● PO_Date varchar(50)
Name / Description / Address
● Item_Name varchar(350)
● Description varchar(750)
Amount / Financial
● Unit_Price decimal(18, 2)
● Desc_Amt decimal(18, 2)
● Final_Price decimal(18, 2)
● Sub_total decimal(18, 2)
● IGST_Per decimal(18, 2)
● SGST_Per decimal(18, 2)
● CGST_Per decimal(18, 2)
● IGST_Amt decimal(18, 2)
● SGST_Amt decimal(18, 2)
● CGST_Amt decimal(18, 2)
● GST_Per decimal(18, 2)
● GST_Amt decimal(18, 2)
● Net_Amt decimal(18, 2)
Quantity / UOM
● GL_AccountName_ID int
● GL_AccountName varchar(50)
● UOM varchar(50)
● Qty decimal(18, 2)
● Grn_Qty decimal(18, 2)
Audit / Tracking
● Created_Date datetime
Other / General
ID
● Disc_Per decimal(18, 2)
● Statsu varchar(50)

■ **Service_Request_1**

25 columns

Foreign Key / Reference
[FK] ● Item_ID int <i>FK</i> → <i>Item_Master.IM_ID</i>
[FK] ● Created_by varchar(50) <i>FK</i> → <i>User_Master.UM_Username</i>

Document No / Code

- **Req_No** varchar(50)
- **Job_No** varchar(50)
- **Item_Code** varchar(50)
- **PO_Number** varchar(33)

Date / Time

- **Req_Date** datetime
- **Required_Date** datetime
- **ETA** datetime
- **PO_Date** varchar(33)

Name / Description / Address

- **Dept_Name** varchar(50)
- **Item_Name** varchar(50)
- **Description** varchar(50)

Quantity / UOM

- **UOM** varchar(50)
- **UOM_ID** int
- **Qty** decimal(18, 2)

Status / Flag

- **Status** char(10)
- **Approval_Status** varchar(33)

Audit / Tracking

- **Created_Date** datetime

Other / General**ID**

- **Dept_ID** int
- **Request_User** varchar(50)
- **Specification** varchar(50)
- **Purpose** varchar(50)
- **QC** char(10)

■ **Service_Tran_1**

24 columns

Primary Key

- [PK] **ID** int

Foreign Key / Reference

- [FK] ● **Customer_Id** int FK → *Customer_Master.CM_Id*
- [FK] ● **Vehicle_Type_Id** int FK → *Vehicle_Master_1.VM_ID*

Document No / Code

- **Service_No** varchar(50)
- **Vehicle_No** varchar(500)

Name / Description / Address

- **Customer_Name** varchar(500)
- **Operator_Name** varchar(500)
- **Supervisor_Name** varchar(500)
- **Work_Description_Id** int
- **Work_Description** varchar(500)

Amount / Financial

- **Labour_Cost** decimal(18, 2)
- **Material_Cost** decimal(18, 2)

● **Total_Amount** decimal(18, 2)

Type / Category / Config

● **Vehicle_Type** varchar(500)

Status / Flag

● **Status** char(10)

Audit / Tracking

● **Created_By** varchar(50)

● **Created_Date** datetime

● **Updated_By** varchar(50)

● **Updated_Date** datetime

Other / General

● **Service_Ref_Id** int

● **Operator_Id** int

● **Supervisor_Id** int

● **Opinion** varchar(500)

● **Alteration** varchar(500)

■ **Part_Spare_List**

26 columns

Primary Key

[PK] **Row_Id** int

Document No / Code

● **Part_No** varchar(500)

● **Part_Spare_No** varchar(500)

● **Part_Order_No** varchar(50)

● **Part_Spare_Order_No** varchar(50)

● **Assembly_Part_Order_No** varchar(500)

Date / Time

● **Deleted_Date** datetime

Name / Description / Address

● **Part_Name** varchar(5000)

● **Part_Group_Name** varchar(500)

● **Part_Spare_Name** varchar(500)

● **Part_Spare_Group_Name** varchar(500)

Quantity / UOM

● **PartUom** varchar(50)

● **Part_Qty** decimal(18, 0)

● **Part_Spare_Qty** decimal(18, 0)

● **Part_Spare_Uom** varchar(50)

Type / Category / Config

● **Part_Group_Id** int

● **Part_Spare_Group_Id** int

● **Assembly_Part_Order_ID** int

Status / Flag

● **Status** char(10)

Audit / Tracking

● **Created_Date** datetime

● **Created_By** varchar(50)

● **Updated_Date** datetime

● **Updated_By** varchar(50)

Other / General

- **Part_Id** int
- **Part_Spare_Id** int
- **Deleted_By** varchar(50)

Service Bill

■ *Service_Bill_Master_1 → Trans + Labour; Booking_Master_1 → Service_Bill_Master_1*

■ **Service_Bill_Master_1**

83 columns

Primary Key

[PK] **SA_ID** int

Foreign Key / Reference

- [FK] ● **LEDGER_ID** int *FK → Ledger_Master.LM_ID*
- [FK] ● **LIABILITY_ID** int *FK → Ledger_Master.LM_ID*
- [FK] ● **COMPANY** int *FK → Company_Master.CM_ID*
- [FK] [NN] **CREATED_BY** varchar(50) *FK → User_Master.UM_Username*
- [FK] ● **Booking_Id** varchar(100) *FK → Booking_Master_1.BM_ID*
- [FK] ● **Tax_ID** int *FK → Tax_Master.Tax_ID*
- [FK] ● **Service_jobno_id** int *FK → Job_Entry.JE_ID*

Document No / Code

- [NN] **BILLNO** varchar(50)
- **Order_No** varchar(50)
 - **Dc_NO** varchar(100)
 - **LR_NO** varchar(100)
 - **Service_Material_issue_No** varchar(100)
 - **Service_Material_issue_Code** varchar(100)
 - **Booking_Cus_Code** varchar(100)
 - **service_Bill_NO** varchar(100)

Date / Time

- **BILLDATE** datetime
- **COLL_DATE** datetime
- **VOUCHER_DATE** datetime
- **Order_Date** varchar(50)
- **Dc_Date** varchar(100)
- **LR_Date** varchar(100)

Name / Description / Address

- [NN] **CUST_NAME** varchar(50)
- [NN] **PHONE** varchar(250)
- [NN] **STATE** varchar(50)
- [NN] **STATECODE** varchar(50)
- [NN] **DCUST_NAME** varchar(50)
- [NN] **DPHONE** varchar(250)
- [NN] **DSTATE** varchar(50)
- [NN] **DSTATECODE** varchar(50)
- **Remarks** varchar(100)

Amount / Financial

- [NN] **LIABILITY_VALUE** decimal(18, 2)
- [NN] **GSTNO** varchar(250)
- [NN] **DGSTNO** varchar(250)
- [NN] **TAX_GROSSAMT** decimal(18, 2)
- [NN] **TOTAL_DISC** decimal(18, 2)

[NN] TAX_YESNO varchar(50)
[NN] TAX_REVYES varchar(20)
[NN] TAXABLE_AMT decimal(18, 2)
[NN] CGST_AMT decimal(18, 2)
[NN] SGST_AMT decimal(18, 2)
[NN] IGST_AMT decimal(18, 2)
[NN] TOTAL_TAX decimal(18, 2)
[NN] TAX_AMT decimal(18, 2)
[NN] BILL_AMT decimal(18, 2)
[NN] CARTAGE_AMT decimal(18, 2)
[NN] SERVICE_AMT decimal(18, 2)
[NN] UNLOAD_AMT decimal(18, 2)
[NN] ADD_AMT decimal(18, 2)
 ● **TAX_TYPE** varchar(50)
 ● **RATEGROUP_ID** int
 ● **service_Labour_Charge_Bill_No** varchar(100)
 ● **service_Labour_Charge_Bill_Amt** decimal(18, 2)
 ● **Material_Total_Amt** decimal(18, 2)
 ● **Tax_Per** decimal(18, 2)

Quantity / UOM

● **ACCOUNT_ID** int
 ● **Stock_Reduce** varchar(100)

Status / Flag

[NN] DIS_AMT decimal(18, 2)
 ● **STATUS** char(10)
 ● **DC_Status** varchar(100)

Audit / Tracking

● **CREATED_DATE** datetime

Other / General

[NN] BILL_MODE varchar(50)
 ● **COMMODITY** int
[NN] ADDR1 varchar(250)
[NN] ADDR2 varchar(250)
[NN] ADDR3 varchar(250)
[NN] ADDR4 varchar(250)
[NN] ADDR5 varchar(250)
[NN] DADDR1 varchar(250)
[NN] DADDR2 varchar(250)
[NN] DADDR3 varchar(250)
[NN] DADDR4 varchar(250)
[NN] DADDR5 varchar(250)
 ● **USERID** int
 ● **COLL_BANK** int
 ● **BRANCHID** int
 ● **TRANSPORT** varchar(250)
 ● **Shop_ID** int
 ● **Delivery_Place** varchar(100)
[NN] Round_Off decimal(18, 2)
 ● **Shift_ID** int
 ● **Entry_Model** varchar(50)
 ● **Service_jobno** varchar(200)

■ Service_Bill_Trans_1

81 columns

Primary Key**[PK] TRNSID** int**Foreign Key / Reference****[FK]** ● **LEDGER_ID** int *FK* → *Ledger_Master.LM_ID***[FK]** ● **LIABILITY_ID** int *FK* → *Ledger_Master.LM_ID***[FK]** ● **Item_ID** int *FK* → *Item_Master.IM_ID***[FK]** ● **SLEDGER_ID** int *FK* → *Ledger_Master.LM_ID***[FK]** ● **TAX_ID** int *FK* → *Tax_Master.Tax_ID***[FK]** ● **CGST_TAX_ID** int *FK* → *Tax_Master.Tax_ID***[FK]** ● **SGST_TAX_ID** int *FK* → *Tax_Master.Tax_ID***[FK]** ● **IGST_TAX_ID** int *FK* → *Tax_Master.Tax_ID***[FK]** ● **COMPANY** int *FK* → *Company_Master.CM_ID***[FK]** **[NN]** **CREATED_BY** varchar(50) *FK* → *User_Master.UM_Username***[FK]** ● **Service_MItem_id** varchar(500) *FK* → *Item_Master.IM_ID***[FK]** ● **Service_jobno_id** int *FK* → *Job_Entry.JE_ID***Document No / Code****[NN]** **BILLNO** varchar(50)**[NN]** **Batch** varchar(50)● **DC_Invoice_No** varchar(100)● **Job_No** varchar(100)● **MI_RefNo** varchar(100)● **Booking_Code** varchar(100)● **Issue_No** varchar(100)● **D_service_Bill_NO** varchar(100)**Date / Time**● **BILLDATE** datetime**Name / Description / Address****[NN]** **Item_name** varchar(350)● **Service_MItem_Name** varchar(500)**Amount / Financial****[NN]** **LIABILITY_VALUE** decimal(18, 2)**[NN]** **NET_RATE** decimal(18, 4)**[NN]** **PURCHASE_RATE** decimal(18, 4)**[NN]** **RESALE_RATE** decimal(18, 4)**[NN]** **SALE_RATE** decimal(18, 4)**[NN]** **NETRATE** decimal(18, 2)**[NN]** **TOT_AMT** decimal(18, 2)**[NN]** **DISC_AMT** decimal(18, 2)**[NN]** **TAXABLE_AMT** decimal(18, 2)**[NN]** **TAX_YESNO** varchar(50)**[NN]** **TAX_REVYES** varchar(50)**[NN]** **TAX_TYPE** varchar(50)**[NN]** **TAX_PER** decimal(18, 2)**[NN]** **CGST_TAX** decimal(18, 2)**[NN]** **SGST_TAX** decimal(18, 2)**[NN]** **IGST_TAX** decimal(18, 2)**[NN]** **CGST_TAX_AMT** decimal(18, 2)**[NN]** **SGST_TAX_AMT** decimal(18, 2)**[NN]** **IGST_TAX_AMT** decimal(18, 2)**[NN]** **TOTAL_TAX** decimal(18, 2)**[NN]** **NET_AMT** decimal(18, 2)**[NN]** **Disc_Amt2** decimal(18, 3)**[NN]** **Rateby** decimal(18, 3)

[NN] **Cost_Rate** decimal(18, 2)
[NN] **DISC_AMT3** decimal(18, 2)
[NN] **DISC_AMT4** decimal(18, 2)
● **Labour_Charge** decimal(18, 5)

Quantity / UOM

● **ACCOUNT_ID** int
[NN] **UNIT** varchar(50)
[NN] **Qty** decimal(18, 3)
[NN] **Unit_Qty** decimal(18, 3)
[NN] **Unit_Qty1** decimal(18, 3)
● **UOM** varchar(50)

Type / Category / Config

[NN] **DISC_TYPE** varchar(50)
● **Vehicle_Type** varchar(100)
● **Service_MItem_id_Order_Sno** varchar(100)

Status / Flag

[NN] **STATUS** char(10)
● **DC_Status** varchar(100)

Audit / Tracking

● **CREATED_DATE** datetime

Other / General

● **SALES_ID** int
[NN] **BILL_MODE** varchar(50)
● **COMMODITY** int
[NN] **HSNCode** varchar(50)
● **BAG** int
[NN] **MRP** decimal(18, 2)
[NN] **CUS_FREE** decimal(18, 2)
[NN] **SOC_FREE** decimal(18, 2)
[NN] **DISC_PER** decimal(18, 2)
● **USERID** int
● **BRANCHID** int
[NN] **MfrDate** varchar(50)
[NN] **ExpiryDate** varchar(50)
● **Shift_ID** int
● **Entry_Model** varchar(50)
● **Barcode** varchar(100)
● **Receiver** varchar(100)
● **Service_jobno** varchar(200)

■ Service_Bill_Labour_Charge_Details_1

20 columns

Foreign Key / Reference

[FK] ● **Booking_Id** varchar(100) FK → Booking_Master.1.BM_ID
[FK] ● **LEDGER_ID** int FK → Ledger_Master.LM_ID
[FK] ● **Item_Id** int FK → Item_Master.IM_ID
[FK] ● **CREATED_BY** varchar(50) FK → User_Master.UM_Username
[FK] ● **Service_jobno_id** int FK → Job_Entry.JE_ID

Document No / Code

● **Booking_Cus_Code** varchar(100)
● **BILLNO** varchar(50)
● **Item_Code** varchar(500)

Date / Time
● BILLDATE datetime
Name / Description / Address
● Item_Name varchar(500)
● Remarks varchar(100)
Amount / Financial
● Labour_Charge decimal(18, 2)
● Total_Amt decimal(18, 2)
[NN] BILL_AMT decimal(18, 2)
Status / Flag
● STATUS char(10)
Audit / Tracking
● CREATED_DATE datetime
Other / General
SA_ID
● USERID int
● Entry_Model varchar(50)
● Service_jobno varchar(200)

Temp Service Bill

■ *Mirror of Service Bill — staging tables*

■ **Temp_Service_Bill_Master_1**

83 columns

Primary Key
[PK] SA_ID int
Foreign Key / Reference
[FK] ● LEDGER_ID int <i>FK → Ledger_Master.LM_ID</i>
[FK] ● LIABILITY_ID int <i>FK → Ledger_Master.LM_ID</i>
[FK] ● COMPANY int <i>FK → Company_Master.CM_ID</i>
[FK] [NN] CREATED_BY varchar(50) <i>FK → User_Master.UM_Username</i>
[FK] ● Booking_Id varchar(100) <i>FK → Booking_Master_1.BM_ID</i>
[FK] ● Tax_ID int <i>FK → Tax_Master.Tax_ID</i>
[FK] ● Service_jobno_id int <i>FK → Job_Entry.JE_ID</i>
Document No / Code
[NN] BILLNO varchar(50)
● Order_No varchar(50)
● Dc_NO varchar(100)
● LR_NO varchar(100)
● Service_Material_issue_No varchar(100)
● Service_Material_issue_Code varchar(100)
● Booking_Cus_Code varchar(100)
● service_Bill_NO varchar(100)
Date / Time
● BILLDATE datetime
● COLL_DATE datetime
● VOUCHER_DATE datetime
● Order_Date varchar(50)
● Dc_Date varchar(100)
● LR_Date varchar(100)

Name / Description / Address
[NN] CUST_NAME varchar(50)
[NN] PHONE varchar(250)
[NN] STATE varchar(50)
[NN] STATECODE varchar(50)
[NN] DCUST_NAME varchar(50)
[NN] DPHONE varchar(250)
[NN] DSTATE varchar(50)
[NN] DSTATECODE varchar(50)
● Remarks varchar(100)
Amount / Financial
[NN] LIABILITY_VALUE decimal(18, 2)
[NN] GSTNO varchar(250)
[NN] DGSTNO varchar(250)
[NN] TAX_GROSSAMT decimal(18, 2)
[NN] TOTAL_DISC decimal(18, 2)
[NN] TAX_YESNO varchar(50)
[NN] TAX_REVYES varchar(20)
[NN] TAXABLE_AMT decimal(18, 2)
[NN] CGST_AMT decimal(18, 2)
[NN] SGST_AMT decimal(18, 2)
[NN] IGST_AMT decimal(18, 2)
[NN] TOTAL_TAX decimal(18, 2)
[NN] TAX_AMT decimal(18, 2)
[NN] BILL_AMT decimal(18, 2)
[NN] CARTAGE_AMT decimal(18, 2)
[NN] SERVICE_AMT decimal(18, 2)
[NN] UNLOAD_AMT decimal(18, 2)
[NN] ADD_AMT decimal(18, 2)
● TAX_TYPE varchar(50)
● RATEGROUP_ID int
● service_Labour_Charge_Bill_No varchar(100)
● service_Labour_Charge_Bill_Amt decimal(18, 2)
● Material_Total_Amt decimal(18, 2)
● Tax_Per decimal(18, 2)
Quantity / UOM
● ACCOUNT_ID int
● Stock_Reduce varchar(100)
Status / Flag
[NN] DIS_AMT decimal(18, 2)
● STATUS char(10)
● DC_Status varchar(100)
Audit / Tracking
● CREATED_DATE datetime
Other / General
[NN] BILL_MODE varchar(50)
● COMMODITY int
[NN] ADDR1 varchar(250)
[NN] ADDR2 varchar(250)
[NN] ADDR3 varchar(250)
[NN] ADDR4 varchar(250)
[NN] ADDR5 varchar(250)
[NN] DADDR1 varchar(250)

[NN] DADDR2 varchar(250)
[NN] DADDR3 varchar(250)
[NN] DADDR4 varchar(250)
[NN] DADDR5 varchar(250)
● USERID int
● COLL_BANK int
● BRANCHID int
● TRANSPORT varchar(250)
● Shop_ID int
● Delivery_Place varchar(100)
[NN] Round_Off decimal(18, 2)
● Shift_ID int
● Entry_Model varchar(50)
● Service_jobno varchar(200)

■ Temp_Service_Bill_Trans_1

81 columns

Primary Key
[PK] TRNSID int
Foreign Key / Reference
[FK] ● LEDGER_ID int FK → Ledger_Master.LM_ID [FK] ● LIABILITY_ID int FK → Ledger_Master.LM_ID [FK] ● Item_ID int FK → Item_Master.IM_ID [FK] ● SLEDGER_ID int FK → Ledger_Master.LM_ID [FK] ● TAX_ID int FK → Tax_Master.Tax_ID [FK] ● CGST_TAX_ID int FK → Tax_Master.Tax_ID [FK] ● SGST_TAX_ID int FK → Tax_Master.Tax_ID [FK] ● IGST_TAX_ID int FK → Tax_Master.Tax_ID [FK] ● COMPANY int FK → Company_Master.CM_ID [FK] [NN] CREATED_BY varchar(50) FK → User_Master.UM_Username [FK] ● Service_MItem_id varchar(500) FK → Item_Master.IM_ID [FK] ● Service_jobno_id int FK → Job_Entry.JE_ID
Document No / Code
[NN] BILLNO varchar(50) [NN] Batch varchar(50) ● DC_Invoice_No varchar(100) ● Job_No varchar(100) ● MI_RefNo varchar(100) ● Booking_Code varchar(100) ● Issue_No varchar(100) ● D_service_Bill_NO varchar(100)
Date / Time
● BILLDATE datetime
Name / Description / Address
[NN] Item_name varchar(350) ● Service_MItem_Name varchar(500)
Amount / Financial
[NN] LIABILITY_VALUE decimal(18, 2) [NN] NET_RATE decimal(18, 4) [NN] PURCHASE_RATE decimal(18, 4) [NN] RESALE_RATE decimal(18, 4) [NN] SALE_RATE decimal(18, 4) [NN] NETRATE decimal(18, 2)

[NN] TOT_AMT decimal(18, 2)
[NN] DISC_AMT decimal(18, 2)
[NN] TAXABLE_AMT decimal(18, 2)
[NN] TAX_YESNO varchar(50)
[NN] TAX_REVYES varchar(50)
[NN] TAX_TYPE varchar(50)
[NN] TAX_PER decimal(18, 2)
[NN] CGST_TAX decimal(18, 2)
[NN] SGST_TAX decimal(18, 2)
[NN] IGST_TAX decimal(18, 2)
[NN] CGST_TAX_AMT decimal(18, 2)
[NN] SGST_TAX_AMT decimal(18, 2)
[NN] IGST_TAX_AMT decimal(18, 2)
[NN] TOTAL_TAX decimal(18, 2)
[NN] NET_AMT decimal(18, 2)
[NN] Disc_Amt2 decimal(18, 3)
[NN] Rateby decimal(18, 3)
[NN] Cost_Rate decimal(18, 2)
[NN] DISC_AMT3 decimal(18, 2)
[NN] DISC_AMT4 decimal(18, 2)
● **Labour_Charge** decimal(18, 5)

Quantity / UOM

● **ACCOUNT_ID** int
[NN] UNIT varchar(50)
[NN] Qty decimal(18, 3)
[NN] Unit_Qty decimal(18, 3)
[NN] Unit_Qty1 decimal(18, 3)
● **UOM** varchar(50)

Type / Category / Config

[NN] DISC_TYPE varchar(50)
● **Vehicle_Type** varchar(100)
● **Service_MItem_id_Order_Sno** varchar(100)

Status / Flag

[NN] STATUS char(10)
● **DC_Status** varchar(100)

Audit / Tracking

● **CREATED_DATE** datetime

Other / General

● **SALES_ID** int
[NN] BILL_MODE varchar(50)
● **COMMODITY** int
[NN] HSNCODE varchar(50)
● **BAG** int
[NN] MRP decimal(18, 2)
[NN] CUS_FREE decimal(18, 2)
[NN] SOC_FREE decimal(18, 2)
[NN] DISC_PER decimal(18, 2)
● **USERID** int
● **BRANCHID** int
[NN] MfrDate varchar(50)
[NN] ExpiryDate varchar(50)
● **Shift_ID** int
● **Entry_Model** varchar(50)

- **Barcode** varchar(100)
- **Receiver** varchar(100)
- **Service_jobno** varchar(200)

■ Temp_Service_Bill_Labour_Charge_Details_1

20 columns

Foreign Key / Reference
[FK] ● Booking_Id varchar(100) <i>FK</i> → <i>Booking_Master.1.BM_ID</i>
[FK] ● LEDGER_ID int <i>FK</i> → <i>Ledger_Master.LM_ID</i>
[FK] ● Item_Id int <i>FK</i> → <i>Item_Master.IM_ID</i>
[FK] ● CREATED_BY varchar(50) <i>FK</i> → <i>User_Master.UM_Username</i>
[FK] ● Service_jobno_id int <i>FK</i> → <i>Job_Entry.JE_ID</i>
Document No / Code
● Booking_Cus_Code varchar(100)
● BILLNO varchar(50)
● Item_Code varchar(500)
Date / Time
● BILLDATE datetime
Name / Description / Address
● Item_Name varchar(500)
● Remarks varchar(100)
Amount / Financial
● Labour_Charge decimal(18, 2)
● Total_Amt decimal(18, 2)
[NN] BILL_AMT decimal(18, 2)
Status / Flag
● STATUS char(10)
Audit / Tracking
● CREATED_DATE datetime
Other / General
SA_ID
● USERID int
● Entry_Model varchar(50)
● Service_jobno varchar(200)

MODULE 8 — QUALITY CONTROL

7 tables

QC Entry

■ QC_Entry → QC_Entry_Details; GRN_Entry_1 → GRN_QC_Details; Job_Entry → QC_Entry

■ QC_Entry

25 columns

Primary Key
[PK] ID int
Foreign Key / Reference
[FK] ● Supplier_ID varchar(50) <i>FK</i> → <i>Supplier_Master.SM_Id</i>
[FK] ● Item_ID int <i>FK</i> → <i>Item_Master.IM_ID</i>
[FK] ● Created_by varchar(50) <i>FK</i> → <i>User_Master.UM_Username</i>