

7/8/2023 Lab-3: To study of the Classifier w.r.t Statistical Parameter

Aim: To study of the classifiers with respect to Statistical parameter

Objective:

- To implement and train classifiers (Decision Tree, SVM, Logistic Regression) on the digits dataset.
- To evaluate and compare the performance of the classifiers using statistical metrics.
- To understand how different algorithms behave in terms of classification accuracy.

Pseudocode:

1) Decision Tree classifier

1. Load the digits dataset (sklearn)
2. Split the dataset into Training and testing sets
3. Initialize the Decision Tree Classifier
4. Fit the classifier on Training data
5. Predict labels for Test data.
6. Evaluate the model using accuracy & classification report.

2) SVM

- 1) Load the digits dataset
- 2) Split the dataset into training and testing sets
- 3) Initialize SVM classifier
- 4) Fit the classifier into training data
- 5) Predict the labels using testing data
- 6) Evaluate model using accuracy - score & classification report.

3) Logistic Regression

- 1) Load the digits dataset
- 2) Split the dataset into training & testing sets
- 3) Initialize Logistic Regression classifier
- 4) Fit the classifier on training dataset.
- 5) Predict labels for the test data
- 6) Evaluate model using Accuracy.

Observation

Classifier	Accuracy	Notes
Decision Tree	84.72%	Fast but slightly overfits lower generalization
SVM	98.61%	High precision & performs best
Logistic Regression	97.50%	Very High accuracy good generalization

- * Decision Tree shows lower performance
- * SVM achieved near-perfect classification
Strong fit for database
- * LR also very accurate and competitive with SVM

Classification Report

- * Decision Tree
 - Lower Precision and recall for some classes
 - Most confusion arises in predicting digits 3, 8, 9
- * SVM
 - Achieves perfect (1.0000) precision
 - Very High consistency
- * Logistic Regression
 - Near-perfect precision and recall for most digits
 - Slight drop in F1-score

Result

Implemented the classifiers with respect to statistical parameters.

File Edit View Run Kernel Tabs Settings Help



Filter files by name



/

Name	Last Modified
daa	3 months ago
FAI	3 months ago
os	3 months ago
Untitled F...	4 months ago
• L1.ipynb	13 days ago
• L2.ipynb	next year
• L3.ipynb	next year
📄 untyped.py	14 days ago

L1.ipynb



L2.ipynb



L3.ipynb



Code



Notebook



Python 3 (ipykernel)



```
[1]: from sklearn.datasets import load_digits
```

```
[2]: d=load_digits()
```

```
[3]: x=d.data
     y=d.target
```

```
[4]: x
```

```
[4]: array([[ 0.,  0.,  5., ...,  0.,  0.,  0.],
           [ 0.,  0.,  0., ..., 10.,  0.,  0.],
           [ 0.,  0.,  0., ..., 16.,  9.,  0.],
           ...,
           [ 0.,  0.,  1., ...,  6.,  0.,  0.],
           [ 0.,  0.,  2., ..., 12.,  0.,  0.],
           [ 0.,  0., 10., ..., 12.,  1.,  0.]])
```

```
[5]: y
```

```
[5]: array([0, 1, 2, ..., 8, 9, 8])
```

```
[6]: from sklearn.model_selection import train_test_split
```

```
     x_train,x_test,y_train,y_test=train_test_split(x,y,size=0.2,random_state=42)
```


File Edit View Run Kernel Tabs Settings Help



Filter files by name 🔍

/

Name	Last Modified
daa	3 months ago
FAI	3 months ago
os	3 months ago
Untitled F...	4 months ago
• L1.ipynb	13 days ago
• L2.ipynb	next year
• L3.ipynb	next year
📄 untyped.py	14 days ago

L1.ipynb

L2.ipynb

L3.ipynb



Notebook 📄 Python 3 (ipykernel) ⌵

[5]: array([0, 1, 2, ..., 8, 9, 8])

[6]: from sklearn.model_selection import train_test_split

x_train,x_test,y_train,y_test=train_test_split(x,y,size=0.2,random_state=42)

[12]: x_train,x_test,y_train,y_test=train_test_split(x,y, test_size=0.2,random_state=42)

[7]: from sklearn.tree import DecisionTreeClassifier

[8]: clf=DecisionTreeClassifier()

[13]: clf.fit(x_train,y_train)

[13]: ▾ DecisionTreeClassifier

▶ Parameters


[21]: y_pred=clf.predict(x_test)
y_pred

[21]: array([6, 9, 3, 7, 2, 1, 5, 3, 5, 7, 2, 5, 4, 0, 4, 2, 3, 7, 8, 4, 4, 3,
9, 7, 5, 6, 3, 5, 6, 3, 4, 9, 1, 4, 4, 6, 9, 4, 7, 6, 6, 9, 1, 3,
6, 1, 3, 0, 6, 5, 5, 1, 7, 5, 6, 0, 3, 0, 0, 8, 5, 4, 8, 2, 4, 5,
7, 0, 7, 5, 9, 9, 5, 4, 7, 0, 4, 5, 5, 9, 9, 0, 2, 3, 8, 0, 6, 4,

Q

Name	▲	Last Modified
------	---	---------------

■ Untitled F... 4 months ago

 L3.ipynb next year

untitled.pv 14 days ago

×

•

▼

► Parameters

```
[17]: from sklearn.svm import SVC
```

File Edit View Run Kernel Tabs Settings Help



Filter files by name



/

Name	Last Modified
------	---------------

daa	3 months ago
-----	--------------

FAI	3 months ago
-----	--------------

os	3 months ago
----	--------------

Untitled F...	4 months ago
---------------	--------------

• L1.ipynb	13 days ago
------------	-------------

• L2.ipynb	next year
------------	-----------

• L3.ipynb	next year
------------	-----------

untitled.py	14 days ago
-------------	-------------

L1.ipynb



L2.ipynb



L3.ipynb



Code



Notebook



Python 3 (ipykernel)



```
5, 9, 9, 8, 5, 3, 6, 2, 0, 5, 8, 5, 4, 0, 2, 4, 6, 4, 3, 4, 5, 0,  
5, 2, 1, 3, 1, 4, 7, 1, 7, 0, 1, 5, 6, 1, 3, 8, 7, 0, 6, 4, 8, 8,  
5, 1, 8, 4, 5, 9, 8, 9, 8, 6, 0, 6, 2, 0, 4, 9, 8, 9, 5, 2, 7, 4,  
9, 7, 7, 4, 3, 8, 8, 5])
```

```
[17]: from sklearn.svm import SVC
```

```
[18]: svm = SVC()
```

```
[19]: svm.fit(x_train,y_train)
```


```
[19]:
```

SVC

Parameters

```
[28]: svm_pred=svm.predict(x_test)  
svm_pred
```

```
[28]: array([6, 9, 3, 7, 2, 1, 5, 2, 5, 2, 1, 9, 4, 0, 4, 2, 3, 7, 8, 8, 4, 3,  
9, 7, 5, 6, 3, 5, 6, 3, 4, 9, 1, 4, 4, 6, 9, 4, 7, 6, 6, 9, 1, 3,  
6, 1, 3, 0, 6, 5, 5, 1, 9, 5, 6, 0, 9, 0, 0, 1, 0, 4, 5, 2, 4, 5,  
7, 0, 7, 5, 9, 5, 5, 4, 7, 0, 4, 5, 5, 9, 9, 0, 2, 3, 8, 0, 6, 4,  
4, 9, 1, 2, 8, 3, 5, 2, 9, 0, 4, 4, 4, 3, 5, 3, 1, 3, 5, 9, 4, 2,  
7, 7, 4, 4, 1, 9, 2, 7, 9, 7, 2, 6, 9, 4, 0, 7, 2, 7, 5, 8, 7, 5,  
7, 9, 0, 6, 6, 4, 2, 8, 0, 9, 4, 6, 9, 9, 6, 9, 0, 3, 5, 6, 6, 0,
```

ame

Last Modified

3 months ago

3 months ago

3 months ago

4 months ago

13 days ago

next year

next year

14 days ago

L1.ipynb



L2.ipynb



L3.ipynb



Code

Notebook



Python 3 (ipykernel)

```
[25]: from sklearn.linear_model import LogisticRegression
```

```
[26]: lr = LogisticRegression(max_iter=1000)
```

```
[27]: lr.fit(x_train,y_train)
```

```
[27]:
```

LogisticRegression

Parameters

```
[29]: lr_pred=lr.predict(x_test)
lr_pred
```

```
[29]: array([6, 9, 3, 7, 2, 1, 5, 2, 5, 2, 1, 9, 4, 0, 4, 2, 3, 7, 8, 8, 4, 3,
        9, 7, 5, 6, 3, 5, 6, 3, 4, 9, 1, 4, 4, 6, 9, 4, 7, 6, 6, 9, 1, 3,
        6, 1, 3, 0, 6, 5, 5, 1, 3, 5, 6, 0, 9, 0, 0, 1, 0, 4, 5, 2, 4, 5,
        7, 0, 7, 5, 9, 5, 5, 4, 7, 0, 4, 5, 5, 9, 9, 0, 2, 3, 8, 0, 6, 4,
        4, 9, 1, 2, 8, 3, 5, 2, 9, 0, 4, 4, 4, 3, 5, 3, 1, 3, 5, 9, 4, 2,
        7, 7, 4, 4, 1, 9, 2, 7, 8, 7, 2, 6, 9, 4, 0, 7, 2, 7, 5, 8, 7, 5,
        7, 5, 0, 6, 6, 4, 2, 8, 0, 9, 4, 6, 9, 9, 6, 9, 0, 5, 5, 6, 6, 0,
        6, 4, 3, 9, 3, 8, 7, 2, 9, 0, 4, 5, 3, 6, 5, 9, 9, 8, 4, 2, 1, 3,
        7, 7, 2, 2, 3, 9, 8, 0, 3, 2, 2, 5, 6, 9, 9, 4, 1, 5, 4, 2, 3, 6,
        4, 8, 5, 9, 5, 7, 8, 9, 4, 8, 1, 5, 4, 4, 9, 6, 1, 8, 6, 0, 4, 5,
        2, 7, 1, 6, 4, 5, 6, 0, 3, 2, 3, 6, 7, 1, 9, 1, 4, 7, 6, 5, 8, 5,
```





Kernel Tabs Settings Help



Modified

months ago

months ago

months ago

months ago

3 days ago

next year

next year

4 days ago

L1.ipynb



L2.ipynb



L3.ipynb



Code

Notebook



Python 3 (ipykernel)

```
3, 1, 0, 4, 3, 0, 1, 3, 0, 0, 0, 0, 2, 0, 1, 3, 0, 3, 2, 1, 1,  
1, 8, 7, 4, 3, 8, 3, 5])
```

```
[30]: from sklearn.metrics import accuracy_score
```

```
[34]: print("Decision Tree")  
print("Accuracy:", accuracy_score(y_test, clf.predict(x_test)))
```

Decision Tree

Accuracy: 0.8472222222222222

```
[35]: print("SVM")  
print("Accuracy:", accuracy_score(y_test, svm.predict(x_test)))
```

SVM

Accuracy: 0.9861111111111112

```
•[32]: print("Logistic Regression")  
print("Accuracy:", accuracy_score(y_test, lr.predict(x_test)))
```

=== Logistic Regression ===

Accuracy: 0.975

```
[40]: from sklearn import metrics
```

```
[41]: confusion_matrix=metrics.confusion_matrix(y_test,y_pred)  
confusion_matrix
```

```
[41]: array([[29, 0, 1, 0, 2, 1, 0, 0, 0, 0],
```

Kernel Tabs Settings Help



I1.ipynb



L2.ipynb



L3.ipynb



+ ✂ 📄 📄 ▶ ■ ↺ ⏩ Code ▾

Notebook 📄 🛑 Python 3 (ipykernel) ○

[40]: `from sklearn import metrics`[41]: `confusion_matrix=metrics.confusion_matrix(y_test,y_pred)`
`confusion_matrix`[41]: `array([[29, 0, 1, 0, 2, 1, 0, 0, 0, 0],`
 `[0, 22, 1, 0, 1, 0, 1, 1, 1, 1],`
 `[0, 1, 25, 3, 0, 0, 2, 1, 1, 0],`
 `[0, 0, 0, 29, 0, 0, 1, 1, 3, 0],`
 `[0, 0, 0, 0, 42, 1, 2, 1, 0, 0],`
 `[0, 0, 1, 0, 1, 42, 1, 0, 1, 1],`
 `[0, 0, 0, 0, 1, 0, 34, 0, 0, 0],`
 `[0, 0, 0, 2, 2, 0, 0, 29, 1, 0],`
 `[0, 1, 0, 3, 2, 1, 0, 1, 20, 2],`
 `[0, 0, 0, 3, 2, 1, 0, 1, 0, 33]])`[]: `confusion_matrix=metrics.confusion_matrix(y_test,y_pred)`
`confusion_matrix`[42]: `from sklearn.metrics import classification_report`[45]: `print(classification_report(y_test, y_pred, digits=4))`

precision recall f1-score support

0 1.0000 0.8788 0.9355 33

1 0.0167 0.7857 0.0167 29



Kernel Tabs Settings Help



Modified

ths ago

ths ago

ths ago

ths ago

ays ago

ext year

ext year

ays ago

I1.ipynb



L2.ipynb



L3.ipynb



Code

Notebook Python 3 (ipykernel)

```
[46]: print(classification_report(y_test, svm_pred, digits=4))
```

	precision	recall	f1-score	support
0	1.0000	1.0000	1.0000	33
1	1.0000	1.0000	1.0000	28
2	1.0000	1.0000	1.0000	33
3	1.0000	1.0000	1.0000	34
4	1.0000	1.0000	1.0000	46
5	0.9787	0.9787	0.9787	47
6	0.9722	1.0000	0.9859	35
7	0.9706	0.9706	0.9706	34
8	1.0000	0.9667	0.9831	30
9	0.9500	0.9500	0.9500	40
accuracy			0.9861	360
macro avg	0.9872	0.9866	0.9868	360
weighted avg	0.9862	0.9861	0.9861	360

```
[47]: print(classification_report(y_test, lr_pred, digits=4))
```

	precision	recall	f1-score	support
0	1.0000	1.0000	1.0000	33
1	0.9655	1.0000	0.9825	28
2	1.0000	1.0000	1.0000	33
3	0.9706	0.9706	0.9706	34



l1.ipynb



l2.ipynb



L3.ipynb



Code

Notebook Python

macro avg	0.9872	0.9866	0.9868	360
weighted avg	0.9862	0.9861	0.9861	360

```
[47]: print(classification_report(y_test, lr_pred, digits=4))
```

	precision	recall	f1-score	support
0	1.0000	1.0000	1.0000	33
1	0.9655	1.0000	0.9825	28
2	1.0000	1.0000	1.0000	33
3	0.9706	0.9706	0.9706	34
4	1.0000	0.9783	0.9890	46
5	0.9184	0.9574	0.9375	47
6	0.9714	0.9714	0.9714	35
7	1.0000	0.9706	0.9851	34
8	0.9667	0.9667	0.9667	30
9	0.9744	0.9500	0.9620	40
accuracy			0.9750	360
macro avg	0.9767	0.9765	0.9765	360
weighted avg	0.9755	0.9750	0.9751	360