EXPERIMENT 3

Name : DHARSHAN D

REGNO 240701801

Code 1

```
import os
import sys

def rename_file(old_name, new_name):
    try:
        os.rename(old_name, new_name)
        print(f"File renamed from {old_name} to {new_name}")
    except FileNotFoundError:
        print(f"Error: {old_name} not found.")
    except Exception as e:
        print(f"An error occurred: {e}")

if __name___== "__main__":
    if len(sys.argv) != 3:
        print("Usage: python rename_file_cli.py <old_filename> <new_filename>")
    else:
        rename_file(sys.argv[1], sys.argv[2])
```

code 2

```
import tkinter as tk
from tkinter import messagebox
import os

def rename_file():
    old_name = old_filename_entry.get()
    new_name = new_filename_entry.get()
    try:
        os.rename(old_name, new_name)
```

```
        messagebox.showinfo("Success", f"File renamed from {old_name} to {new_name}")
    except FileNotFoundError:
        messagebox.showerror("Error", f"File {old_name} not found.")
    except Exception as e:
        messagebox.showerror("Error", f"An error occurred: {e}")

# Set up the main window
root = tk.Tk()
root.title("File Renamer")

# Create and place labels, entries, and buttons
tk.Label(root, text="Old Filename:").grid(row=0, column=0)
tk.Label(root, text="New Filename:").grid(row=1, column=0)
old_filename_entry = tk.Entry(root)
old_filename_entry.grid(row=0, column=1)
new_filename_entry = tk.Entry(root)
new_filename_entry.grid(row=1, column=1)
rename_button = tk.Button(root, text="Rename File", command=rename_file)
rename_button.grid(row=2, columnspan=2)

# Start the Tkinter event loop
root.mainloop()
```

code 3

```
import speech_recognition as sr
import os

def rename_file_from_voice_command(command):
    # Extracting old and new filename from the command
    try:
        words = command.split(" ")
        old_name = words[1]
```

```
        new_name = words[3]
        os.rename(old_name, new_name)
        print(f"File renamed from {old_name} to {new_name}")
    except Exception as e:
        print(f"Error: {e}")

def listen_for_command():
    recognizer = sr.Recognizer()
    mic = sr.Microphone()
    print("Listening for command to rename a file...")
    with mic as source:
        recognizer.adjust_for_ambient_noise(source)
        audio = recognizer.listen(source)
        try:
            command = recognizer.recognize_google(audio)
            print(f"Command received: {command}")
            rename_file_from_voice_command(command)
        except sr.UnknownValueError:
            print("Sorry, I couldn't understand the command.")
        except sr.RequestError as e:
            print(f"Could not request results from Google Speech Recognition service; {e}")

if __name___== "__main__":
    listen_for_command()
```