

QUESTIONS

- Q1**

Constructor and Destructor Execution Order

10 marks
- Q2**

Constructor Overloading Resolution

10 marks
- Q3**

Operator Overloading for Complex Numbers

10 marks
- Q4**

Shallow Copy in Hospital Management System

10 marks
- Q5**

Polynomial Class with Operator Overloading

10 marks
- Q6**

Static Member Behavior in a Banking System

10 marks
- Q7**

Friend Function vs Member Function

10 marks
- Q8**

Inheritance and Constructor Chaining

10 marks
- Q9**

Virtual Functions and Runtime Polymorphism

10 marks
- Q10**

Exception Handling in a File Processing System

10 marks

10/10 answered

Q1 Constructor and Destructor Execution Order

10 marks

Consider the following program:

```
class Demo {
int x;
public:
Demo(int a) { x = a; cout << "Constructor " << x << endl; }
~Demo() { cout << "Destructor " << x << endl; }
};

int main() {
Demo d1(10), d2(20);
}
```

Tasks:

1. Predict the exact output sequence.
2. Analyze the order of constructor and destructor execution.
3. Explain why destructors are called in reverse order.

Submitted Files

1921260102D_q15475_co3_at1_analytical_problem_solving_1.pdf

View

Awaiting faculty evaluation

QUESTIONS

- Q1**

Constructor and Destructor Execution Order

10 marks
- Q2**

Constructor Overloading Resolution

10 marks
- Q3**

Operator Overloading for Complex Numbers

10 marks
- Q4**

Shallow Copy in Hospital Management System

10 marks
- Q5**

Polynomial Class with Operator Overloading

10 marks
- Q6**

Static Member Behavior in a Banking System

10 marks
- Q7**

Friend Function vs Member Function

10 marks
- Q8**

Inheritance and Constructor Chaining

10 marks
- Q9**

Virtual Functions and Runtime Polymorphism

10 marks
- Q10**

Exception Handling in a File Processing System

10 marks

10/10 answered

Q2 Constructor Overloading Resolution

10 marks

```
class Product {
public:
    Product() { cout << "Default"; }
    Product(int x) { cout << "One param"; }
    Product(int x, int y) { cout << "Two param"; }
};
```

Tasks:

1. Analyze which constructor is called for different object declarations.
2. Predict the output for Product p1; Product p2(10); Product p3(10,20);
3. Explain how the compiler resolves constructor overloading.

Submitted Files

1921260102D_q15476_co3_at1_analytical_problem_solving_1.pdf

View

Awaiting faculty evaluation

QUESTIONS

- Q1** ✓

Constructor and Destructor Execution Order

10 marks
- Q2** ✓

Constructor Overloading Resolution

10 marks
- Q3** ✓

Operator Overloading for Complex Numbers

10 marks
- Q4** ✓

Shallow Copy in Hospital Management System

10 marks
- Q5** ✓

Polynomial Class with Operator Overloading

10 marks
- Q6** ✓

Static Member Behavior in a Banking System

10 marks
- Q7** ✓

Friend Function vs Member Function

10 marks
- Q8** ✓

Inheritance and Constructor Chaining

10 marks
- Q9** ✓

Virtual Functions and Runtime Polymorphism

10 marks
- Q10** ✓

Exception Handling in a File Processing System

10 marks

10/10 answered

Q3 Operator Overloading for Complex Numbers

10 marks

```
class Complex {
    int r, i;
public:
    Complex(int a, int b) { r = a; i = b; }
    Complex operator+(Complex c) {
        return Complex(r + c.r, i + c.i);
    }
};
```

Tasks:

1. Analyze how the + operator works for objects.
2. Predict the result of adding two Complex objects.
3. Compare operator overloading with function-based addition.

✓ Submitted Files

 1921260102D_q15477_co3_at1_analytical_problem_solving_1.pdf

 View

⌚ Awaiting faculty evaluation

QUESTIONS

Q1

Constructor and Destructor
Execution Order

10 marks



Q2

Constructor Overloading
Resolution

10 marks



Q3

Operator Overloading for
Complex Numbers

10 marks



Q4

Shallow Copy in Hospital
Management System

10 marks



Q5

Polynomial Class with Operator
Overloading

10 marks



Q6

Static Member Behavior in a
Banking System

10 marks



Q7

Friend Function vs Member
Function

10 marks



Q8

Inheritance and Constructor
Chaining

10 marks



Q9

Virtual Functions and Runtime
Polymorphism

10 marks



Q10

Exception Handling in a File
Processing System

10 marks



10/10 answered

Q4 Shallow Copy in Hospital Management System

10 marks

A hospital management system maintains patient records where each Patient object stores dynamically allocated medical history details (using pointers). When patient records are copied for insurance processing or referral to another hospital, the system uses copy constructors.

Tasks:

1. What problems may occur if the system uses a shallow copy while duplicating patient records?
2. How can this lead to issues such as data corruption or accidental modification of medical history?
3. Explain how a deep copy mechanism ensures safe duplication of patient records.

Submitted Files



1921260102D_q15478_co3_at1_analytical_problem_solving_1.pdf

View

Awaiting faculty evaluation

QUESTIONS

Q1 ✓
Constructor and Destructor
Execution Order
10 marks

Q2 ✓
Constructor Overloading
Resolution
10 marks

Q3 ✓
Operator Overloading for
Complex Numbers
10 marks

Q4 ✓
Shallow Copy in Hospital
Management System
10 marks

Q5 ✓
Polynomial Class with Operator
Overloading
10 marks

Q6 ✓
Static Member Behavior in a
Banking System
10 marks

Q7 ✓
Friend Function vs Member
Function
10 marks

Q8 ✓
Inheritance and Constructor
Chaining
10 marks

Q9 ✓
Virtual Functions and Runtime
Polymorphism
10 marks

Q10 ✓
Exception Handling in a File
Processing System
10 marks

10/10 answered

Q5 Polynomial Class with Operator Overloading

10 marks

A polynomial can be represented as a list of coefficients, where each index represents the power of the variable (e.g., $3 + 2x + 5x^2 \rightarrow [3, 2, 5]$). Design a C++ class Polynomial that stores coefficients dynamically and overloads the + operator to add two polynomials.

Tasks:

1. Analyze how operator overloading simplifies polynomial addition compared to a traditional function-based implementation.
2. Examine the internal working of adding two polynomials of different degrees.
3. Discuss memory handling issues when using dynamic arrays for storing coefficients.

✓ Submitted Files

 1921260102D_q15479_co3_at1_analytical_problem_solving_1.pdf

 View

 Awaiting faculty evaluation

QUESTIONS

Q1

Constructor and Destructor
Execution Order
10 marks

Q2

Constructor Overloading
Resolution
10 marks

Q3

Operator Overloading for
Complex Numbers
10 marks

Q4

Shallow Copy in Hospital
Management System
10 marks

Q5

Polynomial Class with Operator
Overloading
10 marks

Q6

Static Member Behavior in a
Banking System
10 marks

Q7

Friend Function vs Member
Function
10 marks

Q8

Inheritance and Constructor
Chaining
10 marks

Q9

Virtual Functions and Runtime
Polymorphism
10 marks

Q10

Exception Handling in a File
Processing System
10 marks

10/10 answered

Q6 Static Member Behavior in a Banking System

10 marks

```
class Account {
    static int totalAccounts;
    int accNo;
public:
    Account() { totalAccounts++; accNo = totalAccounts; }
    static int getTotal() { return totalAccounts; }
};

int Account::totalAccounts = 0;

int main() {
    Account a1, a2, a3;
    cout << Account::getTotal();
    {
        Account a4;
        cout << Account::getTotal();
    }
    cout << Account::getTotal();
}
```

Tasks:

1. Predict the exact output of the program.
2. Analyze why the static member retains its value even after a4 goes out of scope.
3. Explain why getTotal() can be called without creating an object, and justify when static members are appropriate in real-world systems.

Submitted Files

1921260102D_q15480_co3_at1_analytical_problem_solving_1.pdf

View

Awaiting faculty evaluation

View Only

QUESTIONS

- Q1** ✓

Constructor and Destructor Execution Order

10 marks
- Q2** ✓

Constructor Overloading Resolution

10 marks
- Q3** ✓

Operator Overloading for Complex Numbers

10 marks
- Q4** ✓

Shallow Copy in Hospital Management System

10 marks
- Q5** ✓

Polynomial Class with Operator Overloading

10 marks
- Q6** ✓

Static Member Behavior in a Banking System

10 marks
- Q7** ✓

Friend Function vs Member Function

10 marks
- Q8** ✓

Inheritance and Constructor Chaining

10 marks
- Q9** ✓

Virtual Functions and Runtime Polymorphism

10 marks
- Q10** ✓

Exception Handling in a File Processing System

10 marks

10/10 answered

Q7 Friend Function vs Member Function

10 marks

```
class Distance {
    int meters;
public:
    Distance(int m) { meters = m; }
    friend Distance add(Distance, Distance);
};
```

```
Distance add(Distance d1, Distance d2) {
    return Distance(d1.meters + d2.meters);
}
```

Tasks:

1. Analyze how the friend function accesses private members of the class.
2. Compare the use of a friend function with a member function for the same operation.
3. Justify when a friend function is more appropriate than a member function, and discuss its impact on encapsulation.

✓ Submitted Files

 1921260102D_q15481_co3_at1_analytical_problem_solving_1.pdf

 View

 Awaiting faculty evaluation

QUESTIONS

- Q1**

Constructor and Destructor Execution Order

10 marks
- Q2**

Constructor Overloading Resolution

10 marks
- Q3**

Operator Overloading for Complex Numbers

10 marks
- Q4**

Shallow Copy in Hospital Management System

10 marks
- Q5**

Polynomial Class with Operator Overloading

10 marks
- Q6**

Static Member Behavior in a Banking System

10 marks
- Q7**

Friend Function vs Member Function

10 marks
- Q8**

Inheritance and Constructor Chaining

10 marks
- Q9**

Virtual Functions and Runtime Polymorphism

10 marks
- Q10**

Exception Handling in a File Processing System

10 marks

10/10 answered

Q8 Inheritance and Constructor Chaining

10 marks

```
class A {
public:
A() { cout << "A "; }
~A() { cout << "~A "; }
};

class B : public A {
public:
B() { cout << "B "; }
~B() { cout << "~B "; }
};

class C : public B {
public:
C() { cout << "C "; }
~C() { cout << "~C "; }
};

int main() {
C obj;
}
```

Tasks:

1. Predict the exact output of the program.
2. Analyze the order in which constructors and destructors are invoked in an inheritance hierarchy.
3. Explain why base class constructors are called before derived class constructors, and why destructors follow the reverse order.

Submitted Files

 1921260102D_q15482_co3_at1_analytical_problem_solving_1.pdf

 View

 Awaiting faculty evaluation

QUESTIONS

- Q1** ✓

Constructor and Destructor Execution Order

10 marks
- Q2** ✓

Constructor Overloading Resolution

10 marks
- Q3** ✓

Operator Overloading for Complex Numbers

10 marks
- Q4** ✓

Shallow Copy in Hospital Management System

10 marks
- Q5** ✓

Polynomial Class with Operator Overloading

10 marks
- Q6** ✓

Static Member Behavior in a Banking System

10 marks
- Q7** ✓

Friend Function vs Member Function

10 marks
- Q8** ✓

Inheritance and Constructor Chaining

10 marks
- Q9** ✓

Virtual Functions and Runtime Polymorphism

10 marks
- Q10** ✓

Exception Handling in a File Processing System

10 marks

10/10 answered

Q9 Virtual Functions and Runtime Polymorphism

10 marks

A graphics application uses a base class Shape and derived classes Circle, Rectangle, and Triangle. Each shape needs to compute its own area, but the application stores all shapes in a single array of Shape* pointers and invokes area() on each.

Tasks:

1. Analyze why declaring area() as a virtual function in the base class is essential.
2. Predict what would happen if area() were not declared virtual when called through a base class pointer.
3. Justify how runtime polymorphism enables extensibility, and discuss the trade-off in performance due to the vtable mechanism.

✓ Submitted Files



1921260102D_q15483_co3_at1_analytical_problem_solving_1.pdf

View

⌚ Awaiting faculty evaluation

QUESTIONS

- Q1** ✓

Constructor and Destructor Execution Order

10 marks
- Q2** ✓

Constructor Overloading Resolution

10 marks
- Q3** ✓

Operator Overloading for Complex Numbers

10 marks
- Q4** ✓

Shallow Copy in Hospital Management System

10 marks
- Q5** ✓

Polynomial Class with Operator Overloading

10 marks
- Q6** ✓

Static Member Behavior in a Banking System

10 marks
- Q7** ✓

Friend Function vs Member Function

10 marks
- Q8** ✓

Inheritance and Constructor Chaining

10 marks
- Q9** ✓

Virtual Functions and Runtime Polymorphism

10 marks
- Q10** ✓

Exception Handling in a File Processing System

10 marks

10/10 answered

Q10 Exception Handling in a File Processing System

10 marks

A file processing system reads student records from multiple files. Some files may not exist, some may contain invalid data, and some may be empty. The developer wants to ensure that the program does not crash and continues processing the remaining files gracefully.

Tasks:

1. Analyze how try-catch blocks can be used to handle different types of exceptions (file not found, invalid format, empty file).
2. Examine the role of custom exception classes in providing meaningful error messages.
3. Justify why exception handling is preferred over traditional error-checking with return codes in large object-oriented systems.

✓ Submitted Files



1921260102D_q15484_co3_at1_analytical_problem_solving_1.pdf



View



Awaiting faculty evaluation