Standardised Architectural layout modules

Checklist: Outpatient Services: Clinical room wise requirements

S No	Room Name	Dimensions (Optional to include)		Equipment / Instruments													Procedure requirements						Furniture								
		in feet	In Sq. ft	Slit Lamp	Direct Ophthalmoscope	Electric Torch	Indirect Ophthalmoscope	Ophthalmic Chart Projector & Display or Aurochart	Refraction Table	NCT Machine	IOP Machine	Streak retinoscope	RAF ruler	Microscope	Fundus Camera	LCD monitor	Computer + printer	Wash Basin	Ceiling Light	Wall mounted light	Dimmer	Temprature and humudity control	Recovery for GA patients	Attender's Chair	Patient's chair	Patient's stool	Patient's couch / bed	Examiner's chair	Examiner's stool	Examiner's table	Storage Shelf	Others (Mention)
I	**Patient registration & coordination area**																														
1	Patient registration															✓	✓		✓													
2	Waiting area-I															✓																
3	Waiting area-II															✓																
4	Waiting area-III															✓																
II	**Examination area**																														
5	Standard exam room			✓	✓	✓	✓											✓	✓		✓			✓		✓		✓		✓	✓	
6	Paediatric exam			✓	✓	✓	✓	✓				✓						✓	✓		✓			✓		✓	✓	✓		✓	✓	
7	ROP room																		✓					✓	✓		✓			✓	✓	
III	**Assessment area**																														
8	Vision room					✓		✓	✓			✓	✓						✓	✓					✓			✓		✓	✓	
9	Refraction room					✓		✓	✓			✓	✓						✓	✓					✓			✓		✓	✓	
10	Strabismus examination room (* Synoptophore, Triangle table, Loose prism)					✓		✓				✓	✓						✓					✓	✓			✓		✓	✓	
11	Investigation room					✓				✓	✓								✓							✓	✓	✓			✓	
12	Multipurpose room (*Bejerrum screen)					✓		✓	✓			✓	✓						✓							✓		✓			✓	
13	Manual biometry room (*IOL Master, Kerotometer)																✓	✓	✓			✓		✓		✓		✓	✓	✓	✓	
III	**Assessment area**																														
14	Hess Diplopia room (*Perimetry, Hess chart)																		✓					✓		✓						
15	HFA room (*HFA Machine)																✓		✓		✓	✓			✓	✓		✓				
16	HRT room (*HRT Machine)																✓		✓	✓	✓	✓				✓		✓				
17	Duct, scrapping and pachymetry room							✓						✓				✓	✓		✓						✓	✓	✓		✓	
18	Specular Microscopy													✓			✓		✓					✓		✓		✓				
19	Zywave, Orbscan room (*Zywave Orbscan)																✓	✓	✓		✓	✓		✓		✓		✓		✓	✓	
20	Pachymetry/Pentacom room (*Pentacom machine)																✓		✓		✓	✓				✓		✓				
21	Confocal room (*confocal machine)																✓		✓		✓	✓				✓		✓				
22	CCT room (*CCT Machine)																	✓	✓						✓			✓		✓		
23	OCT room (*OCT machine)																✓		✓							✓		✓		✓	✓	
24	FFA room (*Topcon Zeiss, stretcher)																✓	✓	✓		✓	✓				✓	✓	✓		✓	✓	
25	USG and UBM (*Ultra sonography)																✓		✓			✓					✓	✓		✓	✓	
26	ERG room (*ERG machine. cylinder oxygen and crash cart)																✓		✓		✓	✓					✓	✓		✓	✓	
27	ERG recovery room																		✓				✓	✓			✓			✓	✓	
V	**Procedure area**																														
28	Dilatation area																		✓					✓	✓							
29	I & D room																															
30	YAG capsulotomy room (*Yag laser machine)																		✓		✓	✓				✓		✓		✓	✓	

Checklist: Outpatient Services: Clinical room wise requirements

S No	Room Name	Dimensions (Optional to include)				Equipment / Instruments														Procedure requirements							Furniture									
		in feet			In Sq. ft	Slit Lamp	Direct Ophthalmoscope	Electric Torch	Indirect Ophthalmoscope	Ophthalmic Chart Projector & Display or Aurochart	Refraction Table	NCT Machine	IOP Machine	Streak retinoscope	RAF ruler	Microscope	Fundus Camera	LCD monitor	Computer + printer		Wash Basin	Ceiling Light	Wallmounted light	Dimmer	Temprature and humudity control	Recovery for GA patients		Attender's Chair	Patient's chair	Patient's stool	Patient's couch / bed	Examiner's chair	Examiner's stool	Examiner's table	Storage Shelf	Others (Mention)
31	Yag Pi Laser (*Yag Pi laser machine)																				✓		✓	✓					✓			✓		✓		
32	Typical laser room for retina (* Recommended laser machine)																		✓		✓	✓		✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	
33	Lacrimal exam/suture removal room																			✓	✓	✓								✓	✓	✓				
34	Ocular prosthetic room																			✓	✓						✓	✓			✓		✓	✓		
35	Aesthetic clinic																				✓															
36	Oncology/ Trauma clinic					✓	✓	✓	✓											✓	✓						✓		✓		✓		✓	✓		
37	Low vision assesement room (*LCD Screen)																		✓		✓		✓				✓		✓				✓	✓		
38	Vision stimulation room (*LCD Screen)																		✓	✓	✓		✓										✓	✓		
V	Procedure area																																			
39	Counselling room																		✓		✓						✓	✓			✓		✓	✓		

Recommendations:

1. Washbasin in every room.
2. Computer with LAN connection or wireless connectivity in every room in the patient care area (a default requirement if there is a plan to deploy EMR)
4. Display monitors in the waiting area - to display patients queue in EMR eco-system /or for awareness creation;

Note: Equipments mentioned with '*' in bracket to be installed in the respective room