Checklist: High level considerations for operation theatre complex

S No	Operation theatre complex functions	Yes/No	Details	Yes/No	Description/Remarks
A	**Semi-restricted zone**				
1	Do you plan to perform surgeries under general anaesthesia?		1) If yes, do you plan to provide a separate area for preparation and recovery		For paediatric group/advanced eye surgeries
2	Waiting areas: Do you plan to have separate waiting area for patients undergoing surgery under local anaesthesia and general anaethesia?		If yes, would you plan a separate waiting area for attendants of patients who are administered general anaethesia?		
3	Does local anaesthesia include:				Injections such as subtenons, peribulbar or retrobulbar - blocks administered in lying position
	Topical				
	Injection type				
4	Do you plan to have separate areas for screening the patients and administering the block?				Screening area is where patient details are updated (including arrival and exit timings)
5	Do you plan to have an ICU within the OT complex?				To handle any medical emergencies,
B	**Restricted / Sterile zone:**				
6	Do you plan to have a separate holding area to prepare patients for surgery?				This reduces the turnaround time in between the surgeries
7	Do you plan to provide separate service corridor to				
	- to transfer used/unsterile instruments and linen?				
	- to transfer sterile instruments and linen?				
8	Do you plan to include a short-cycle autoclaving process in addition to long-cycle autoclaving		If yes, would be placed in the CSSD itself?		Flash steriliser to autoclave surgical instruments in between the surgeries
	Do you plan to have minor OT within the OT complex?				
9	Will there a store to maintain sterile consumables?				This store will stock the consumables required to perform surgeries
C	**Central Sterile Supplies Department**				
10	Do you plan for an uni-directional flow of the sterile instruments/ linen?				To avoid mixing up the sterile and unsterile instruments/linen etc.
11	Do you plan on a gas steriliser?				
12	Does the plan include a storage area for the sterile instruments and linen?				

Standardised Architectural Modules for Layouts

Checklist: Detailed checklist for operation theatre complex

S No	Operation theatre complex functions	Yes/No	Proposed location	Description/Remarks
A	**Semi restricted zone (Pre-operation zone)**			
1	Patient zone			
1.1	Lobby, screening & waiting area			Patient details updated a the time of entry & exit
1.2	Patient preparation area			Some hospitals may have dress change for patients as part of the protocol
1.3	Local anaesthesia area			Provision to administer the topical and injection type anaethesia
	Topical			Blocks administered in sitting position
	Injection type			Subtenons, peribulbar or retrobulbar - blocks administered in lying position
1.5	General anaesthesia area			
	Preparation area for patients receiving general anaesthesia			For paediatric group/advanced eye surgeries
	Waiting area for attendants of patients who will be adminstered general anaesthesia			
1.6	Intensive care unit to handle emergencies			Treatment and care for unforeseen emergency situations
1.7	Toilets and water points			
2	Staff zone			Separate entry can be provided to the patients and staff depending on the space availability
2.1	Dress change rooms			
	Doctors - male			a) Change to sterile gowns before entering the sterile zone, b) To provide lockers, a table, (3' by 2') & space for placing one or two coat stand Dress change - can be divided as male and female or by the roles - whatever is applicable locally
	Doctors - female			
	Nurses			
	Wardboys			
2.2	Staff lounge with toilets			a) Lounge for the staff to rest in between surgery and refresh b) No of toilets to be decided by the hospital depending on the number of operating rooms and staff
	Doctors			
	Nurses			
	Wardboys & other staff			
2.3	Janitor's store			Store and cleaing and washing equipments / can be part of staff lounge
B	**Restricted / sterile zone (Surgery zone):**			
3	Restricted corridor			Passage connecting blocked patients and gowned staff to operating rooms
4	Air-lock rooms			Buffer zone before entering the surgery zone
5	Scrub alcove			Hand wash and gowning area for the staff
6	Wheelchair/Stretcher alcove			Wheel chairs storing area
7	Waiting area			Waiting area for patients pre-surgery
8	Anaesthetist room			To administer general anaesthesia
9	Operating rooms			No of operating rooms to be determined by patient volumes & sub-speciality surgeries
10	Sterile consumables store			Surgical sterile needs during surgery acccessed form this room
C	**Central Sterile Supplies Department (CSSD)**			
16	Receiving room			Room for receiving soiled items and dispatch for sterilization
17	Soiled linen washing room			Washing area for staff linen
18	Linen packing room			Packing of linen
19	Washing room for soiled surgical supplies (especially instruments)			Washing soiled surgical supplies, 10'x10' room for washing surgical bins and vessels;
20	Surgical supplies packing room			Packing surgical supplies post washing
21	Room for storing sterile surgical supplies			10' by 15' room for storing saline, cotton and bandage rolls, extra linen, masks, caps, foot wear
22	Designated area for short-cycle autoclaving			To sterilise surgical instruments in between surgeries
23	Designated area for long-cycle autoclaving			
24	Gas sterlization room			Surgical equipments sterlized with ethylene oxide sterlizer
25	Sterlie supply store			Store and issue of sterile supplies to theatre
26	Dress change room with toliet			
D	**Recovery area (Post-surgery zone)**			
27	Day care ward for patients with no hospital stay			
28	Recovery room for patients who were operated under general anaesthesia			
29	Toilets			
E	**Services area (Service zone)**			
30	AHU room			Air-handling unit
31	Janitor room			Housekeeping area

Note:

** Foot washing is required depending on the personal hygiene of the patient. Should be positioned before the theatre lobby

** Short cycle and long cycle - Current autoclaves performs both short and long cycles. Additional space can be considered if the hospital plans to have more than one autoclave