Standardised Architectural Modules for Layouts

Checklist for an operating room

S No	Room Name	Yes/No	In numbers (where applicable)
1	**Equipment - Clinical** (Equipment may vary in ORs handling paediatric patients,		
1.1	Operating microscope		
1.2	Phaco machine		
1.3	Mini-crash cart		
1.4	Pulse oximeter		
1.5	CT/MRI scan reader		
1.6	Centralised piped/cylinder oxygen supply		
1.7	Others:		
	Anterior/Posterior vitrectomy		
	Boyle's apparatus		
2	**Instrumentation - Non-clinical**		
	LCD monitor		
	Computer & peripherals		
	LAN/Wireless connectivity		
	Power supply sockets		
	Intercom facility to communicate within the OT complex		
3	**Furniture**		
3.1	Operating table(s)		
3.2	Patient foot rest		
3.3	Portable worktops		

3.4	Instrument trolleys		
3.5	Surgeon's stool		
3.6	Observer's stool		
4	**Operating room set up**		
	Separate outlet or exit door to pass unsterile/used instruments/linen		
	Separate entry/exit for patients and staff		
	Compressed air		
	Temerature & humidity control		
	Fixed worktops		
	AHU conduit		

* Preferred practices (such as flooring, walls, power supply, AHU related will be discusse

New checklist

Remarks
, vitreo-retina surgeries, LASIK or minor surg
Except a dedicated operating room to perform vitreo-retina surgeries
In the case of teaching hospital
In the case of EMR
for charging and continued power supply through UPS as well as regular power supply
More than one table in case of twin table throughput model

If it is a teaching hospital or as required
Desired: To maintain 20 Deg celsius Humidity: around 66%
1 or 2 per operating room
AHU - separate for each operating room:

ed in the write-up