

Section 5b - Guidelines for OT and Ward

Checklist - OT Complex Room-wise Requirements - to carry out procedures and furniture

Version : Phase -1

Doc. No. 1240-A-Doc-042 V1 R0/OCT-14

S No	Room Name	Procedure Requirements								Furniture								Remarks
		Wash basin	Washing sinks	Toilet	Centralised piped/ cylinder oxygen	Crash cart	Computer + Printer	Temperature and humidity control		Patient's chair	Patient's couch / bed / Nurse / Surgeon's/ Examiner's stool	MLOP/ Nurse/ Examiner's table	Observer's stool	Attender's chair	Stretcher / Wheel chair	Storage shelf		
A	Semi-restricted corridor (Pre-operation zone)																	
I	Patient zone																	
1	Lobby and screening & waiting area			✓			✓	✓		✓			✓				✓	Patient details updated at entry & exit time
2	Patient preparation area	✓								✓	✓						✓	
3	Local anaesthesia area -	✓		✓	✓	✓	✓	✓		✓	✓	✓	✓			✓	✓	During & after procedure: Chairs for topical type/ Couch for injection type
4	Rooms for general anaesthesia																	
4.1	Waiting room for patients going through general anaesthesia	✓		✓	✓	✓	✓	✓		✓	✓	✓	✓		✓	✓	✓	Centralised oxygen supply at every bed
4.2	Waiting area for the attendants of the patients who underwent surgery under GA														✓			
5	Recovery room for patients who underwent surgery under GA	✓		✓	✓	✓	✓	✓		✓	✓	✓	✓		✓	✓	✓	
6	Intensive care unit to handle emergencies	✓		✓	✓	✓	✓	✓		✓	✓	✓	✓	✓		✓	✓	Centralised oxygen supply at every bed
II	Staff zone																	
7	Dress change rooms																	
7.1	Doctors - male	✓		✓													✓	
7.2	Doctors - female	✓		✓													✓	
7.3	Nurses	✓		✓													✓	
7.4	Wardboys	✓		✓													✓	
8	Staff lounge																	
8.1	Doctors	✓		✓													✓	
8.2	Nurses	✓		✓													✓	May include mini dining tables/Teapoys
8.3	Wardboys & other staff	✓		✓													✓	
9	Janitor's store																✓	
B	Restricted / Sterile zone																	
6	Restricted corridor							✓		✓								Patients waiting closer to the ORs for their turn; patient details checked here
7	Scrub alcove	✓																
8	Wheelchair & stretcher alcove															✓		
9	Waiting area (small)									✓								

[illegible]