Status	Finished
Started	Friday, 9 October 2026, 6:10 PM
Completed	Friday, 9 October 2026, 6:14 PM
Duration	3 mins 29 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True
False

b. True ✓
True

c. False
True

d. False
False

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

b. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

c. TypeError: update() doesn't allow list as a argument.

d. Name Error

Question **3**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

```
t1=(55,12,78,64,25)
t1.pop(12)
print(tuple1)
```

a. 12

b. Error ✓

c. (12)

d. (55,78,64,25)

Question **4**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

a. [55, 33, 11] ✓

b. [(55,33,11)]

c. ([55,33,11])

d. (55,33,11)

Question **5**

Correct

Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

- a. No, No
- b. Yes, Yes
- c. "==" is not supported for set in Python
- d. Yes, No ✓

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

- a. {'rec', 1, ('cse', 'ece')} ✓
- b. {'rec', 1, ('cse', 'ece'),True}
- c. {'rec', True, ('cse', 'ece')}
- d. Error

Question **7**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. del.sampleSet("ECE")

b. remove.sampleSet("ECE")

c. sampleSet.discard("ECE") ✓

d. sampleSet.delete("ECE")

Question **8**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. [1, 4, 8] ✓

b. [1, 2, 4, 3, 8, 9]

c. [2, 3, 9]

d. (1, 4, 8)

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl.sort()

b. tupl1=tupl+tupl ✓

c. tupl.append(2)

d. tupl[1]=2

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, '10', 50, 20, 60, 30}

b. {40, 10, '10', 50, 20, 60, 30} ✓

c. SynatxError: Different types cannot be used with sets

d. {40, 10, 50, 20, 60, 30}

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. i,ii ✓

b. ii

c. iii

d. All of the above

Question **12**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

```

```

a. str

b. <class 'tuple'>

c. <class 'str'> ✓

d. <class 'int'>

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

a. ("Wonder")

b. [1,2,3,4]

c. {1,3,8,9,41}

d. (1,4,5,6,7) ✓

Question **14**

Correct

Mark 1.00 out of 1.00

```
What is the output of the following code?
```

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (10, 20, 30, 40) (40, 50, 60, 70, 80)

b. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

c. (30, 40, 50) (10, 20, 30, 40)

d. (30, 40, 50)(40, 50, 60, 70, 80)

Question **15**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

```
t = (15,83,83,52,60,45,52,85,100)
print(min(t)+max(t)+t.count(52))
```

a. 2

b. 117 ✓

c. 100

d. Error