

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)

Department of Computer Science and Engineering

ASSESSMENT TOOL 1 – PSEUDOCODE WRITING TASK

Course Code:	CSA0305	Course Title:	Data Structures
CO Assessed:	CO5 – Naturalization (BL4, BL6)	Assessment:	Assessment Tool 1 – Pseudocode Writing Task
Weightage:	35% of CIA	Total Marks:	100
CO5 Statement:	<i>Construct MST using shortest path algorithms and traverse the graph to model and analyse realworld problem.</i>		
Student Name:	S Dharshini	Reg. No.:	192511260
Section / Batch:	2025-2 nd year CSE	Date:	31/08/2026

Code of Conduct

I _____ (Name / Reg No)
certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action. Signature of the Student: _____

Instructions

- This test contains 5 Pseudocode Writing Task questions. Total: 100 Marks.
- When a student answer using pseudocode writing task should evaluate based on the ability to design clear, logical, and efficient pseudocode solutions for data structure problems.
- No negative marking. Unanswered questions carry zero marks.

Section / Topic	Focus	Q Nos	Marks
Minimum Spanning Tree	Kruskal's Algorithm	1	20
Graph Sorting	Topological Sort	2	20

Shortest Path Algorithm	MST & Dijkstra's Algorithm	3	20
Shortest Path Algorithm	Dijkstra's Algorithm	4	20
Minimum Spanning Tree	Prim's or Kruskal's Algorithm	5	20
GRAND TOTAL:			100 Marks

Rubrics for Calculation

Criteria	Weightage	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Problem Understanding	20	Demonstrates complete and clear understanding; handles edge cases effectively	Good understanding; minor gaps in edge case handling	Partial understanding; misses some requirements	Misinterprets problem; major gaps
Code Correctness	30	Fully correct; passes all test cases	Mostly correct; minor errors	Partially correct; several test cases fail	Incorrect or nonfunctional code
Code Quality & Readability	20	Clean, modular, wellcommented, follows standards	Readable with some structure	Limited readability; poor structure	Unorganized and hard to read
Complexity Analysis	20	Accurate time & space complexity with justification	Correct but limited explanation	Incomplete or partially correct	Missing or incorrect
Testing & Validation	10	Thorough testing including edge cases	Adequate testing with few edge cases	Minimal testing	No testing evidence
Faculty In-charge		Course Coordinator		Program Director	
Signature: _____		Signature: _____		Signature: _____	
Date: _____		Date: _____		Date: _____	

QUESTIONS

Q1
Minimum Spanning Tree -
Kruskal's Algorithm
20 marks

Q2
Graph - Topological Sort
20 marks

Q3
Shortest Path Algorithm -
Minimum Spanning Tree &
Dijkstra's
20 marks

Q4
Shortest Path Algorithm -
Dijkstra's Algorithm
20 marks

Q5
Minimum Spanning Tree -
Prim's or Kruskal's Algorithm
20 marks

1/5 answered

Q1 Minimum Spanning Tree - Kruskal's Algorithm

20 marks

Write pseudocode for constructing an MST using Kruskal's Algorithm. A city planning department needs to connect multiple zones with underground fiber-optic cables. Each zone is represented as a vertex, and possible cable connections between zones are represented as edges with installation costs (weights).

Constraints:

- All zones must be connected
- Total installation cost must be minimized
- No redundant connections (no cycles) allowed
- The network must remain fully connected

Your Answer

```
ALGORITHM Kruskal_MST(Graph G)
// G contains V vertices (zones) and E edges (possible cable connections) with weights (installation costs)
```

```
BEGIN
// Step 1: Initialize
```

Save Answer

Next →

QUESTIONS

Q1
Minimum Spanning Tree -
Kruskal's Algorithm
20 marks

Q2
Graph - Topological Sort
20 marks

Q3
Shortest Path Algorithm -
Minimum Spanning Tree &
Dijkstra's
20 marks

Q4
Shortest Path Algorithm -
Dijkstra's Algorithm
20 marks

Q5
Minimum Spanning Tree -
Prim's or Kruskal's Algorithm
20 marks

2/5 answered

Q2 Graph - Topological Sort

20 marks

A DAG represents task dependencies. Write pseudocode for Topological Sort using DFS with cycle detection.

Constraints:

- Detect cycle before sorting
- Use DFS approach

Your Answer

```
ALGORITHM TopologicalSortDFS(Graph G)
// color[] tracks node state: WHITE (unvisited), GRAY (in progress), BLACK (finished)
for each vertex v in G:
    color[v] = WHITE
    parent[v] = NULL
```

Save Answer

Next →

QUESTIONS

Q1

Minimum Spanning Tree -
Kruskal's Algorithm
20 marks



Q2

Graph - Topological Sort
20 marks



Q3

Shortest Path Algorithm -
Minimum Spanning Tree &
Dijkstra's
20 marks



Q4

Shortest Path Algorithm -
Prim's or Kruskal's Algorithm
20 marks

Q5

Minimum Spanning Tree -
Prim's or Kruskal's Algorithm
20 marks

Q3 Shortest Path Algorithm - Minimum Spanning Tree & Dijkstra's

20 marks

Write pseudocode integrating MST + Dijkstra for Smart transportation system.

Constraints:

- Use MST for infrastructure
- Use shortest path for routing

Your Answer

```
BEGIN SmartTransportationSystem
```

```
// ----- PART A: Build Infrastructure using MST -----
```

```
STRUCTURE Graph:
```

```
Nodes = List of locations (junctions/stations)
```

Save Answer

Next →

✓ Saved

PSEUDOCODE WRITING TASK

← Back

QUESTIONS

Q1

Minimum Spanning Tree -
Kruskal's Algorithm
20 marks



Q2

Graph - Topological Sort
20 marks



Q3

Shortest Path Algorithm -
Minimum Spanning Tree &
Dijkstra's
20 marks



Q4

Shortest Path Algorithm -
Dijkstra's Algorithm
20 marks



Q5

Minimum Spanning Tree -

Q4 Shortest Path Algorithm - Dijkstra's Algorithm

20 marks

Shortest Path with "Toll-Free" Voucher: You have a voucher that allows you to traverse one edge for free (weight = 0). Write pseudocode to find the shortest path from S to D utilizing this voucher optimally.

Your Answer

```
ALGORITHM ShortestPathWithVoucher(Graph G, Source S, Destination D)
```

```
// State: (node, voucher_used?)
```

```
// voucher_used = 0 -> voucher still available
```

```
// voucher_used = 1 -> voucher already used
```

Save Answer

Next →

PSEUDOCODE WRITING TASK

[← Back](#)

QUESTIONS

Q1

Minimum Spanning Tree -
Kruskal's Algorithm
20 marks

Q2

Graph - Topological Sort
20 marks

Q3

Shortest Path Algorithm -
Minimum Spanning Tree &
Dijkstra's
20 marks

Q4

Shortest Path Algorithm -
Dijkstra's Algorithm
20 marks

Q5

Minimum Spanning Tree -
Prim's or Kruskal's Algorithm
20 marks

Q5 Minimum Spanning Tree - Prim's or Kruskal's Algorithm

20 marks

Second Best Spanning Tree: Design pseudocode to find the "Second Best" MST.

Hint: Find the MST first, then for every edge in the MST, try removing it and finding the next best edge to replace it.

Your Answer

ALGORITHM SecondBestMST(Graph G)

// Step 1: Find the Minimum Spanning Tree using Kruskal's or Prim's Algorithm

MST = Kruskal(G)

MST_Weight = SUM of weights of edges in MST

[Save Answer](#)