


SET 14

Survey Results Analysis

Dataset (CSV)

Procedure

- 1. Import survey data.
- 2. Create stacked bar chart.
- 3. Generate radar chart.
- 4. Build response table.
- 5. Design dashboard.



survey responses				
Respondent	Q1	Q2	Q3	
1	1 A	B	C	
2	2 B	A	D	
3	3 C	A	B	

R Code

```
library(ggplot2)
```

```
library(fmsb)
```

```
library(DT)
```

```
survey <- data.frame(
```

```
  Respondent=c(1,2,3),
```

```
  Q1=c("A","B","C"),
```

```
  Q2=c("B","A","A"),
```

```
  Q3=c("C","D","B")
```

```
)
```

```
# Q1 Stacked Bar Chart
```

```
q1_count <- as.data.frame(table(survey$Q1))
```

```
colnames(q1_count) <- c("Answer","Count")
```

```
ggplot(q1_count,
```

```
  aes(x="Q1",
```

```
    y=Count,
```

```
    fill=Answer)) +
```

```
geom_bar(stat="identity") +
```

```
labs(title="Distribution of Answers - Q1",
```

```
  x="Question 1",
```

```
  y="Count")
```

```
# Q2 Radar Chart
```

```
radar <- data.frame(
```

```
A=c(3),  
B=c(2),  
C=c(2),  
D=c(1)  
)
```

```
radar <- rbind(  
  c(5,5,5,5),  
  c(0,0,0,0),  
  radar  
)
```

```
radarchart(radar,  
  axistype=1,  
  title="Survey Response Pattern")
```

```
# Q3 Table
```

```
datatable(survey,  
  caption="Survey Responses")
```

```
# Q4 Dashboard Components
```

```
# Stacked Bar + Radar + Table
```