

Project Executable Files

Date	15 September 2026
Team ID	SWTID-2026-7879
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	3 Marks

Project Executable Files

This section requires submission of all executable and deployable files for your project. Ensure all files are properly organized, named, and uploaded to the specified submission platform. The evaluator must be able to run or deploy your solution using the provided files and instructions.

Step 1: Submission Checklist

S.No	Item	Submitted
1	Complete source code / ACL scripts	Yes
2	README / Setup Guide	Yes
3	Dependency file	N/A
4	Database Schema	N/A – ServiceNow platform database
5	Environment Configuration	N/A / As applicable
6	Deployed Application URL	Instance Link
7	APK / Executable	N/A
8	Dockerfile	N/A
9	Test Files / Results	Yes
10	Demo Video	Add link if available

Step 2: File / Folder Structure

Provide an overview of your project's file and folder structure below:

Script-Controlled-ACL/

```

|
|  └─ README.md
|  └─ Documentation/
|    └─ Problem-Statement
|    └─ Requirements
|    └─ Architecture
|    └─ Testing
|
|  └─ ACL/
|    └─ Record-Read-ACL
|    └─ ACL-Script
|
|  └─ Configuration/
|    └─ Table
|    └─ Fields
|    └─ Roles
|    └─ Users
|
└─ Test-Cases/
    └─ ACL-Test-Results
  
```

Step 3: Deployment / Access Details

Field	Details
Hosted / Deployed URL	ServiceNow Development Instance URL
Login Credentials	Demo credentials provided separately
Platform	ServiceNow
Repository	Add GitHub repository if available
Demo Video	Add video link if available

Step 4: Run Instructions

Provide clear, step-by-step instructions for the evaluator to run your project locally:

Step 1

Log in to the ServiceNow development instance.

Step 2

Open the required application/table.

Step 3

Verify that the field used for access control is available.

Example:

u_access_level

Step 4

Create or open the required **Access Control (ACL)**.

Step 5

Select the required operation, such as:

Read

Step 6

Add the required role and scripted condition.

Step 7

Add the JavaScript access-control logic.

Step 8

Save and activate the ACL.

Step 9

Create or use test users with different roles.

Step 10

Use **Impersonate User** to test access.

Step 11

Verify:

Public Record → Allowed

Restricted Record → Denied

Admin User → Allowed

Step 5: Known Issues / Limitations

S.No	Known Issue / Limitation	Workaround / Status
1	Complex access rules may require additional scripting	Extend the ACL script
2	Incorrect field configuration can affect access decisions	Verify field names and values
3	Testing requires appropriate ServiceNow roles	Use dedicated test users
4	ACL changes may affect existing users	Test thoroughly before deployment