

Key Measures

```
Average Fare per Trip =  
DIVIDE([Revenue], [Total Trips])
```

```
Avg Distance = AVERAGE(Uber[Ride Distance])
```

```
Booking Count = DISTINCTCOUNT(Uber[Booking ID])
```

```
Bookings Remove Status Filter = CALCULATE([Booking  
Count],ALL(Uber[Booking Status]))
```

```
Completed Bookings = CALCULATE([Booking  
Count],Uber[Booking Status]="Completed")
```

```
Con% =  
    var vehicle_remove_filter=CALCULATE(SUM(Uber[Booking  
Value]),ALL(Uber[Ve Type]))  
    var revenue =SUM(Uber[Booking Value])  
    return DIVIDE(revenue,vehicle_remove_filter)
```

```
Customer Count = DISTINCTCOUNT(Uber[Customer ID])
```

```
First time =  
COUNTROWS(FILTER(SUMMARIZE(Uber,Uber[Customer  
ID],"COUNT",COUNT(Uber[Customer ID])),[COUNT]=1))
```

```
Lost Bookings = CALCULATE([Booking Count],Uber[Booking  
Status]<>"Completed")
```

```
MoM Growth % =  
var Current_Month = [Revenue]
```

```
var Previous_Month =  
    CALCULATE(  
        [Revenue],  
        DATEADD('Calender'[Date],-1, MONTH)  
    )  
RETURN  
DIVIDE(Current_Month - Previous_Month, Previous_Month)  
*100
```

```
Regular Rider =  
COUNTROWS(FILTER(SUMMARIZE(Uber,Uber[Customer  
ID],"COUNT",COUNT(Uber[Customer ID])),[COUNT]>=3))
```

```
Return Rider =  
COUNTROWS(FILTER(SUMMARIZE(Uber,Uber[Customer  
ID],"COUNT",COUNT(Uber[Customer ID])),[COUNT]=2))
```

```
Revenue = SUM(Uber[Booking Value])
```

```
Top Month Revenue =  
MAXX(VALUES(Calender[Month]),[Revenue])
```

```
Total Distance = SUM(Uber[Ride Distance])
```

```
Total Trips =  
COUNTROWS(Uber)
```