Project Design Phase-II
Solution Requirements (Functional & Non-functional)

Date	7 October 2026
Team ID	
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	Field-Value Based Record Restriction	Restrict record access based on a field value (e.g., Sensitivity = Confidential) Allow access only to authorised users (assigned user, caller, privileged role)
FR-2	Script-Controlled ACL	Create a record-level ACL with a script (answer = true / false) Use current.<field>, gs.hasRole() and gs.getUserID() in the script
FR-3	Operation Coverage	Apply the ACL to read and write operations Apply the same rule to list view, form view and reports
FR-4	Administration & Testing	Create and maintain the ACL from Studio / System Security Test with impersonation of authorised and unauthorised users
FR-5	Reusable Access Logic	Keep the access logic in a Script Include Call the Script Include from the ACL script

Non-functional Requirements:

Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	Authorised users see records normally; unauthorised users get a clear access-denied behaviour without confusing errors.
NFR-2	Security	Restricted records must not be visible in list, form, report or API access to users who fail the ACL script. Access is

FR No.	Non-Functional Requirement	Description
		denied by default unless the script returns true.
NFR-3	Reliability	The ACL script must always return a true / false result, even when the field value is empty or unexpected.
NFR-4	Performance	The script must be lightweight (no heavy queries inside the ACL) so that list and form loading is not slowed down.
NFR-5	Availability	The rule is part of the ServiceNow platform, so it is available whenever the instance is available.
NFR-6	Scalability	The logic is reusable through a Script Include and can be extended to other tables and field values.