Status	Finished
Started	Thursday, 29 October 2026, 5:31 PM
Completed	Thursday, 29 October 2026, 5:35 PM
Duration	4 mins 32 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Bubble ✓

b. Selection

c. Insertion

d. Complexity

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following is a limitation of binary search?

a. It can only be applied to large lists

b. It is slower than linear search for small lists

c. It does not work with negative numbers

d. It requires the list to be sorted ✓

Question **3**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

a. At the beginning of the list

b. In the middle of the list

c. In the left sublist

d. In the right sublist ✓

Question **4**

Correct

Mark 1.00 out of 1.00

What is the best-case time complexity of linear search?

- a. O(log n)
- b. O👎
- c. O(n log n)
- d. O(1) ✓

Question **5**

Correct

Mark 1.00 out of 1.00

In which type of search is the list divided into smaller sublists during the search process?

- a. Hash search
- b. Linear search
- c. Binary search ✓
- d. Sequential search

Question **6**

Correct

Mark 1.00 out of 1.00

In binary search, how is the middle element determined?

- a. By dividing the list length by two ✓
- b. By comparing each element sequentially
- c. By starting from the first element
- d. By using a hash function

Question **7**

Correct

Mark 1.00 out of 1.00

In which situation is linear search more efficient than binary search?

- a. When the list is small and sorted
- b. When the list is large and unsorted
- c. When the list is small and unsorted ✓
- d. When the list is large and sorted

Question **8**

Correct

Mark 1.00 out of 1.00

Finding the location of a given item in a collection of items is called

a. Mining

b. Finding

c. Searching ✓

d. Discovering

Question **9**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

a. Linear

b. Both (1) & (3)

c. Hash

d. Binary ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

a. 89 and 94

b. 89 and 99

c. 90 and 99 ✓

d. 90 and 94

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following scenarios is best suited for applying binary search?

a. When the list is sorted ✓

b. When the list is very small

c. When the list contains duplicate elements

d. When the list is unsorted

Question **12**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

a. 94 and 99

b. 90 and 99 ✓

c. 90 and 100

d. 89 and 94

Question **13**

Correct

Mark 1.00 out of 1.00

Which method of searching involves sequentially comparing each element until a match is found?

a. Hashing

b. Linear search ✓

c. Binary search

d. Jump search

Question **14**

Correct

Mark 1.00 out of 1.00

What is the advantage of binary search over linear search?

a. Binary search works on unsorted lists

b. Binary search can find multiple instances of the target element

c. Binary search has a lower time complexity on large, sorted lists ✓

d. Binary search does not require dividing the list

Question **15**

Correct

Mark 1.00 out of 1.00

During a linear search, what is the maximum number of comparisons needed to find an element in a list of size n?

a. n/2

b. n-1

c. n ✓

d. log n