Status	Finished
Started	Monday, 19 October 2026, 9:59 AM
Completed	Monday, 19 October 2026, 10:03 AM
Duration	4 mins 48 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. ii

b. All of the above

c. iii

d. i,ii ✓

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. (1,2,3,4,5,6) ✓

b. (1,2,3,3,2,1)

c. (1,2,3)(4,5,6)

d. Error

Question **3**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

t = (15,83,83,52,60,45,52,85,100)

print(min(t)+max(t)+t.count(52))

- a. 117 ✓
- b. Error
- c. 2
- d. 100

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

- a. {2,5,1}
- b. {2,5,3,1}
- c. {}
- d. {3} ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

- a. [11,11,11,3,3,3]
- b. (11,3)(11,3)(11,3)
- c. (11, 3, 11, 3, 11, 3) ✓
- d. (11,3,11,11,3,11,11,11,3)

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl.append(2)

b. tupl1=tupl+tupl ✓

c. tupl[1]=2

d. tupl.sort()

Question **7**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

a. None of these

b. A tuple maintains the order of items ✓

c. A tuple is unordered

d. We can change the tuple once created

Question **8**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. sampleSet.discard("ECE") ✓

b. remove.sampleSet("ECE")

c. del.sampleSet("ECE")

d. sampleSet.delete("ECE")

Question **9**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
True

b. True ✓
True

c. False
False

d. True
False

Question **10**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. (16,17,18)

b. (16,17,18,19) ✓

c. (25,19,18,17)

d. Error

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

- a. 12
- b. (55,78,64,25)
- c. (12)
- d. Error ✓

Question **12**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

- a. [1, 2, 4, 3, 8, 9]
- b. [2, 3, 9]
- c. [1, 4, 8] ✓
- d. (1, 4, 8)

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

- a. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓
- b. (10, 20, 30, 40) (40, 50, 60, 70, 80)
- c. (30, 40, 50)(40, 50, 60, 70, 80)
- d. (30, 40, 50) (10, 20, 30, 40)

Question **14**

Incorrect

Mark 0.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {0,0,9} ✗

b. {0,9}

c. {9}

d. It will throw an error as there are two 0 while creating the set.

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, 10, '10', 50, 20, 60, 30} ✓

b. {40, 10, 50, 20, 60, 30}

c. SynatxError: Different types cannot be used with sets

d. {40, '10', 50, 20, 60, 30}