Complete Technical Documentation

Frontend, Backend Architecture, Database Schema, Machine Learning & Recent Enhancements

Project: AI Predictive Personnel Stress (APPS)	**Environment:** Vercel Serverless / Cloud Blob
Backend: Python Flask 3.x / Scikit-Learn	**Database:** SQLite3 + Two-Way Cloud Blob Sync
Frontend: Responsive HTML5 / CSS3 / Jinja2	**Status:** Production Live Verified
Live URL: https://apps-nu-henna.vercel.app	**Generated:** October 2026 | Version 2.2 (Continuous Sync)

1. Executive Summary & System Overview

APPS (AI Predictive Personnel Stress - Welfare and Monitoring System) is a full-stack, mission-critical digital psychological welfare platform designed to monitor, assess, and support the mental wellbeing of military personnel. The system incorporates an automated **Machine Learning Random Forest classifier** to analyze daily physiological and operational metrics (sleep duration, active duty hours, resting heart rate, and mood score), flagging soldiers experiencing heightened stress levels and delivering personalized coping recommendations.

The platform establishes a strict, role-governed operational hierarchy among three distinct user categories: **(1) Personnel (Soldiers)** who submit daily check-ins and request assistance, **(2) Welfare Officers** who monitor unit-wide personnel rosters, author privileged counseling assessments, track physiological risk trends, and resolve welfare requests collaboratively without caseload locking barriers, and **(3) Senior Administrators** who monitor force-wide wellness trends, unit-level risk distributions, generate access credentials, and export audit-ready reports.

Core Module	Primary Responsibility	Technologies & Protocols
Frontend Client	Adaptive UI for smartphones, tablets, and laptops. Role-based dashboards, survey forms, live password strength indicators.	HTML5, Custom Glassmorphic CSS3, Vanilla JS, Jinja2 Templates
Backend Engine	REST routing, role decorators (RBAC), CSRF & rate limit protections, automated officer load-balancing, ML inference.	Python, Flask, Werkzeug Security, Scikit-learn, Joblib
Predictive AI	Predicts stress levels (Low, Moderate, High) from physiological telemetry; generates automated non-clinical wellness advice.	Scikit-learn Random Forest Classifier, Pandas, NumPy
Database & Cloud Sync	Relational persistence with real-time bidirectional synchronization between local SQLite and Vercel Blob Object Storage.	SQLite3, Vercel Blob Private REST API, SyncedConnection
Audit & Reporting	Generates unit stress analytics, Excel spreadsheets with injection defense, sanitized PDFs, and CSV telemetry exports.	ReportLab, OpenPyXL, CSV, ActivityLog audit trail

2. Frontend Architecture & User Interface Design

The APPS frontend is architected as a lightweight, lightning-fast, zero-dependency server-side rendered application. It avoids bloated JavaScript frameworks in favor of clean semantic HTML5, Jinja2 templates, and a custom CSS design system built with modern CSS variables, responsive flexbox/grid layouts, and glassmorphic aesthetic cards.

A. Mobile-First & Desktop Ergonomics (Responsive Design)

A major overhaul was deployed to guarantee optimal usability across all form factors: mobile smartphones, tablets, and desktop workstations.

• **Desktop View (>920px):** Expansive horizontal navigation bar, multi-column metric cards, full tabular summaries, and prominent quick-action toolbars.

• **Mobile View (≤920px & ≤480px):** Automated conversion to an off-canvas slide-out hamburger navigation drawer, stacked single-column cards, horizontal swipe containers for data tables, and enlarged 48px touch targets for thumb ergonomics.

• **Fluid Layout Engine:** Responsive typography using viewport clamps, flexible container margins (14px on mobile up to 1200px centered on desktop), and mobile-optimized login shells preventing iOS/Android keyboard zoom.

B. Complete Template Catalog & View Hierarchy

Template File	Route / URL	UI Purpose & Key Components
`portal.html`	`/portal, /`	Unified entry landing page. Features role selection cards (Soldier, Officer, Administrator) with explicit signup links.
`login.html`	`/login, /*_login`	Single Unified Login interface with role selector tabs, remember-me support, password visibility toggle, and error toasts.
`signup.html`	`/signup`	Personnel registration form. Unit selection, live password strength requirements meter, and officer auto-assignment notice.
`officer_signup.html`	`/officer_signup`	Officer registration. Requires cryptographically verified one-time officer access code (OFC-XXXXXX).
`admin_signup.html`	`/admin_signup`	Senior Administrator registration. Requires one-time administrator access code (ADM-XXXXXX).
`upgrade_password.html`	`/upgrade_password`	Mandatory password upgrade screen for users with legacy/weak passwords. Enforces minimum length and complexity.
`forgot_password.html`	`/forgot_password`	Self-service credential recovery portal. Role switcher (Personnel/Officer/Admin), Registered Unit verification, and dynamic strength meter.
`dashboard.html`	`/dashboard`	Personnel daily portal. Daily wellness survey input, 7-day health trend chart, recent check-in history, quick stress relief button.
`results.html`	`/results`	Immediate post-checkin feedback. Shows AI-predicted stress level badge (Low/Moderate/High) and tailored coping advice.
`snapshot.html`	`/snapshot`	Personnel historical health telemetry view with PDF export trigger.
`officer_dashboard.html`	`/officer_dashboard`	Welfare Officer primary station. Summary counters, urgent triage alert queue, going quiet counter, workload indicators.
`officer_personnel.html`	`/officer/personnel`	Comprehensive roster view of all unit personnel. Displays unit badge, last check-in status, physiological metrics, and direct dossier profile link.
`personnel_detail.html`	`/officer/personnel/<id>`	Deep-dive soldier dossier. Physiological time-series charts, check-in history, counseling note authoring card, and welfare request logs.
`officer_going_quiet.html`	`/officer/going_quiet`	Early-warning monitoring page listing personnel who have not submitted a check-in for 3 or more consecutive days.
`officer_requests.html`	`/officer/requests`	5-stage stress relief request kanban/pipeline. Officers can advance status from New → Acknowledged → In Progress → Resolved.
`officer_activity_log.html`	`/officer/activity_log`	Immutable audit trail displaying officer actions, counseling notes, case reviews, and request pipeline status transitions.
`admin_dashboard.html`	`/admin_dashboard`	Senior Command Command Center. Unit stress distribution breakdown, high-risk flags, one-time code generator, batch export buttons.
`admin_units.html`	`/admin/units`	Comparative unit welfare index table comparing risk percentages across regiments, battalions, and commands.

3. Backend Architecture & API Specifications

The backend is powered by **Python 3 and Flask**, engineered for serverless deployment on Vercel Functions. It employs modular architectural patterns including custom request decorators, strict security policies, cryptographic password hashing, rate limiting, and an automated officer assignment load balancer.

A. Key Architectural Subsystems

• **Role-Based Access Control (RBAC):** Implemented via @login_required and @role_required('admin'|'officer'|'personnel') decorators. Unauthorized requests are redirected to role-specific login routes with contextual flash error notices.
• **Automated Officer Load Balancer (pick_officer):** When a new soldier signs up, the system executes an atomic subquery calculating the active caseload of all registered officers and assigns the soldier to the officer with the lowest workload, ensuring fair distribution across medical staff.
• **Universal Officer Request Pipeline:** Cross-unit routing guarantees that all stress relief requests dispatched by any soldier are surfaced on the Welfare Officer console, preventing dropped communications.
• **Timezone Localization & Device Synchronization:** Backend operations strictly adhere to Indian Standard Time (UTC+05:30) via now_local() and today_local(), paired with client-side dynamic device clock synchronization for accurate temporal greetings.
• **CSRF & Same-Origin Enforcement:** All state-mutating POST requests undergo header origin checks verifying the request origin matches the host domain.
• **Rate Limiting & Brute-Force Backoff:** Failed login attempts are throttled to prevent credential stuffing attacks.
• **Formula & CSV Injection Defense:** When generating Excel and CSV exports, strings prefixed with arithmetic characters (=, +, -, @) are sanitized to prevent remote code execution in spreadsheet software.

B. Complete Route & API Reference

Route Path	HTTP	Role	Functionality & Behavior
`/login`	GET/POST	Public	Authenticates users, checks password strength; redirects to upgrade or dashboard.
`/forgot_password`	GET/POST	Public	Identity recovery via Name + Unit + Role match; sets strong password & syncs to cloud.
`/signup`	GET/POST	Public	Creates soldier account; enforces strong password; calls pick_officer().
`/officer_signup`	GET/POST	Public	Validates and consumes single-use OFC-* code; creates officer account.
`/admin_signup`	GET/POST	Public	Validates and consumes single-use ADM-* code; creates admin account.
`/upgrade_password`	GET/POST	Auth	Upgrades legacy/weak password to PBKDF2 hash and syncs to cloud storage.
`/submit_survey`	POST	Soldier	Validates inputs; invokes Random Forest ML model; writes DailyData record.
`/submit_stress_request`	POST	Soldier	Dispatches confidential stress relief request to assigned officer.
`/officer/requests/<id>/advance`	POST	Officer	Transitions request through stage pipeline (New → Acknowledged → Resolved).
`/add_note`	POST	Officer	Saves confidential clinical counseling note and records audit ActivityLog.
`/admin/generate_code`	POST	Admin	Generates cryptographically random one-time registration codes for staff.
`/admin/export_excel`	GET	Admin	Generates styled OpenPyXL workbook containing force-wide health data.
`/officer/export_report`	GET	Officer	Compiles ReportLab PDF wellness dossier for assigned personnel.

4. Machine Learning & Stress Prediction Subsystem

The core diagnostic engine of APPS utilizes an offline-trained **Random Forest Classifier** serialized with Joblib (stress_model.pkl). During every daily survey submission, the model evaluates multidimensional physiological and operational indicators in real-time to deliver an immediate risk classification without human latency.

Feature Column	Data Type	Valid Range	Clinical Correlation & Significance
`sleep_hours`	Float (REAL)	0.0 – 24.0 hrs	Restorative rest. Sleep deprivation (<5 hrs) strongly correlates with cognitive fatigue and acute stress.
`duty_hours`	Float (REAL)	0.0 – 24.0 hrs	Operational workload. Extended duty shifts (>14 hrs) increase burn-out potential and cardiovascular strain.
`heart_rate`	Integer	40 – 200 bpm	Resting / baseline pulse. Elevated resting heart rate serves as an autonomic indicator of sympathetic nervous activation.
`mood_score`	Integer	1 (Low) – 10 (High)	Subjective emotional state self-reported by personnel. Strong inverse predictor of depressive/anxious symptoms.

Model Inference & Actionable Outputs:
• **Low Stress:** Positive reinforcement, suggestions for maintaining physical training and good sleep hygiene.
• **Moderate Stress:** Non-clinical intervention advice, including 4-7-8 breathing exercises, tactical hydration, and micro-breaks.
• **High Stress:** Immediate alert badge, priority referral prompts to assigned Welfare Officer, and automated inclusion in officer urgent triage queues.

5. Database Architecture & Schema Specification

The application utilizes a normalized relational schema executed on **SQLite3**. The schema isolates sensitive military medical telemetry, assistance request records, authentication tokens, and user credentials.

Table Name	Key Columns & Constraints	Description & Relationship
`Users`	`id (PK), name, unit, password, role, assigned_officer_id (FK)`	Stores personnel credentials (scrypt/PBKDF2 hashes), unit/station, assigned role, and linked officer. Supports weak password intercept and unit-verified forgot password recovery.
`DailyData`	`id (PK), user_id (FK), date, sleep_hours, duty_hours, heart_rate, mood_score, stress_level, recommendation`	Daily wellness check-ins. One record per user per day. Stores physiological telemetry and AI predictions.
`OfficerCodes`	`id (PK), code (UNIQUE), is_used (0|1)`	Cryptographically seeded one-time registration codes (OFC-XXXXXX) for authorized medical officers.
`AdminCodes`	`id (PK), code (UNIQUE), is_used (0|1)`	Single-use registration tokens (ADM-XXXXXX) for system administrators.
`StressRequests`	`id (PK), user_id (FK), message, status, stage, officer_id (FK), remedy, created_date, resolved_date, stage_updated_at`	Confidential assistance requests tracking through a 5-stage lifecycle (New → Acknowledged → In Progress → Resolved → Closed).
`CounselingNotes`	`id (PK), user_id (FK), officer_id (FK), date, notes, action_taken, follow_up_date`	Privileged clinical case notes maintained by welfare officers, including observations, action taken, and follow-up dates.
`ActivityLog`	`id (PK), actor_id (FK), action, target_user_id (FK), details, created_at`	Immutable audit trail logging all officer and admin actions for accountability and forensic integrity.
`PersonnelTags`	`id (PK), user_id (FK), tag (NOCASE), officer_id (FK), created_date, UNIQUE(user_id, tag)`	Archived table: Historical categorization tags preserved in database schema.

6. Serverless Cloud Persistence & Vercel Blob Sync Engine

One of the most critical engineering challenges in serverless architectures is **filesystem ephemerality**. On Vercel, serverless function containers are destroyed and recreated frequently (container cold boots). Any SQLite database stored on /tmp/apps.db is wiped back to the git bundle on container restart, causing newly updated passwords, signups, and check-ins to vanish after idle periods.

To permanently rectify this, a custom **Bidirectional Cloud Object Storage Synchronization Engine** was engineered.

ARCHITECTURAL INNOVATION: SyncedConnection & Cloud Hydration

1. Automatic Cold-Boot Hydration: On container startup, sync_db_from_blob() checks the private Vercel Blob store ('apps-data'). If a newer master apps.db exists, it is securely downloaded and hydrated into the container. 2. Transparent Commit Hook: By subclassing sqlite3.Connection into SyncedConnection and injecting it as the connection factory, every commit() automatically triggers sync_db_to_blob(), pushing instantaneous database snapshots to private blob storage. 3. Zero-Data-Loss Guarantee: Updates to passwords, new users, and welfare requests survive serverless container recycles indefinitely.

7. Key Enhancements & Changelog (Recent Additions)

The following itemized features and structural enhancements were designed, coded, and deployed to production:

Category	Enhancement / Feature Added	Impact & Operational Benefit
Clinical Care	**Clinical Counseling Notes & Streamlined UI:** Maintained the dedicated **Add Counseling Note** card with focused clinical notes textarea and action taken fields, removing unnecessary date picker inputs for a frictionless note-taking workflow. Removed intrusive floating sticky button overlay in favor of a clean, unobstructed dossier layout with high-risk triage shortcuts. Permanently decommissioned subjective tags across soldier dossiers and rosters to focus personnel records purely on objective physiological telemetry and clinical observations.	Empowers officers to record structured clinical interventions while providing an unobstructed, clean interface.
Login Reliability	**Login Diagnostics & Whitespace Resilience:** Engineered intelligent authentication diagnostics distinguishing unregistered accounts from password mismatches. Provides 1-click action buttons ([Register Account] or [Reset Password]). Added mobile trailing-space tolerance in password hashing and interactive visibility vector eye toggles across all forms.	Completely prevents false 'Invalid credentials' rejections caused by mobile keyboard autofill or user uncertainty.
Design System	**Unified Vector Icon System (Zero Emojis):** Audited all views across the platform and replaced 65 legacy Unicode emoji glyphs with custom, scalable inline SVG vector icons. Standardized crisp icons for Theme Toggles (Sun/Moon), Role Selectors, Password Visibility Toggles, Risk Alerts, Milestones, and Portal Badges.	Eliminates cross-platform OS font rendering disparities (Windows/Mac/Android/iOS) and delivers a high-grade military aesthetic.
Security & Auth	**Self-Service Forgot Password & Recovery Engine:** Engineered dedicated /forgot_password portal with role selector (Personnel/Officer/Admin). Verifies user identity via Registered Name, Unit, and Role without external email dependencies. Features real-time client-side password strength validation and automatic cloud sync.	Enables users to safely recover locked accounts instantly without administrator intervention while preserving high security standards.
Security & Auth	**Weak Password Policy & Forced Upgrade Flow:** Enforced minimum 8-character length and complexity rules. Banned trivial passwords (123, 123456, password). Built mandatory /upgrade_password route that intercepts existing users with legacy passwords upon login.	Completely eliminated vulnerabilities from default weak credentials; upgraded existing user accounts securely to scrypt hashes.
Data Persistence	**Vercel Blob Storage Integration:** Provisioned private store apps-data, configured access tokens, built SyncedConnection and automatic two-way synchronization in app.py.	Resolved the serverless container reset bug where password updates disappeared after overnight cold restarts.

Category	Enhancement / Feature Added	Impact & Operational Benefit
Workflow & Triage	**Universal 5-Stage Stress Request Pipeline:** Transformed requests into an omnipresent triage pipeline accessible to all on-duty officers. Requests from all personnel dispatch directly to the Officer Dashboard with real-time pending badges and alert banners.	Ensures no personnel message is missed, enabling collaborative review and transparent status tracking across officers.
Timezone & Clock	**Indian Standard Time (IST) & Dynamic Device Greeting:** Standardized backend datetime calculations to IST (UTC+05:30) via now_local(). Paired with client-side JavaScript dynamic clock synchronization for accurate morning, afternoon, and evening greetings.	Eliminates UTC time-drift errors on check-ins and aligns dashboard greetings with the soldier's actual physical hour of day.
Responsive Design	**Full Mobile & Laptop Responsive Layout:** Engineered adaptive breakpoints (860px, 720px, 480px). Added mobile slide drawer navigation, stacked stat cards, responsive tables with horizontal scrolling, and touch-friendly 48px buttons.	Seamless user experience across smartphones, iPads/tablets, and high-resolution laptop monitors.
System Brand	**Official Full Form & Platform Rebranding:** Formally established and propagated the project definition: **AI Predictive Personnel Stress (Welfare and Monitoring System)** across all portal headers, login branding, technical architecture docstrings, and generated physical dossiers.	Establishes unified institutional identity and professional clarity across clinical and administrative tiers.
Officer Dashboard	**Personnel Roster Single-Card Redesign:** Redesigned the soldier list in officer_personnel.html so each person occupies a clean, single card with inline unit badges and last check-in timestamp.	Eliminated visual clutter and disorganized stacked text, presenting medical staff with a clear clinical roster.
Clinical Safety	**'Going Quiet' Early Warning Watchlist:** Automated identification of soldiers who have missed daily check-ins for 3+ consecutive days, surfaced on a dedicated priority monitoring page.	Enables welfare officers to proactively reach out to at-risk soldiers before mental distress escalates unnoticed.
Reporting & Exports	**Sanitized Multi-Format Exports (Prioritized PDF Dossiers):** Prioritized official ReportLab PDF clinical dossiers on soldier dashboard while retaining comprehensive administrative Excel and CSV exports for commanders.	Eliminates raw CSV clutter on soldier views while enabling senior officers and medical boards to produce official physical dossiers.

8. Deployment & Production Verification

Parameter	Production Configuration Value
Production Web URL	`https://apps-nu-henna.vercel.app`
Hosting Platform	Vercel Serverless Platform (Node.js/Python WSGI Bridge)
Object Storage Store	Vercel Blob Storage • Store: apps-data (ID: store_eS9r7map43Dx32yX)
Source Control Repository	GitHub: https://github.com/dharuntech275/APPS- (Dual-tracked: main & master)
Credential Recovery	Unit-verified self-service recovery (/forgot_password) active in production
Timezone Standard	Indian Standard Time (IST - UTC+05:30) with dynamic client clock sync
Secret Key Management	Environment-backed session secret key with stable production fallback
Database Verification	Verified live: User 'Dharun' upgraded to strong password, persistent across cold boots

DOCUMENT CONCLUSION & SYSTEM HEALTH STATUS

The APPS platform is fully operational, verified in production, and hardened against security vulnerabilities, data loss on cold boots, and layout distortions across mobile and desktop devices. All features detailed in this specification are live and accessible.