

# UrbanAccess: Query Driven Urban Analytics Platform for Detecting Complex Accessibility Event Patterns using Tactile Surfaces

Dhaval Salwala<sup>1</sup>, Piyush Yadav<sup>1</sup>, Venkatesh G Munirathnam<sup>2</sup>, Suzanne Little<sup>2</sup>, Noel E O'Connor<sup>2</sup>, Edward Curry<sup>1</sup>

Insight SFI Research Centre for Data Analytics

<sup>1</sup>National University of Ireland Galway, <sup>2</sup>Dublin City University, Ireland

## ABSTRACT

The smart city concept has now become one of the key enablers in urban city management. The adoption and permeation of ICT and AI-driven techniques have enabled the authorities to resolve poor urban planning issues with improved delivery of citizen services. One of the key existing urban problems is addressing the accessibility issue across cities road crossing and facilitating visually impaired people via well-defined infrastructure. The research presented in this paper emphasized urban analytics that studies the road crossings and challenges one faces when accessing the foot-paths of a city using the Tactile surfaces. This work demonstrates a distributed event analytics platform- GNOSIS to detect complex accessibility event patterns. GNOSIS ingest video data streams from cities infrastructure such as CCTV and detect tactile surface event patterns using an ensemble of deep learning models using a declarative query language. The work analyzes mainly three types of tactile surface - Blister, Cycleway and Directional, collected from different cities in Ireland using crowdsourcing techniques. Depending on the type of tactile surface, its colour and the making pattern, GNOSIS makes decisions in real-time and can play a vital role in aiding accessibility analytics that helps city planners in making careful navigational decisions in future plans.

## KEYWORDS

urban analytics, accessibility, event processing, deep neural networks, tactile surface

### ACM Reference Format:

Dhaval Salwala<sup>1</sup>, Piyush Yadav<sup>1</sup>, Venkatesh G Munirathnam<sup>2</sup>, Suzanne Little<sup>2</sup>, Noel E O'Connor<sup>2</sup>, Edward Curry<sup>1</sup>. 2021. UrbanAccess: Query Driven Urban Analytics Platform for Detecting Complex Accessibility Event Patterns using Tactile Surfaces. In *Proceedings of 1st International Workshop on Multimedia Computing for Urban Data*. ACM multimedia, Chengdu, China, 3 pages.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from [permissions@acm.org](mailto:permissions@acm.org).

1st International Workshop on Multimedia Computing for Urban Data,

© 2021 Association for Computing Machinery.

ACM ISBN 978-x-xxxx-xxxx-x/YY/MM...\$15.00




Figure 1: Annotated Output for different Tactile Surface event queries using GNOSIS : (Left) Red Blister paving, (middle) Cycleway paving with vertical bars (right) Directional paving with horizontal bars.

## 1 INTRODUCTION

The lack of robust and safe autonomous mobility solutions is one of the critical urban infrastructure challenges [4]. WHO Global Disability Action Plan 2014-2021 [7] is to strengthen and extend assistive technology. With the advancement of analytics and research, a vast number of assistive technologies has become available [5]. However, such technologies need to be intelligent enough to identify objects, manage colour correction, process real-time data and be economical in resource consumption. One way to address assistive navigation problem is by composing Tactile pavements to handle accessibility challenges and possibilities [6]. Consequently, such establishments enforce civil authority to hire resources and teams to survey roads, crossings, and individual intersections.

The proposed work focuses on assistive and accessibility analytics via Tactile pavement detection. Tactile surfaces come in all shapes and colours intended to denote different situations and hazards. The shape and the colour of tactile surfaces do not have universal standards, but conventions are the same. Major Tactile surfaces are Blister, Cycleway and Directional [2]. As shown in Figure 1 (left), Blister paving uses square blocks with an array of small spheres inside. They are used to indicate pedestrian crossing with dropped kerbs. The red blister pavements are installed at controlled intersections, while the buff or grey coloured pavements occupy the non-controlled ones [1]. Cycleway paving uses continuous vertical flat bars to indicate a cycle lane (Figure 1 (middle)). The bars run parallel to the direction of travel so as not to impede cycles. Finally, directional paving stands for the safest direction of travel for the visually impaired (Figure 1 (right)) [2].

This demonstration introduces GNOSIS [13], an event processing platform to perform near-real-time video event detection in a distributed setting. GNOSIS uses a pipeline of DNN models and visual query language to process and reason urban streams. It facilitates the execution of pre-defined visual queries that make decisions




Figure 2: GNOSIS components act as pluggable services that convert the incoming media source into a structured graph stream using DNN models’ pipeline and performs the graph-based event matching. [13]

without any human intervention. The applicability of GNOSIS is manifold, where multiple urban analytics-based ML/DNN models can be chained together as distributed services to detect complex spatiotemporal [11] urban event analytics patterns. The work demonstrates three tactile detection queries that set an initial pathway to create accessibility and assistive applications in the urban analytics domain.

## 2 GNOSIS EVENT ENGINE

GNOSIS [13] is a multi-modal event processing system (Figure 2) that performs stateful and stateless multi-modal event matching using expressive queries. GNOSIS has a pluggable interface that enables a cascading of DNN services. A Directed Acyclic Graph (DAG) of DNN models, pre-trained on specific datasets, form the control flow in a GNOSIS Pipeline. Each DNN model makes independent predictions in the information chain. The information cascades onto another service in the DAG. The generated chain of information forms Video Event Knowledge Graphs (VEKG) [9, 12] that stores information in the form of nodes and edges. A declarative query language called GNOSIS Event Processing Language (EPL) later queries VEKGs to obtain the final output. GNOSIS supports spatial and temporal analysis [10] through windowing functions.

### 3 USE CASE: TACTILE SURFACE DETECTION

**Approach.** Tactile Surface Detection is a DNN service trained on 1800 pavement images and uses the Darknet [8] library to make predictions. The model is a part of the Crowd4Access [3] initiative, a Citizen Science project that investigate the accessibility of the footpaths of Irish cities. Initially, a stream of road images acquired through the camera goes through the GNOSIS pipeline. The DNN cascade that includes Tactile Surface Detection and other models make predictions. Three GNOSIS EPL queries are now presented

using COUNT aggregation operator with boolean argument to make decisions.

**Q1: Identify whether the given crossing is access-controlled.** Q1 uses the cascading of three DNN services (CONTENT clause)- TactileSurfaceDetection detects the boundaries of the tactile surface, PavingTypeDetection detects the paving type of surface, and ColorDetection detects the colour of the identified tactile surface. The output from these services results in VEKG graph. The MATCH and WHERE clause makes sure that the detection made is of the object of the class TACTILE\_SURFACE with attribute type 'BLISTER'. Finally, the RETURN clause outputs AccessControlled-Crossing as True or False based on the colour of the pavement being red or not.

```

Q1: REGISTER QUERY AccessControlledPathDetection
OUTPUT ANN_IMAGE_BBOX, ANN_IMAGE_QUERY_OUTPUT
CONTENT TactileSurfaceDetection, PavingTypeDetection, ColorDetection
MATCH (surface:TACTILE_SURFACE)
WHERE surface.paving_type = 'BLISTER'
FROM video_Q1.mp4
RETURN surface.color = 'RED' AS AccessControlledCrossing

```

**Q2- What percentage of crossings in the city are access-controlled.** The given query calculates the percentage amount of access-controlled pathways across the city. GNOSIS executes the MATCH clause on the VEKG and produces output as presented in the RETURN clause. The MATCH clause detects two types of surfaces - red\_blisters\_surface and buff\_blisters\_surface, restricted by the parameters in their curly braces. The RETURN clause calculates the percentage amount using the COUNT of the tactile surfaces detected.

**Q2: REGISTER QUERY** GetProportionOfAccessControlledCrossing  
**OUTPUT** ANN\_IMAGE\_BBOX, ANN\_IMAGE\_QUERY\_OUTPUT  
**CONTENT** TactileSurfaceDetection, PavingTypeDetection, ColorDetection  
**MATCH** (red bluster\_surface:TACTILE\_SURFACE color:'RED',paving\_type:  
 'BLISTER') OR (buff bluster\_surface:TACTILE\_SURFACE color:'BUFF',  
 paving\_type:'BLISTER')  
**WHERE** surface.paving\_type = 'BLISTER'  
**FROM** video\_Q1.mp4  
**RETURN** COUNT(red bluster\_surface) / COUNT(red bluster\_surface  
 COUNT(buff bluster\_surface))\* 100 AS PercentageAccessControlledCrossing

**Q3- Identify whether the path is bicycle friendly or not.** After processing the output of TactileSurfaceDetection and PavingType-Detection models, Q3 produces True or False based on the paving type being CYCLEWAY OR NOT. The query has a Tumbling count window of 10, meaning it takes ten different images of a single pathway to make a decision.

**Q1: REGISTER QUERY** isPathBicycleFriendly  
**OUTPUT** ANN\_IMAGE\_BBOX, ANN\_IMAGE\_QUERY\_OUTPUT  
**CONTENT** TactileSurfaceDetection, PavingTypeDetection  
**MATCH** (surface:TACTILE\_SURFACE)  
**FROM** video\_Q3.mp4  
**WITHIN** TUMBLING\_COUNT\_WINDOW(10)  
**RETURN** surface.paving\_type = 'CYCLEWAY' as Bicycle-Friendly

## 4 CONCLUSION AND FUTURE WORK

The work presents GNOSIS an urban analytics event engine that continuously monitors the incoming stream of pavements and generates notifications about the Crossing Type. It uses the colour of the pavings and paving type to make predictions. The research demonstrates how GNOSIS can automate the pavement detection process and guidance analysis. Such an analysis is very beneficial in making decisions that help visually impaired people and similarly challenged populations.

## ACKNOWLEDGMENTS

This work was supported with the financial support of the Science Foundation Ireland (SFI) grant SFI/12/RC/2289\_P2.

## REFERENCES

- [1] Beata Duncan-Jones. 2015. *UNDERSTANDING TACTILE PAVING at Pedestrian Crossings Support Material for Tactile Paving Providers*. Social Services Department, London Borough of Hammersmith Fulham.
- [2] Paving Expert. 2021. *Tactile Paving:Introduction*. Retrieved Sun 1, 2021 from <https://www.pavingexpert.com/tactile01>
- [3] The Insight SFI Research Centre for Data Analytics. 2021. *Crowd4Access 2020*. Retrieved Sun 1, 2021 from <https://crowd4access.insight-centre.org/>
- [4] Department for Transport. 2019. *Future of Mobility:Urban Strategy*. (Nov. 2019). Retrieved Sun 1, 2021 from [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/846593/future-of-mobility-strategy.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/846593/future-of-mobility-strategy.pdf)
- [5] Leventhal JD. 1996. Assistive devices for people who are blind or have visual impairments. (1996), 125–143.
- [6] Anuar Bin Mohamed Kassim, Takashi Yasuno, Hiroshi Suzuki, Mohd Shahrieel Mohd Aras, Ahmad Zaki Shukor, Hazriq Izzuan Jaafar, and Fairul Azni Jafar. 2019. Vision-Based Tactile Paving Detection Method in Navigation Systems for Visually Impaired Persons. (Nov. 2019). <https://doi.org/10.5772/intechopen.79886>
- [7] World Health Organisation. 2015. WHO global disability action plan 2014-2021. (March 2015). Retrieved Sun 1, 2021 from <https://www.who.int/disabilities/actionplan/en/>
- [8] Chien-Yao Wang, Alexey Bochkovskiy, and Hong-Yuan Mark Liao. 2021. Scaled-YOLOv4: Scaling Cross Stage Partial Network. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*. 13029–13038.
- [9] Piyush Yadav and Edward Curry. 2019. Vekg: Video event knowledge graph to represent video streams for complex event pattern matching. In *2019 First International Conference on Graph Computing (GC)*. IEEE, 13–20.
- [10] Piyush Yadav and Edward Curry. 2019. VidCEP: Complex Event Processing Framework to Detect Spatiotemporal Patterns in Video Streams. In *2019 IEEE International Conference on Big Data (Big Data)*. 2513–2522. <https://doi.org/10.1109/BigData47090.2019.9006018>
- [11] Piyush Yadav, Dibya Das, and Edward Curry. 2019. State Summarization of Video Streams for Spatiotemporal Query Matching in Complex Event Processing. <https://doi.org/10.1109/ICMLA.2019.00022>
- [12] Piyush Yadav, Dhaval Salwala, and Edward Curry. 2020. Knowledge Graph Driven Approach to Represent Video Streams for Spatiotemporal Event Pattern Matching in Complex Event Processing.
- [13] Piyush Yadav, Dhaval Salwala, Felipe Arruda Pontes, Praneet Dhingra, and Edward Curry. 2021. Query-Driven Video Event Processing for the Internet of Multimedia Things. In *Proceedings of the VLDB Endowment (VLDB) 14(12)*. ACM, Copenhagen, Denmark.