BLOOD BANK MANAGEMENT

A PROJECT REPORT

Submitted by

ASTHA JAISWAL [Reg No: RA2111042010025]

DHAWAL SAHU [Reg No: RA2111042010015]

SOURABH SHARMA [Reg No: RA2111042010007]

Under the Guidance of

Dr. PAUL T SHEEBA

(Assistant Professor, Department of Data Science and Business Systems) In partial

fulfillment of the Requirements for the Degree of

BACHELOR OF TECHNOLOGY COMPUTER SCIENCE AND BUSINESS SYSTEMS



DEPARTMENT OF DATA SCIENCE AND BUSINESS SYSTEMS
FACULTY OF ENGINEERING AND TECHNOLOGY
SRM INSTITUTE OF SCIENCE AND TECHNOLOGY
NOVEMBER 2022



COLLEGE OF ENGINEERING AND TECHNOLOGY SRM INSTITUTE OF SCIENCE AND TECHNOLOGY

(under Section 3 of UGC Act, 1956)

SRM NAGAR, KATTANKULATHUR -603 203

CHENGALPATTU DISTRICT

BONAFIDE CERTIFICATE

Register No: RA21110420100025

Certified to be the bonafide record of work done by ASTHA JAISWAL of III Semester B.Tech COMPUTER SCIENCE AND BUSINESS SYSTEMS Degree course in the Practical 18CSC263J-OBJECT ORIENTED PROGRAMMING in SRM INSTITUTE OF SCIENCE AND TECHNOLOGY, Kattankulathur during the academic year 2022-2023.

		Lab In-charge	
Date:		Head of Department	
Submitted for University E Kattankulathur.	Examination held in SRM INSTITUTE OI	F SCIENCE AND TECHNOLOGY,	
Date:	Examiner-1	Examiner-2	

ABSTRACT

Blood Bank Management System (BBMS) is a browser based system that is designed to store, process, retrieve

and analyze information concerned with the administrative and inventory management within a blood bank.

This project aims at maintaining all the information pertaining to blood donors, different blood groups available in each blood bank and help them manage in a better way.

Aim is to provide transparency in this field, make the process of obtaining blood from a blood bank hassle free and corruption free and make the system of blood bank management effective. Our client is not interested in blood stocking instead we are stocking blood donors information. The donors who are interested in donating blood has to register in the database. There is no storage of blood so no complications in the project. The software is fully integrated with CRM (customer relationship management) as well as CMS (content management system) solution.

It is developed in a manner that is easily manageable, time saving and relieving one from manual works. The requirement of the blood has to be requested and we supply the information of the donor. The donors can update their status whether they are available or not.

TABLE OF CONTENTS

CHAPTER.NO	TITLE	PAGE.NO	
1	INTRODUCTION		
1.1	History	5	
1.2	Limitations	5	
1.3	Approach/methodology	6	
1.4	Benefits	6	
2	System design and implementation	7	
2.1	Zero Level Data Flow Diagram (0 LEVEL DFD)	7	
2.2	First Level Data Flow Diagram (1 LEVEL DFD)	8	
2.3	Sequential Diagram	9	
2.4	Collaboration Diagram	10	
2.5	Use Case Diagram	11	
2.6	State chart Diagram	12	
2.7	Source Code	13-19	
3	Output	19-21	
4	Conclusion and future enhancement	22	

CHAPTER 1 INTRODUCTION

TH	E	ΡF	20	П	ΞC	Т
111		1 1	\mathbf{v}	JΙ		1

In bullet points, describe the problem this project aims to solve or the opportunity it aims to develop. •Our project aims to improvise the department of blood management system and its potential accessibility to the public. •Aim is to provide transparency in this field, make the process of obtaining blood from a blood bank hassle free. •This project aims at maintaining all the information pertaining to blood donors, different blood groups available in each blood bank and help them manage in a better way.

THE HISTORY

In bullet points, describe the current situation. •Blood Bank Management systems maintain donor details, Blood component stock details, Screening details, component preparation details, Blood request details, Compatibility details, Blood issue details, Monthly statistics. •The current systems store information in an organized manner but are not that user friendly, • No proper coordination between different Applications and Users, •Cannot upload and download the latest updates art right time.

LIMITATIONS

List what could prevent the success of the project, such as the need for expensive equipment, bad weather, lack of special training, etc. •Manual documentation and data entry. •Only web-based system is available no app-based system available. •Not everybody will be able to use the system especially the computer illiterate people. •New donors will have to go to a hospital to examine their blood types.

APPROACH/ METHODOLOGY

List what is needed to complete the project. •Collaborations with public and private sector hospitals and independent blood banks. •Legal Documentation. •Database system.

BENEFITS


In bullet points, list the benefits that this project will bring to the organization. •The main advantage of a blood bank management system is easy and effective information retrieval. •The system will be very effective in times of emergencies as it saves time and efforts for searching blood donors. •Blood bank in charge can view the list of discarded blood units, they can also view the reason for which the blood units are discarded

CHAPTER 2 System Design and implementation

2.1 ZERO LEVEL DATA FLOW DIAGRAM OF BLOOD BANK MANAGEMENT SYSTEM(0 LEVEL DFD):

LEVEL 0:

The Blood Bank Management System depicts the overall structure as a single bubble. It comes with incoming/outgoing indicators showing input and output data.




FIRST LEVEL DATA FLOW DIAGRAM OF BLOOD BANK MANAGEMENT

2.2 (1st LEVEL DFD):


LEVEL 1:

The contents of Blood Bank Management System DFD level 1 must be single process node from the context diagram and is broken down into sub processes.




2.3 SEQUENTIAL DIAGRAM FOR BLOOD BANK MANAGEMENT SYSTEM

A sequence diagram is the most commonly used interaction diagram. An interaction diagram is used to show the interactive behaviour of a system. Since visualizing the interactions in a system can be a cumbersome task, we use different types of interaction diagrams to capture various features and aspects of interaction in a system. A sequence diagram simply depicts interaction between objects in a sequential order i.e., the order in which these interactions take place. We can also use the terms event diagrams or event scenarios to refer to a sequence diagram. Sequence diagrams describe how and in what order the objects in a system function.




2.4 COLLABRATION DIAGRAM FOR BLOOD BLANK MANAGEMENT SYSTEM:

The collaboration diagram also comes under the UML representation which is used to visualize the organization of the objects and their interaction. They are used to represent the structural organization of the system and the messages that are sent and received. Collaboration diagrams are usually used when object organization is main focus and are better suited for depicting simpler interactions of the smaller number of objects.




USE CASE DIAGRAM FOR BLOOD BANK MANAGEMENT

USE CASE: Use-case diagrams describe the high-level functions and scope of a system. These diagrams also identify the interactions between the system and its actors. The use cases and actors in use-case diagrams describe what the system does and how the actors use it, but not how the system operates internally. Use-case diagrams illustrate and define the context and requirements of either an entire system or the important parts of the system.



STATE CHART DIAGRAM FOR BLOOD BANK MANAGEMENT

STATE CHART DIAGRAM: A state diagram, also known as a state machine diagram or state chart diagram, is an illustration of the states an object can attain as well as the transitions between those states. The basic purpose of a state diagram is to portray various changes in state of the class and not the processes or commands causing the changes.



SOURCE CODE:

#include<iostream>
using namespace std;
class Blood_group
{
protected:

```
string blood group; public:
Blood group(string n)
blood_group=n;
void set Blood group(string n)
blood group=n;
string get_Blood_group()
return blood group;
}
};
class User
protected:
string phone no;
string email; string
aadhar no; public:
User(string a,string b,string c)
phone_no=a;
email=b;
aadhar no=c;
void set_phone_no(string p)
phone_no=p;
void set email(string
e){ email=e; }
void set aadhar(string h){ aadhar no=h;
}
string
get phone no(){ return
phone_no;
string
get email(){ return
email; }
string get_aadhar(){return aadhar_no;
class Department
protected:
string department; public:
Department(string d)
department=d;
string get department(string d)
return department;
```

```
void set department(string
d){ department=d; }
};
class Name
protected:
string name;
public:
Name(string n)
name=n;
void set name(string n)
name=n;
string get name()
return name;
}
};
class Roll
protected:
long int roll;
public:
Roll(long int n)
roll=n;
void set roll(long int r)
roll=r;
}long int get_roll()
return roll;
class Donor:public Roll, public Name, public Department, public Blood group, public User
protected:
int no of blood donate; string
last date of blood donation; public:
Donor(string name,long int rollnum,string phone no,string email,string aadhar no,string
blood group, string dept, int num of blood, string
lst dt of bd):Roll(rollnum),User(phone no,email,aadhar no),Name(name),Department(dept),Blood grou
p(blood group)
no of blood donate=num of blood;
last date of blood donation=lst dt of bd;
void set no of blood donate(int n)
```

```
no of blood donate=n;
void set last date of blood donation(string d)
last date of blood donation=d;
int get no of blood donate()
return no of blood donate;
string get last date of blood donation()
return last date of blood donation;
void print1()
cout << endl;
cout << "Name: "<<name<<endl; cout << "Phone
no.:" << phone no <<endl;
void print()
cout << endl;
cout << "Name: " << name << endl;
cout << "Email: " << email << endl; cout << "Phone
No.: "<<phone no<<endl; cout<<"Aadhar No.:
"<<aadhar no<<endl; cout<<"Roll No.:"<<roll<<endl; cout<<"Blood Group:
"<<blook group<<endl; cout<<"Department:
"<<department<<endl;
cout << "Amount of blood donated: "<< no of blood donate << endl;
cout<<"Last Date of Blood Donation: "<<last date of blood donation<<endl;
cout << endl;
};
int main(){
int data;
cout<<" WELCOME TO BLOOD BANK MANAGEMENT SYSTEM
" << endl; cout << "include all the users in a file to get filled initially into the
system"<<endl; ifstream infile; infile.open("input.txt");</pre>
int num;
//cout<<"Enter number of donors:"<<endl;
infile>>num;
//cin>>num;
unordered map<string, Donor> name donors; unordered map<string, Donor>
aadhar donors;
unordered map<string,vector<Donor>> blood list;
while(num--){
string name, phonenum, email, addhar no, blood group, dept, lst dt of bd; long int rollnum;
int num of blood;
//cout<<"enter name="; infile>>name;
//cout<<"enter phonenum:";
infile>>phonenum;
//cout<<"enter email:";
infile>>email; //cout<<"enter
```

```
addhar no:"; infile>>addhar no;
//cout << "enter blood group:";
infile>>blood group;
//cout<<"Enter dept:";
infile>>dept;
//cout<<"enter rollnum:";
infile>>rollnum;
//cout << "Enter blood in ml:";
infile>>num of blood:
//cout<<"Enter the last donation:";
infile>>lst dt of bd;
name donors.insert({name,Donor(name,rollnum,phonenum,email,addhar_no,blood_group,dept,n
um of blood.lst dt of bd)});
aadhar donors.insert({addhar no,Donor(name,rollnum,phonenum,email,addhar no,blood group,
dept,num of blood,lst dt of bd)});
auto itr=blood list.find(blood group); if(itr ==
blood list.end()){
vector<Donor>
donor dt;donor dt.push back(Donor(name,rollnum,phonenum,email,addhar_no,blood_group,dept,num_of
 blood, lst dt of bd));
else {
blood list.insert({blood group,donor dt});
>second.push back(Donor(name,rollnum,phonenum,email,addhar no,blood group,dept,num of blood,ls
t dt of bd)); }
infile.close();
ofstream fout;
fout.open("input.txt", ios::app);
unordered map<string,Donor>::iterator p;
unordered map<string,Donor>::iterator t;
for(p=name donors.begin();p!=name donors.end();p++){ p-
>second.print();
infile.open("input.txt"); string
temp; int ch;
while(1)
{
cout << "1-Add new user to the database\n2->Search by name \n3->Search by Aadhar
Number\n4->Total count of each blood group\n5->Name and Phone no. according to blood
group\n6>Exit\nEnter your choice\n";
cin >> ch;
unordered map<string,vector<Donor>>::iterator itr2=blood list.begin();
unordered map<string,vector<Donor>>::iterator itr3=blood list.end();
string name, phonenum, email, addhar no, blood group, dept, lst dt of bd;
long int rollnum;
int num of blood;
{
case 1:
switch(ch)
if(fout.is open()){ cout<<
"enter name=";
cin>>name;
```

```
fout << name << endl:
cout << "enter phonenum:";
cin>>phonenum;
fout << phonenum << endl;
cout << "enter email:";
cin>>email;
fout << email << endl;
cout << "enter addhar no:";
cin>>addhar no;
fout << addhar no << endl:
cout<<"enter blood group:";cin>>blood group;
fout << blood group << endl;
cout << "Enter dept:":
cin>>dept;
fout << dept << endl;
cout << "enter rollnum:";
cin>>rollnum;
fout << rollnum << endl;
cout << "Enter blood in ml:";
cin>>num of blood;
fout << num of blood << endl;
cout << "Enter the last donation:";
cin>>lst dt of bd;
fout << lst dt of bd << endl:
fout.close();
name donors.insert({name,Donor(name,rollnum,phonenum,email,addhar no,blood group,dept,n
um of blood, lst dt of bd) });
aadhar donors.insert({addhar no,Donor(name,rollnum,phonenum,email,addhar no,blood group,
dept,num of blood,lst dt of bd)});
if(1){
auto itr=blood list.find(blood group);
if(itr == blood list.end()){
vector<Donor> donor dt;
donor dt.push back(Donor(name,rollnum,phonenum,email,addhar no,blood group,dept,num of
 blood, lst dt of bd));
blood list.insert({blood group,donor dt});
}
else {
itr-
>second.push back(Donor(name,rollnum,phonenum,email,addhar no,blood group,dept,num of blood,ls
t dt of bd));
break;
case 2:
cout << "Enter the name to be searched: " << endl:
if (name donors.find(temp) == name donors.end())
cout << "Element Not Present\n";</pre>
else
p=name donors.find(temp);
p->second.print();
```

```
}break;
case 3:
cout << "Enter the Aadhar Number to be searched: " << endl;
cin>>temp;
if (aadhar donors.find(temp) == aadhar_donors.end())
cout << "Element Not Present\n";</pre>
else
t=aadhar donors.find(temp);
t->second.print();
break;
case 4:
if(1)
{
int sum=0;
while(itr2 != itr3)
{
sum=0;
cout << itr2->first;
auto ptr=itr2->second.begin();
auto ptr1=itr2->second.end();
while(ptr != ptr1)
sum=sum+ptr->get no of blood donate();
ptr++;
}
cout \ll "\t" \ll sum;
itr2++;
cout << endl;
break;
case 5:
if(1)
{
while(itr2 != itr3)
cout << itr2->first;
auto ptr=itr2->second.begin();
auto ptr1=itr2->second.end();
while(ptr != ptr1)
ptr->print1();
ptr++;}
cout << "\t\t";
cout << "There are "<< itr2->second.size() << "people with " <<
itr2->first;
itr2++;
cout << endl;
break;
case 6:
```

```
exit(1);
default:
cout<<"The option choosen is invalid.\n";
}
}</pre>
```

CHAPTER 3 OUTPUT

```
WELCOME TO BLOOD BANK MANAGEMENT SYSTEM
include all the users in a file to get filled initially into the
    system
1-Add new user to the database
2->Search by name
3->Search by Aadhar Number
4->Total count of each blood group
5->Name and Phone no. according to blood group
6->Exit
Enter your choice
1-Add new user to the database
2->Search by name
3->Search by Aadhar Number
4->Total count of each blood group
5->Name and Phone no. according to blood group
6->Exit
Enter your choice
```

```
Enter the name to be searched:
AADAHR
Element Not Present
1-Add new user to the database
2->Search by name
3->Search by Aadhar Number
4->Total count of each blood group
5->Name and Phone no. according to blood group
6->Exit
Enter your choice
Enter the Aadhar Number to be searched:
123309
Element Not Present
1-Add new user to the database
2->Search by name
3->Search by Aadhar Number
4->Total count of each blood group
5->Name and Phone no. according to blood group
6->Exit
```

Chapter 4

Conclusion and future enhancement

The proposed system presents a mobile application and web application for collecting and distributing blood bags between blood banks and hospitals in order to enhance the healthcare sector taking benefits of new technologies such as the Internet of things (IoT) and machine learning. IoT affects our daily life, where it has been integrated in daily life objects and things to inform about their states and about their

surrounding environment. Taking benefits of this technology in our proposed system could enhance and easy services presented to donators to interact with the system and participate as permanent donators. Using the developed system, family members can help themselves when a critical issue occurs for any member. Once a critical notification has been delivered by family members (i.e., urgent notification concerns a family member), they automatically share their blood points and discover all nearby campaigns to donate, where campaigns cars host GPS devices and update their location in the real-time, where patient was in a hospital and in need for blood bag, the point of life system can help him by informing his friends and family member, so that blood points were added to patient's account.

Taking benefits of machine learning implementations also enhance the smartness of our system, where the proposed system analyzes and classifies data (results from previous campaigns) in order to predict the most relevant and valuable places for starting new campaigns, i.e., scheduling new campaigns automatically considering current needs and shortage in blood types and quantities.

To sum up, outcome could be categorized based on main stakeholders such as follows: The Hospital subsystem:

- 1. Gaining the required blood bags in an organized manner by registering requests with the required blood bags for every patient assigning his criticality degree.
- 2. Real-time monitoring for the availability of blood bags for certain request (i.e., patient).
- 3. Receive sufficiency-schedule for patients' requests to help hospital administrations in organizing surgeries and operations.

The Blood Bank and campaign sub-systems:

- 1. Monitor the campaigns and the availability of blood types and quantities in real-time.
- 2. Organize distribution process of the blood bags