

Notes

Output Created	21-FEB-2023 10:27:24	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=JK Umur Lama /ORDER= ANALYSIS .	
Resources	Elapsed Time	0:00:00.00
	Processor Time	0:00:00.00

Notes

Output Created	21-FEB-2023 10:27:46	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=GK1 GK2 GK3 GK4 GK5 GK6 GK7 GK8 GK9 GK10 GK11 GK12 GK13 GK14 GK15 GK16 GK17 GK18 GK19 /STATISTICS=MEAN /ORDER= ANALYSIS .	
Resources	Elapsed Time	0:00:00.19
	Processor Time	0:00:00.16

Notes

Output Created	21-FEB-2023 10:28:12	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=KK1 KK2 KK3 KK4 KK5 KK6 KK7 KK8 KK9 KK10 KK11 KK12 KK13 KK14 KK15 KK16 KK17 /STATISTICS=MEAN /ORDER= ANALYSIS .	
Resources	Elapsed Time	0:00:00.19
	Processor Time	0:00:00.17

Notes

Output Created	21-FEB-2023 10:28:55	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=IK1 IK2 IK3 IK4 IK5 IK6 IK7 IK8 IK9 IK10 /STATISTICS=MEAN /ORDER= ANALYSIS .	
Resources	Elapsed Time	0:00:00.13
	Processor Time	0:00:00.09

Notes

Output Created	21-FEB-2023 10:35:23	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=GK1 GK2 GK3 GK4 GK5 GK6 GK7 GK8 GK9 GK10 GK11 GK12 GK13 GK14 GK15 GK16 GK17 GK18 GK19 X1 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE .	
Resources	Elapsed Time	0:00:00.13
	Processor Time	0:00:00.09

Notes

Output Created	21-FEB-2023 10:36:06	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=KK1 KK2 KK3 KK4 KK5 KK6 KK7 KK8 KK9 KK10 KK11 KK12 KK13 KK14 KK15 KK16 KK17 X2 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE .	
Resources	Elapsed Time	0:00:00.25
	Processor Time	0:00:00.22

Notes

Output Created	21-FEB-2023 10:36:38	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=IK1 IK2 IK3 IK4 IK5 IK6 IK7 IK8 IK9 IK10 Y /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE .	
Resources	Elapsed Time	0:00:00.23
	Processor Time	0:00:00.16

Notes

Output Created	21-FEB-2023 10:37:09	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax	RELIABILITY /VARIABLES=GK1 GK2 GK3 GK4 GK5 GK6 GK7 GK8 GK9 GK10 GK11 GK12 GK13 GK14 GK15 GK16 GK17 GK18 GK19 /SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.	
Resources	Elapsed Time	0:00:00.08
	Memory Available	786944 bytes
	Largest Contiguous Area	786944 bytes
	Workspace Required	944 bytes
	Processor Time	0:00:00.08

Notes

Output Created		21-FEB-2023 10:37:36
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=KK1 KK2 KK3 KK4 KK5 KK6 KK7 KK8 KK9 KK10 KK11 KK12 KK13 KK14 KK15 KK16 KK17 /SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.
Resources	Elapsed Time	0:00:00.13
	Memory Available	786944 bytes
	Largest Contiguous Area	786944 bytes
	Workspace Required	848 bytes
	Processor Time	0:00:00.11

Notes

Output Created		21-FEB-2023 10:37:56
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=IK1 IK2 IK3 IK4 IK5 IK6 IK7 IK8 IK9 IK10 /SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.
Resources	Elapsed Time	0:00:00.19
	Memory Available	786944 bytes
	Largest Contiguous Area	786944 bytes
	Workspace Required	512 bytes
	Processor Time	0:00:00.16

Notes

Output Created	21-FEB-2023 10:39:41	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax	REGRESSION /DESCRIPTIVES MEAN STDDEV CORR SIG N /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 X2 /SCATTERPLOT=(*SRESID ,*ZPRED) /RESIDUALS DURBIN HIST(ZRESID) NORM(ZRESID) /SAVE RESID .	
Resources	Elapsed Time	0:00:01.24
	Memory Required	2612 bytes
	Additional Memory Required for Residual Plots	904 bytes
	Processor Time	0:00:00.95
Variables Created	RES_1	Unstandardized Residual

Notes

Output Created	21-FEB-2023 12:56:33	
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=JK Umur Lama /ORDER= ANALYSIS .	
Resources	Elapsed Time	0:00:00.09
	Processor Time	0:00:00.09

Notes

Output Created	21-FEB-2023 12:56:58	
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=GK1 GK2 GK3 GK4 GK5 GK6 GK7 GK8 GK9 GK10 GK11 GK12 GK13 GK14 GK15 GK16 GK17 GK18 GK19 /STATISTICS=MEAN /ORDER= ANALYSIS .	
Resources	Elapsed Time	0:00:00.22
	Processor Time	0:00:00.22

Notes

Output Created	21-FEB-2023 12:57:20	
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=KK1 KK2 KK3 KK4 KK5 KK6 KK7 KK8 KK9 KK10 KK11 KK12 KK13 KK14 KK15 KK16 KK17 /STATISTICS=MEAN /ORDER= ANALYSIS .	
Resources	Elapsed Time	0:00:00.19
	Processor Time	0:00:00.16

Notes

Output Created	21-FEB-2023 12:57:37	
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=IK1 IK2 IK3 IK4 IK5 IK6 IK7 IK8 IK9 IK10 /STATISTICS=MEAN /ORDER= ANALYSIS .	
Resources	Elapsed Time	0:00:00.19
	Processor Time	0:00:00.17

Notes

Output Created	22-FEB-2023 08:19:34	
Comments		
Input	Data	C:\Program Files\SPSS\SPSS Eval\ DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=GK1 GK2 GK3 GK4 GK5 GK6 GK7 GK8 GK9 GK10 GK11 GK12 GK13 GK14 GK15 GK16 GK17 GK18 GK19 X1 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE .	
Resources	Elapsed Time	0:00:00.17
	Processor Time	0:00:00.17

Notes

Output Created	22-FEB-2023 08:20:07	
Comments		
Input	Data	C:\Program Files\SPSS\SPSS Eval\ DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=KK1 KK2 KK3 KK4 KK5 KK6 KK7 KK8 KK9 KK10 KK11 KK12 KK13 KK14 KK15 KK16 KK17 X2 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE .	
Resources	Elapsed Time	0:00:00.23
	Processor Time	0:00:00.16

Notes

Output Created	22-FEB-2023 08:20:36	
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=IK1 IK2 IK3 IK4 IK5 IK6 IK7 IK8 IK9 IK10 Y /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE .	
Resources	Elapsed Time	0:00:00.19
	Processor Time	0:00:00.16

Notes

Output Created	22-FEB-2023 08:21:02	
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax	RELIABILITY /VARIABLES=GK1 GK2 GK3 GK4 GK5 GK6 GK7 GK8 GK9 GK10 GK11 GK12 GK13 GK14 GK15 GK16 GK17 GK18 GK19 /SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.	
Resources	Elapsed Time	0:00:00.22
	Memory Available	786944 bytes
	Largest Contiguous Area	786944 bytes
	Workspace Required	944 bytes
	Processor Time	0:00:00.19

Notes

Output Created		22-FEB-2023 08:21:24
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	N of Rows in Working Data File	53
	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=KK1 KK2 KK3 KK4 KK5 KK6 KK7 KK8 KK9 KK10 KK11 KK12 KK13 KK14 KK15 KK16 KK17 /SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.
Resources	Elapsed Time	0:00:00.20
	Memory Available	786944 bytes
	Largest Contiguous Area	786944 bytes
	Workspace Required	848 bytes
	Processor Time	0:00:00.17

Notes

Output Created	22-FEB-2023 08:21:43	
Comments		
Input	Data	C:\Program Files\SPSS\Eval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax	RELIABILITY /VARIABLES=IK1 IK2 IK3 IK4 IK5 IK6 IK7 IK8 IK9 IK10 /SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.	
Resources	Elapsed Time	0:00:00.13
	Memory Available	786944 bytes
	Largest Contiguous Area	786944 bytes
	Workspace Required	512 bytes
	Processor Time	0:00:00.13

Notes

Output Created	22-FEB-2023 08:23:35	
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax	REGRESSION /DESCRIPTIVES MEAN STDDEV CORR SIG N /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 X2 /SCATTERPLOT=(*SRESID ,*ZPRED) /RESIDUALS DURBIN HIST(ZRESID) NORM(ZRESID) /SAVE RESID .	
Resources	Elapsed Time	0:00:00.94
	Memory Required	2612 bytes
	Additional Memory Required for Residual Plots	904 bytes
	Processor Time	0:00:00.94
Variables Created	RES_1	Unstandardized Residual

```

SAVE OUTFILE='C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav'
/COMPRESSED.
FREQUENCIES
  VARIABLES=JK Umur Lama
/ORDER= ANALYSIS .

```

Frequencies

Notes

Output Created	22-FEB-2023 08:40:16	
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=JK Umur Lama /ORDER= ANALYSIS .	
Resources	Elapsed Time	0:00:00.08
	Processor Time	0:00:00.08

[DataSet1] C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav

Statistics

	Jenis Kelamin	Umur	Lama Kerja
N Valid	53	53	53
Missing	0	0	0

Frequency Table

Jenis Kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Laki-lak	46	86.8	86.8	86.8
Perempuan	7	13.2	13.2	100.0
Total	53	100.0	100.0	

Umur

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 18 - 27	8	15.1	15.1	15.1
28 - 37	33	62.3	62.3	77.4
38 - 47	8	15.1	15.1	92.5
48 - 56	4	7.5	7.5	100.0
Total	53	100.0	100.0	

Lama Kerja

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 - 5 ta	3	5.7	5.7	5.7
11 - 15	25	47.2	47.2	52.8
16 - 20	8	15.1	15.1	67.9
6 - 10 t	17	32.1	32.1	100.0
Total	53	100.0	100.0	

FREQUENCIES

```
VARIABLES=GK1 GK2 GK3 GK4 GK5 GK6 GK7 GK8 GK9 GK10 GK11 GK12 GK13 GK14
GK15 GK16 GK17 GK18 GK19
/STATISTICS=MEAN
/ORDER= ANALYSIS .
```

Frequencies

Notes

Output Created	22-FEB-2023 08:40:42	
Comments		
Input	Data	C:\Program Files\SPSS\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	<pre>FREQUENCIES VARIABLES=GK1 GK2 GK3 GK4 GK5 GK6 GK7 GK8 GK9 GK10 GK11 GK12 GK13 GK14 GK15 GK16 GK17 GK18 GK19 /STATISTICS=MEAN /ORDER= ANALYSIS .</pre>	
Resources	Elapsed Time	0:00:00.17
	Processor Time	0:00:00.17

[DataSet1] C:\Program Files\SPSS\SPSSEval\DhiaSTIKJakarta.sav

Statistics

	Gaya Kepemimpinan 1	Gaya Kepemimpinan 2	Gaya Kepemimpinan 3	Gaya Kepemimpinan 4	Gaya Kepemimpinan 5	Gaya Kepemimpinan 6	Gaya Kepemimpinan 7
N Valid	53	53	53	53	53	53	53
Missing	0	0	0	0	0	0	0
Mean	1.2264	1.2453	1.1698	1.2830	1.3019	1.2830	2.6604

Statistics

		Gaya Kepemim pinan 8	Gaya Kepemim pinan 9	Gaya Kepemim pinan 10	Gaya Kepemim pinan 11	Gaya Kepemim pinan 12	Gaya Kepemim pinan 13	Gaya Kepemim pinan 14
N	Valid	53	53	53	53	53	53	53
	Missing	0	0	0	0	0	0	0
Mean		1.3962	1.4340	1.4340	2.0000	1.7925	1.5849	1.5660

Statistics

		Gaya Kepemim pinan 15	Gaya Kepemim pinan 16	Gaya Kepemim pinan 17	Gaya Kepemim pinan 18	Gaya Kepemim pinan 19
N	Valid	53	53	53	53	53
	Missing	0	0	0	0	0
Mean		1.2830	1.3208	1.3208	1.3585	1.3585

Frequency Table

Gaya Kepemimpinan 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	41	77.4	77.4	77.4
	2.00	12	22.6	22.6	100.0
Total		53	100.0	100.0	

Gaya Kepemimpinan 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	40	75.5	75.5	75.5
	2.00	13	24.5	24.5	100.0
Total		53	100.0	100.0	

Gaya Kepemimpinan 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	44	83.0	83.0	83.0
	2.00	9	17.0	17.0	100.0
Total		53	100.0	100.0	

Gaya Kepemimpinan 4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	38	71.7	71.7	71.7
	2.00	15	28.3	28.3	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	39	73.6	73.6	73.6
	2.00	13	24.5	24.5	98.1
	4.00	1	1.9	1.9	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	38	71.7	71.7	71.7
	2.00	15	28.3	28.3	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	15	28.3	28.3	28.3
	2.00	5	9.4	9.4	37.7
	3.00	16	30.2	30.2	67.9
	4.00	17	32.1	32.1	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	34	64.2	64.2	64.2
	2.00	17	32.1	32.1	96.2
	3.00	2	3.8	3.8	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	30	56.6	56.6	56.6
	2.00	23	43.4	43.4	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	34	64.2	64.2	64.2
	2.00	15	28.3	28.3	92.5
	3.00	4	7.5	7.5	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	24	45.3	45.3	45.3
	2.00	11	20.8	20.8	66.0
	3.00	12	22.6	22.6	88.7
	4.00	6	11.3	11.3	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	28	52.8	52.8	52.8
	2.00	11	20.8	20.8	73.6
	3.00	11	20.8	20.8	94.3
	4.00	3	5.7	5.7	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 13

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	28	52.8	52.8	52.8
	2.00	19	35.8	35.8	88.7
	3.00	6	11.3	11.3	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 14

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	34	64.2	64.2	64.2
	2.00	11	20.8	20.8	84.9
	3.00	5	9.4	9.4	94.3
	4.00	3	5.7	5.7	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 15

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	39	73.6	73.6	73.6
	2.00	13	24.5	24.5	98.1
	3.00	1	1.9	1.9	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 16

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	37	69.8	69.8	69.8
	2.00	15	28.3	28.3	98.1
	3.00	1	1.9	1.9	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	36	67.9	67.9	67.9
	2.00	17	32.1	32.1	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 18

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	38	71.7	71.7	71.7
	2.00	12	22.6	22.6	94.3
	3.00	2	3.8	3.8	98.1
	4.00	1	1.9	1.9	100.0
	Total	53	100.0	100.0	

Gaya Kepemimpinan 19

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	37	69.8	69.8	69.8
	2.00	14	26.4	26.4	96.2
	3.00	1	1.9	1.9	98.1
	4.00	1	1.9	1.9	100.0
	Total	53	100.0	100.0	

FREQUENCIES

```

VARIABLES=KK1 KK2 KK3 KK4 KK5 KK6 KK7 KK8 KK9 KK10 KK11 KK12 KK13 KK14
KK15 KK16 KK17
/STATISTICS=MEAN
/ORDER= ANALYSIS .

```

Frequencies

Notes

Output Created	22-FEB-2023 08:41:10	
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=KK1 KK2 KK3 KK4 KK5 KK6 KK7 KK8 KK9 KK10 KK11 KK12 KK13 KK14 KK15 KK16 KK17 /STATISTICS=MEAN /ORDER= ANALYSIS .	
Resources	Elapsed Time	0:00:00.20
	Processor Time	0:00:00.19

[DataSet1] C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav

Statistics

		Kepuasan Kerja 1	Kepuasan Kerja 2	Kepuasan Kerja 3	Kepuasan Kerja 4	Kepuasan Kerja 5	Kepuasan Kerja 6
N	Valid	53	53	53	53	53	53
	Missing	0	0	0	0	0	0
Mean		1.3019	1.2830	1.1887	1.3208	1.1887	1.3396

Statistics

		Kepuasan Kerja 7	Kepuasan Kerja 8	Kepuasan Kerja 9	Kepuasan Kerja 10	Kepuasan Kerja 11	Kepuasan Kerja 12
N	Valid	53	53	53	53	53	53
	Missing	0	0	0	0	0	0
Mean		1.2264	1.3396	1.3019	1.3585	1.3396	1.3208

Statistics

		Kepuasan Kerja 13	Kepuasan Kerja 14	Kepuasan Kerja 15	Kepuasan Kerja 16	Kepuasan Kerja 17
N	Valid	53	53	53	53	53
	Missing	0	0	0	0	0
Mean		1.2453	1.3019	1.2642	1.3208	1.3019

Frequency Table

Kepuasan Kerja 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	38	71.7	71.7	71.7
	2.00	14	26.4	26.4	98.1
	3.00	1	1.9	1.9	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	38	71.7	71.7	71.7
	2.00	15	28.3	28.3	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	43	81.1	81.1	81.1
	2.00	10	18.9	18.9	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	36	67.9	67.9	67.9
	2.00	17	32.1	32.1	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	43	81.1	81.1	81.1
	2.00	10	18.9	18.9	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	35	66.0	66.0	66.0
	2.00	18	34.0	34.0	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	41	77.4	77.4	77.4
	2.00	12	22.6	22.6	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	35	66.0	66.0	66.0
	2.00	18	34.0	34.0	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	40	75.5	75.5	75.5
	2.00	11	20.8	20.8	96.2
	3.00	1	1.9	1.9	98.1
	4.00	1	1.9	1.9	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	34	64.2	64.2	64.2
	2.00	19	35.8	35.8	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	39	73.6	73.6	73.6
	2.00	11	20.8	20.8	94.3
	3.00	2	3.8	3.8	98.1
	4.00	1	1.9	1.9	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	36	67.9	67.9	67.9
	2.00	17	32.1	32.1	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 13

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	41	77.4	77.4	77.4
	2.00	11	20.8	20.8	98.1
	3.00	1	1.9	1.9	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 14

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	39	73.6	73.6	73.6
	2.00	13	24.5	24.5	98.1
	4.00	1	1.9	1.9	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 15

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	39	73.6	73.6	73.6
	2.00	14	26.4	26.4	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 16

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	36	67.9	67.9	67.9
	2.00	17	32.1	32.1	100.0
	Total	53	100.0	100.0	

Kepuasan Kerja 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	40	75.5	75.5	75.5
	2.00	11	20.8	20.8	96.2
	3.00	1	1.9	1.9	98.1
	4.00	1	1.9	1.9	100.0
	Total	53	100.0	100.0	

FREQUENCIES

```
VARIABLES=IK1 IK2 IK3 IK4 IK5 IK6 IK7 IK8 IK9 IK10
/STATISTICS=MEAN
/ORDER= ANALYSIS .
```

Frequencies

Notes

Output Created	22-FEB-2023 08:41:31	
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=IK1 IK2 IK3 IK4 IK5 IK6 IK7 IK8 IK9 IK10 /STATISTICS=MEAN /ORDER= ANALYSIS .	
Resources	Elapsed Time	0:00:00.19
	Processor Time	0:00:00.17

[DataSet1] C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav

Statistics

		Integritas Kerja 1	Integritas Kerja 2	Integritas Kerja 3	Integritas Kerja 4	Integritas Kerja 5	Integritas Kerja 6
N	Valid	53	53	53	53	53	53
	Missing	0	0	0	0	0	0
Mean		1.1887	1.1887	1.2075	1.2453	1.2264	1.3019

Statistics

		Integritas Kerja 7	Integritas Kerja 8	Integritas Kerja 9	Integritas Kerja 10
N	Valid	53	53	53	53
	Missing	0	0	0	0
Mean		1.2264	1.2642	1.1887	1.2830

Frequency Table

Integritas Kerja 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	43	81.1	81.1	81.1
	2.00	10	18.9	18.9	100.0
	Total	53	100.0	100.0	

Integritas Kerja 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	43	81.1	81.1	81.1
	2.00	10	18.9	18.9	100.0
	Total	53	100.0	100.0	

Integritas Kerja 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	42	79.2	79.2	79.2
	2.00	11	20.8	20.8	100.0
	Total	53	100.0	100.0	

Integritas Kerja 4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	40	75.5	75.5	75.5
	2.00	13	24.5	24.5	100.0
	Total	53	100.0	100.0	

Integritas Kerja 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	41	77.4	77.4	77.4
	2.00	12	22.6	22.6	100.0
	Total	53	100.0	100.0	

Integritas Kerja 6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	38	71.7	71.7	71.7
	2.00	14	26.4	26.4	98.1
	3.00	1	1.9	1.9	100.0
	Total	53	100.0	100.0	

Integritas Kerja 7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	41	77.4	77.4	77.4
	2.00	12	22.6	22.6	100.0
	Total	53	100.0	100.0	

Integritas Kerja 8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	39	73.6	73.6	73.6
	2.00	14	26.4	26.4	100.0
	Total	53	100.0	100.0	

Integritas Kerja 9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	43	81.1	81.1	81.1
	2.00	10	18.9	18.9	100.0
	Total	53	100.0	100.0	

Integritas Kerja 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	39	73.6	73.6	73.6
	2.00	13	24.5	24.5	98.1
	3.00	1	1.9	1.9	100.0
	Total	53	100.0	100.0	

```

COMPUTE X1 = GK1 + GK2 + GK3 + GK4 + GK5 + GK6 + GK7 + GK8 + GK9 + GK10 +
    GK11 + GK12 + GK13 + GK14 + GK15 + GK16 + GK17 + GK18 + GK19 .
VARIABLE LABELS X1 'Gaya Kepemimpinan' .
EXECUTE .
COMPUTE X2 = KK1 + KK2 + KK3 + KK4 + KK5 + KK6 + KK7 + KK8 + KK9 + KK10 +
    KK11 + KK12 + KK13 + KK14 + KK15 + KK16 + KK17 .
VARIABLE LABELS X2 'Kepuasan Kerja' .
EXECUTE .
COMPUTE Y = IK1 + IK2 + IK3 + IK4 + IK5 + IK6 + IK7 + IK8 + IK9 + IK10 .
VARIABLE LABELS Y 'Integritas Kerja' .
EXECUTE .
CORRELATIONS
    /VARIABLES=GK1 GK2 GK3 GK4 GK5 GK6 GK7 GK8 GK9 GK10 GK11 GK12 GK13 GK14
    GK15 GK16 GK17 GK18 GK19 X1
    /PRINT=TWOTAIL NOSIG
    /MISSING=PAIRWISE .

```

Correlations

Notes

Output Created		22-FEB-2023 08:45:05
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=GK1 GK2 GK3 GK4 GK5 GK6 GK7 GK8 GK9 GK10 GK11 GK12 GK13 GK14 GK15 GK16 GK17 GK18 GK19 X1 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE .
Resources	Elapsed Time	0:00:00.16
	Processor Time	0:00:00.13

[DataSet1] C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav

Correlations

		Gaya Kepemim pinan 1	Gaya Kepemim pinan 2	Gaya Kepemim pinan 3	Gaya Kepemim pinan 4	Gaya Kepemim pinan 5
Gaya Kepemimpinan 1	Pearson Correlation	1	.739**	.716**	.461**	.426**
	Sig. (2-tailed)		.000	.000	.001	.001
	N	53	53	53	53	53
Gaya Kepemimpinan 2	Pearson Correlation	.739**	1	.793**	.713**	.468**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 3	Pearson Correlation	.716**	.793**	1	.720**	.555**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 4	Pearson Correlation	.461**	.713**	.720**	1	.550**
	Sig. (2-tailed)	.001	.000	.000		.000
	N	53	53	53	53	53
Gaya Kepemimpinan 5	Pearson Correlation	.426**	.468**	.555**	.550**	1
	Sig. (2-tailed)	.001	.000	.000	.000	
	N	53	53	53	53	53
Gaya Kepemimpinan 6	Pearson Correlation	.561**	.615**	.720**	.628**	.403**
	Sig. (2-tailed)	.000	.000	.000	.000	.003
	N	53	53	53	53	53
Gaya Kepemimpinan 7	Pearson Correlation	-.110	-.131	.086	.038	.067
	Sig. (2-tailed)	.432	.348	.539	.785	.631
	N	53	53	53	53	53
Gaya Kepemimpinan 8	Pearson Correlation	.422**	.457**	.576**	.452**	.334*
	Sig. (2-tailed)	.002	.001	.000	.001	.014
	N	53	53	53	53	53
Gaya Kepemimpinan 9	Pearson Correlation	.254	.386**	.415**	.549**	.472**
	Sig. (2-tailed)	.066	.004	.002	.000	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 10	Pearson Correlation	.415**	.443**	.566**	.365**	.477**
	Sig. (2-tailed)	.002	.001	.000	.007	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 11	Pearson Correlation	.127	.206	.331*	.315*	.125
	Sig. (2-tailed)	.364	.139	.016	.022	.374
	N	53	53	53	53	53
Gaya Kepemimpinan 12	Pearson Correlation	.211	.169	.308*	.223	.184
	Sig. (2-tailed)	.129	.226	.025	.108	.187
	N	53	53	53	53	53
Gaya Kepemimpinan 13	Pearson Correlation	.394**	.281*	.274*	.320*	.321*
	Sig. (2-tailed)	.004	.041	.047	.020	.019
	N	53	53	53	53	53
Gaya Kepemimpinan 14	Pearson Correlation	.318*	.231	.337*	.215	.224
	Sig. (2-tailed)	.020	.096	.014	.123	.107
	N	53	53	53	53	53
Gaya Kepemimpinan 15	Pearson Correlation	.515**	.565**	.661**	.662**	.370**
	Sig. (2-tailed)	.000	.000	.000	.000	.006
	N	53	53	53	53	53

Correlations

		Gaya Kepemim pinan 1	Gaya Kepemim pinan 2	Gaya Kepemim pinan 3	Gaya Kepemim pinan 4	Gaya Kepemim pinan 5
Gaya Kepemimpinan 16	Pearson Correlation	.459**	.506**	.608**	.596**	.385**
	Sig. (2-tailed)	.001	.000	.000	.000	.004
	N	53	53	53	53	53
Gaya Kepemimpinan 17	Pearson Correlation	.594**	.736**	.550**	.645**	.346*
	Sig. (2-tailed)	.000	.000	.000	.000	.011
	N	53	53	53	53	53
Gaya Kepemimpinan 18	Pearson Correlation	.327*	.362**	.371**	.364**	.270
	Sig. (2-tailed)	.017	.008	.006	.007	.051
	N	53	53	53	53	53
Gaya Kepemimpinan 19	Pearson Correlation	.343*	.379**	.470**	.449**	.229
	Sig. (2-tailed)	.012	.005	.000	.001	.099
	N	53	53	53	53	53
Gaya Kepemimpinan	Pearson Correlation	.620**	.666**	.801**	.727**	.576**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	53	53	53	53	53

Correlations

		Gaya Kepemim pinan 6	Gaya Kepemim pinan 7	Gaya Kepemim pinan 8	Gaya Kepemim pinan 9	Gaya Kepemim pinan 10
Gaya Kepemimpinan 1	Pearson Correlation	.561**	-.110	.422**	.254	.415**
	Sig. (2-tailed)	.000	.432	.002	.066	.002
	N	53	53	53	53	53
Gaya Kepemimpinan 2	Pearson Correlation	.615**	-.131	.457**	.386**	.443**
	Sig. (2-tailed)	.000	.348	.001	.004	.001
	N	53	53	53	53	53
Gaya Kepemimpinan 3	Pearson Correlation	.720**	.086	.576**	.415**	.566**
	Sig. (2-tailed)	.000	.539	.000	.002	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 4	Pearson Correlation	.628**	.038	.452**	.549**	.365**
	Sig. (2-tailed)	.000	.785	.001	.000	.007
	N	53	53	53	53	53
Gaya Kepemimpinan 5	Pearson Correlation	.403**	.067	.334*	.472**	.477**
	Sig. (2-tailed)	.003	.631	.014	.000	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 6	Pearson Correlation	1	.108	.527**	.549**	.432**
	Sig. (2-tailed)		.440	.000	.000	.001
	N	53	53	53	53	53
Gaya Kepemimpinan 7	Pearson Correlation	.108	1	.116	.153	.346*
	Sig. (2-tailed)	.440		.408	.274	.011
	N	53	53	53	53	53
Gaya Kepemimpinan 8	Pearson Correlation	.527**	.116	1	.603**	.581**
	Sig. (2-tailed)	.000	.408		.000	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 9	Pearson Correlation	.549**	.153	.603**	1	.364**
	Sig. (2-tailed)	.000	.274	.000		.007
	N	53	53	53	53	53
Gaya Kepemimpinan 10	Pearson Correlation	.432**	.346*	.581**	.364**	1
	Sig. (2-tailed)	.001	.011	.000	.007	
	N	53	53	53	53	53
Gaya Kepemimpinan 11	Pearson Correlation	.315*	.415**	.253	.215	.225
	Sig. (2-tailed)	.022	.002	.068	.123	.105
	N	53	53	53	53	53
Gaya Kepemimpinan 12	Pearson Correlation	.180	.004	.118	.070	.149
	Sig. (2-tailed)	.198	.975	.401	.616	.286
	N	53	53	53	53	53
Gaya Kepemimpinan 13	Pearson Correlation	.320*	.219	.330*	.475**	.199
	Sig. (2-tailed)	.020	.115	.016	.000	.153
	N	53	53	53	53	53
Gaya Kepemimpinan 14	Pearson Correlation	.119	-.050	.081	.129	.067
	Sig. (2-tailed)	.394	.720	.565	.357	.631
	N	53	53	53	53	53
Gaya Kepemimpinan 15	Pearson Correlation	.491**	.067	.621**	.581**	.396**
	Sig. (2-tailed)	.000	.632	.000	.000	.003
	N	53	53	53	53	53

Correlations

		Gaya Kepemim pinan 6	Gaya Kepemim pinan 7	Gaya Kepemim pinan 8	Gaya Kepemim pinan 9	Gaya Kepemim pinan 10
Gaya Kepemimpinan 16	Pearson Correlation	.347*	.087	.483**	.423**	.511**
	Sig. (2-tailed)	.011	.538	.000	.002	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 17	Pearson Correlation	.466**	-.075	.379**	.459**	.425**
	Sig. (2-tailed)	.000	.592	.005	.001	.002
	N	53	53	53	53	53
Gaya Kepemimpinan 18	Pearson Correlation	.235	-.038	.284*	.221	.313*
	Sig. (2-tailed)	.091	.789	.039	.112	.023
	N	53	53	53	53	53
Gaya Kepemimpinan 19	Pearson Correlation	.246	.114	.298*	.232	.279*
	Sig. (2-tailed)	.076	.417	.030	.095	.043
	N	53	53	53	53	53
Gaya Kepemimpinan	Pearson Correlation	.648**	.323*	.632**	.605**	.633**
	Sig. (2-tailed)	.000	.018	.000	.000	.000
	N	53	53	53	53	53

Correlations

		Gaya Kepemim pinan 11	Gaya Kepemim pinan 12	Gaya Kepemim pinan 13	Gaya Kepemim pinan 14	Gaya Kepemim pinan 15
Gaya Kepemimpinan 1	Pearson Correlation	.127	.211	.394**	.318*	.515**
	Sig. (2-tailed)	.364	.129	.004	.020	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 2	Pearson Correlation	.206	.169	.281*	.231	.565**
	Sig. (2-tailed)	.139	.226	.041	.096	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 3	Pearson Correlation	.331*	.308*	.274*	.337*	.661**
	Sig. (2-tailed)	.016	.025	.047	.014	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 4	Pearson Correlation	.315*	.223	.320*	.215	.662**
	Sig. (2-tailed)	.022	.108	.020	.123	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 5	Pearson Correlation	.125	.184	.321*	.224	.370**
	Sig. (2-tailed)	.374	.187	.019	.107	.006
	N	53	53	53	53	53
Gaya Kepemimpinan 6	Pearson Correlation	.315*	.180	.320*	.119	.491**
	Sig. (2-tailed)	.022	.198	.020	.394	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 7	Pearson Correlation	.415**	.004	.219	-.050	.067
	Sig. (2-tailed)	.002	.975	.115	.720	.632
	N	53	53	53	53	53
Gaya Kepemimpinan 8	Pearson Correlation	.253	.118	.330*	.081	.621**
	Sig. (2-tailed)	.068	.401	.016	.565	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 9	Pearson Correlation	.215	.070	.475**	.129	.581**
	Sig. (2-tailed)	.123	.616	.000	.357	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 10	Pearson Correlation	.225	.149	.199	.067	.396**
	Sig. (2-tailed)	.105	.286	.153	.631	.003
	N	53	53	53	53	53
Gaya Kepemimpinan 11	Pearson Correlation	1	.407**	.207	.423**	.253
	Sig. (2-tailed)		.002	.137	.002	.068
	N	53	53	53	53	53
Gaya Kepemimpinan 12	Pearson Correlation	.407**	1	.214	.497**	.205
	Sig. (2-tailed)	.002		.125	.000	.141
	N	53	53	53	53	53
Gaya Kepemimpinan 13	Pearson Correlation	.207	.214	1	.296*	.350*
	Sig. (2-tailed)	.137	.125		.031	.010
	N	53	53	53	53	53
Gaya Kepemimpinan 14	Pearson Correlation	.423**	.497**	.296*	1	.285*
	Sig. (2-tailed)	.002	.000	.031		.039
	N	53	53	53	53	53
Gaya Kepemimpinan 15	Pearson Correlation	.253	.205	.350*	.285*	1
	Sig. (2-tailed)	.068	.141	.010	.039	
	N	53	53	53	53	53

Correlations

		Gaya Kepemim pinan 11	Gaya Kepemim pinan 12	Gaya Kepemim pinan 13	Gaya Kepemim pinan 14	Gaya Kepemim pinan 15
Gaya Kepemimpinan 16	Pearson Correlation	.105	.098	.221	.186	.699**
	Sig. (2-tailed)	.453	.483	.112	.183	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 17	Pearson Correlation	.152	.149	.298*	.201	.757**
	Sig. (2-tailed)	.277	.288	.030	.149	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 18	Pearson Correlation	.192	.333*	.378**	.538**	.394**
	Sig. (2-tailed)	.169	.015	.005	.000	.004
	N	53	53	53	53	53
Gaya Kepemimpinan 19	Pearson Correlation	.230	.158	.307*	.217	.600**
	Sig. (2-tailed)	.098	.260	.025	.119	.000
	N	53	53	53	53	53
Gaya Kepemimpinan	Pearson Correlation	.579**	.474**	.565**	.515**	.752**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	53	53	53	53	53

Correlations

		Gaya Kepemim pinan 16	Gaya Kepemim pinan 17	Gaya Kepemim pinan 18	Gaya Kepemim pinan 19	Gaya Kepemim pinan
Gaya Kepemimpinan 1	Pearson Correlation	.459**	.594**	.327*	.343*	.620**
	Sig. (2-tailed)	.001	.000	.017	.012	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 2	Pearson Correlation	.506**	.736**	.362**	.379**	.666**
	Sig. (2-tailed)	.000	.000	.008	.005	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 3	Pearson Correlation	.608**	.550**	.371**	.470**	.801**
	Sig. (2-tailed)	.000	.000	.006	.000	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 4	Pearson Correlation	.596**	.645**	.364**	.449**	.727**
	Sig. (2-tailed)	.000	.000	.007	.001	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 5	Pearson Correlation	.385**	.346*	.270	.229	.576**
	Sig. (2-tailed)	.004	.011	.051	.099	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 6	Pearson Correlation	.347*	.466**	.235	.246	.648**
	Sig. (2-tailed)	.011	.000	.091	.076	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 7	Pearson Correlation	.087	-.075	-.038	.114	.323*
	Sig. (2-tailed)	.538	.592	.789	.417	.018
	N	53	53	53	53	53
Gaya Kepemimpinan 8	Pearson Correlation	.483**	.379**	.284*	.298*	.632**
	Sig. (2-tailed)	.000	.005	.039	.030	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 9	Pearson Correlation	.423**	.459**	.221	.232	.605**
	Sig. (2-tailed)	.002	.001	.112	.095	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 10	Pearson Correlation	.511**	.425**	.313*	.279*	.633**
	Sig. (2-tailed)	.000	.002	.023	.043	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 11	Pearson Correlation	.105	.152	.192	.230	.579**
	Sig. (2-tailed)	.453	.277	.169	.098	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 12	Pearson Correlation	.098	.149	.333*	.158	.474**
	Sig. (2-tailed)	.483	.288	.015	.260	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 13	Pearson Correlation	.221	.298*	.378**	.307*	.565**
	Sig. (2-tailed)	.112	.030	.005	.025	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 14	Pearson Correlation	.186	.201	.538**	.217	.515**
	Sig. (2-tailed)	.183	.149	.000	.119	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 15	Pearson Correlation	.699**	.757**	.394**	.600**	.752**
	Sig. (2-tailed)	.000	.000	.004	.000	.000
	N	53	53	53	53	53

Correlations

		Gaya Kepemim pinan 16	Gaya Kepemim pinan 17	Gaya Kepemim pinan 18	Gaya Kepemim pinan 19	Gaya Kepemim pinan
Gaya Kepemimpinan 16	Pearson Correlation	1	.683**	.456**	.539**	.653**
	Sig. (2-tailed)		.000	.001	.000	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 17	Pearson Correlation	.683**	1	.494**	.518**	.667**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 18	Pearson Correlation	.456**	.494**	1	.387**	.591**
	Sig. (2-tailed)	.001	.000		.004	.000
	N	53	53	53	53	53
Gaya Kepemimpinan 19	Pearson Correlation	.539**	.518**	.387**	1	.579**
	Sig. (2-tailed)	.000	.000	.004		.000
	N	53	53	53	53	53
Gaya Kepemimpinan	Pearson Correlation	.653**	.667**	.591**	.579**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	53	53	53	53	53

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

CORRELATIONS

```

/VARIABLES=KK1 KK2 KK3 KK4 KK5 KK6 KK7 KK8 KK9 KK10 KK11 KK12 KK13 KK14
KK15 KK16 KK17 X2
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE .

```

Correlations

Notes

Output Created		22-FEB-2023 08:45:39
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=KK1 KK2 KK3 KK4 KK5 KK6 KK7 KK8 KK9 KK10 KK11 KK12 KK13 KK14 KK15 KK16 KK17 X2 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE .
Resources	Elapsed Time	0:00:00.25
	Processor Time	0:00:00.23

[DataSet1] C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav

Correlations

		Kepuasan Kerja 1	Kepuasan Kerja 2	Kepuasan Kerja 3	Kepuasan Kerja 4
Kepuasan Kerja 1	Pearson Correlation	1	.460**	.579**	.557**
	Sig. (2-tailed)		.001	.000	.000
	N	53	53	53	53
Kepuasan Kerja 2	Pearson Correlation	.460**	1	.661**	.645**
	Sig. (2-tailed)	.001		.000	.000
	N	53	53	53	53
Kepuasan Kerja 3	Pearson Correlation	.579**	.661**	1	.598**
	Sig. (2-tailed)	.000	.000		.000
	N	53	53	53	53
Kepuasan Kerja 4	Pearson Correlation	.557**	.645**	.598**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	53	53	53	53
Kepuasan Kerja 5	Pearson Correlation	.675**	.661**	.877**	.702**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 6	Pearson Correlation	.445**	.699**	.571**	.788**
	Sig. (2-tailed)	.001	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 7	Pearson Correlation	.667**	.561**	.776**	.594**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 8	Pearson Correlation	.525**	.699**	.571**	.788**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 9	Pearson Correlation	.829**	.311*	.480**	.327*
	Sig. (2-tailed)	.000	.023	.000	.017
	N	53	53	53	53
Kepuasan Kerja 10	Pearson Correlation	.494**	.666**	.545**	.751**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 11	Pearson Correlation	.328*	.385**	.496**	.329*
	Sig. (2-tailed)	.017	.004	.000	.016
	N	53	53	53	53
Kepuasan Kerja 12	Pearson Correlation	.557**	.735**	.598**	.740**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 13	Pearson Correlation	.808**	.472**	.669**	.499**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 14	Pearson Correlation	.543**	.697**	.676**	.701**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 15	Pearson Correlation	.667**	.574**	.696**	.597**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53

Correlations

		Kepuasan Kerja 1	Kepuasan Kerja 2	Kepuasan Kerja 3	Kepuasan Kerja 4
Kepuasan Kerja 16	Pearson Correlation	.476**	.825**	.598**	.654**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 17	Pearson Correlation	.388**	.381**	.480**	.394**
	Sig. (2-tailed)	.004	.005	.000	.003
	N	53	53	53	53
Kepuasan Kerja	Pearson Correlation	.750**	.771**	.804**	.789**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53

Correlations

		Kepuasan Kerja 5	Kepuasan Kerja 6	Kepuasan Kerja 7	Kepuasan Kerja 8
Kepuasan Kerja 1	Pearson Correlation	.675**	.445**	.667**	.525**
	Sig. (2-tailed)	.000	.001	.000	.000
	N	53	53	53	53
Kepuasan Kerja 2	Pearson Correlation	.661**	.699**	.561**	.699**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 3	Pearson Correlation	.877**	.571**	.776**	.571**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 4	Pearson Correlation	.702**	.788**	.594**	.788**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 5	Pearson Correlation	1	.672**	.891**	.672**
	Sig. (2-tailed)		.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 6	Pearson Correlation	.672**	1	.564**	.832**
	Sig. (2-tailed)	.000		.000	.000
	N	53	53	53	53
Kepuasan Kerja 7	Pearson Correlation	.891**	.564**	1	.659**
	Sig. (2-tailed)	.000	.000		.000
	N	53	53	53	53
Kepuasan Kerja 8	Pearson Correlation	.672**	.832**	.659**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	53	53	53	53
Kepuasan Kerja 9	Pearson Correlation	.560**	.302*	.628**	.501**
	Sig. (2-tailed)	.000	.028	.000	.000
	N	53	53	53	53
Kepuasan Kerja 10	Pearson Correlation	.645**	.710**	.630**	.876**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 11	Pearson Correlation	.496**	.303*	.416**	.427**
	Sig. (2-tailed)	.000	.027	.002	.001
	N	53	53	53	53
Kepuasan Kerja 12	Pearson Correlation	.702**	.788**	.691**	.958**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 13	Pearson Correlation	.771**	.471**	.674**	.556**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 14	Pearson Correlation	.761**	.670**	.743**	.740**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 15	Pearson Correlation	.805**	.564**	.801**	.655**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53

Correlations

		Kepuasan Kerja 5	Kepuasan Kerja 6	Kepuasan Kerja 7	Kepuasan Kerja 8
Kepuasan Kerja 16	Pearson Correlation	.702**	.702**	.691**	.788**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 17	Pearson Correlation	.640**	.369**	.628**	.369**
	Sig. (2-tailed)	.000	.007	.000	.007
	N	53	53	53	53
Kepuasan Kerja	Pearson Correlation	.908**	.772**	.864**	.864**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53

Correlations

		Kepuasan Kerja 9	Kepuasan Kerja 10	Kepuasan Kerja 11	Kepuasan Kerja 12
Kepuasan Kerja 1	Pearson Correlation	.829**	.494**	.328*	.557**
	Sig. (2-tailed)	.000	.000	.017	.000
	N	53	53	53	53
Kepuasan Kerja 2	Pearson Correlation	.311*	.666**	.385**	.735**
	Sig. (2-tailed)	.023	.000	.004	.000
	N	53	53	53	53
Kepuasan Kerja 3	Pearson Correlation	.480**	.545**	.496**	.598**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 4	Pearson Correlation	.327*	.751**	.329*	.740**
	Sig. (2-tailed)	.017	.000	.016	.000
	N	53	53	53	53
Kepuasan Kerja 5	Pearson Correlation	.560**	.645**	.496**	.702**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 6	Pearson Correlation	.302*	.710**	.303*	.788**
	Sig. (2-tailed)	.028	.000	.027	.000
	N	53	53	53	53
Kepuasan Kerja 7	Pearson Correlation	.628**	.630**	.416**	.691**
	Sig. (2-tailed)	.000	.000	.002	.000
	N	53	53	53	53
Kepuasan Kerja 8	Pearson Correlation	.501**	.876**	.427**	.958**
	Sig. (2-tailed)	.000	.000	.001	.000
	N	53	53	53	53
Kepuasan Kerja 9	Pearson Correlation	1	.475**	.321*	.529**
	Sig. (2-tailed)		.000	.019	.000
	N	53	53	53	53
Kepuasan Kerja 10	Pearson Correlation	.475**	1	.401**	.835**
	Sig. (2-tailed)	.000		.003	.000
	N	53	53	53	53
Kepuasan Kerja 11	Pearson Correlation	.321*	.401**	1	.455**
	Sig. (2-tailed)	.019	.003		.001
	N	53	53	53	53
Kepuasan Kerja 12	Pearson Correlation	.529**	.835**	.455**	1
	Sig. (2-tailed)	.000	.000	.001	
	N	53	53	53	53
Kepuasan Kerja 13	Pearson Correlation	.869**	.528**	.472**	.585**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 14	Pearson Correlation	.505**	.710**	.339*	.772**
	Sig. (2-tailed)	.000	.000	.013	.000
	N	53	53	53	53
Kepuasan Kerja 15	Pearson Correlation	.553**	.801**	.416**	.689**
	Sig. (2-tailed)	.000	.000	.002	.000
	N	53	53	53	53

Correlations

		Kepuasan Kerja 9	Kepuasan Kerja 10	Kepuasan Kerja 11	Kepuasan Kerja 12
Kepuasan Kerja 16	Pearson Correlation	.462**	.835**	.392**	.827**
	Sig. (2-tailed)	.001	.000	.004	.000
	N	53	53	53	53
Kepuasan Kerja 17	Pearson Correlation	.322*	.410**	.223	.394**
	Sig. (2-tailed)	.019	.002	.109	.003
	N	53	53	53	53
Kepuasan Kerja	Pearson Correlation	.680**	.842**	.550**	.883**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53

Correlations

		Kepuasan Kerja 13	Kepuasan Kerja 14	Kepuasan Kerja 15	Kepuasan Kerja 16
Kepuasan Kerja 1	Pearson Correlation	.808**	.543**	.667**	.476**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 2	Pearson Correlation	.472**	.697**	.574**	.825**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 3	Pearson Correlation	.669**	.676**	.696**	.598**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 4	Pearson Correlation	.499**	.701**	.597**	.654**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 5	Pearson Correlation	.771**	.761**	.805**	.702**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 6	Pearson Correlation	.471**	.670**	.564**	.702**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 7	Pearson Correlation	.674**	.743**	.801**	.691**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 8	Pearson Correlation	.556**	.740**	.655**	.788**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 9	Pearson Correlation	.869**	.505**	.553**	.462**
	Sig. (2-tailed)	.000	.000	.000	.001
	N	53	53	53	53
Kepuasan Kerja 10	Pearson Correlation	.528**	.710**	.801**	.835**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 11	Pearson Correlation	.472**	.339*	.416**	.392**
	Sig. (2-tailed)	.000	.013	.002	.004
	N	53	53	53	53
Kepuasan Kerja 12	Pearson Correlation	.585**	.772**	.689**	.827**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 13	Pearson Correlation	1	.567**	.595**	.499**
	Sig. (2-tailed)		.000	.000	.000
	N	53	53	53	53
Kepuasan Kerja 14	Pearson Correlation	.567**	1	.660**	.772**
	Sig. (2-tailed)	.000		.000	.000
	N	53	53	53	53
Kepuasan Kerja 15	Pearson Correlation	.595**	.660**	1	.780**
	Sig. (2-tailed)	.000	.000		.000
	N	53	53	53	53

Correlations

		Kepuasan Kerja 13	Kepuasan Kerja 14	Kepuasan Kerja 15	Kepuasan Kerja 16
Kepuasan Kerja 16	Pearson Correlation	.499**	.772**	.780**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	53	53	53	53
Kepuasan Kerja 17	Pearson Correlation	.470**	.450**	.553**	.462**
	Sig. (2-tailed)	.000	.001	.000	.001
	N	53	53	53	53
Kepuasan Kerja	Pearson Correlation	.791**	.842**	.847**	.851**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53

Correlations

		Kepuasan Kerja 17	Kepuasan Kerja
Kepuasan Kerja 1	Pearson Correlation	.388**	.750**
	Sig. (2-tailed)	.004	.000
	N	53	53
Kepuasan Kerja 2	Pearson Correlation	.381**	.771**
	Sig. (2-tailed)	.005	.000
	N	53	53
Kepuasan Kerja 3	Pearson Correlation	.480**	.804**
	Sig. (2-tailed)	.000	.000
	N	53	53
Kepuasan Kerja 4	Pearson Correlation	.394**	.789**
	Sig. (2-tailed)	.003	.000
	N	53	53
Kepuasan Kerja 5	Pearson Correlation	.640**	.908**
	Sig. (2-tailed)	.000	.000
	N	53	53
Kepuasan Kerja 6	Pearson Correlation	.369**	.772**
	Sig. (2-tailed)	.007	.000
	N	53	53
Kepuasan Kerja 7	Pearson Correlation	.628**	.864**
	Sig. (2-tailed)	.000	.000
	N	53	53
Kepuasan Kerja 8	Pearson Correlation	.369**	.864**
	Sig. (2-tailed)	.007	.000
	N	53	53
Kepuasan Kerja 9	Pearson Correlation	.322*	.680**
	Sig. (2-tailed)	.019	.000
	N	53	53
Kepuasan Kerja 10	Pearson Correlation	.410**	.842**
	Sig. (2-tailed)	.002	.000
	N	53	53
Kepuasan Kerja 11	Pearson Correlation	.223	.550**
	Sig. (2-tailed)	.109	.000
	N	53	53
Kepuasan Kerja 12	Pearson Correlation	.394**	.883**
	Sig. (2-tailed)	.003	.000
	N	53	53
Kepuasan Kerja 13	Pearson Correlation	.470**	.791**
	Sig. (2-tailed)	.000	.000
	N	53	53
Kepuasan Kerja 14	Pearson Correlation	.450**	.842**
	Sig. (2-tailed)	.001	.000
	N	53	53
Kepuasan Kerja 15	Pearson Correlation	.553**	.847**
	Sig. (2-tailed)	.000	.000
	N	53	53

Correlations

		Kepuasan Kerja 17	Kepuasan Kerja
Kepuasan Kerja 16	Pearson Correlation	.462**	.851**
	Sig. (2-tailed)	.001	.000
	N	53	53
Kepuasan Kerja 17	Pearson Correlation	1	.597**
	Sig. (2-tailed)		.000
	N	53	53
Kepuasan Kerja	Pearson Correlation	.597**	1
	Sig. (2-tailed)	.000	
	N	53	53

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

CORRELATIONS

```

/VARIABLES=IK1 IK2 IK3 IK4 IK5 IK6 IK7 IK8 IK9 IK10 Y
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE .

```

Correlations

Notes

Output Created		22-FEB-2023 08:46:23
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=IK1 IK2 IK3 IK4 IK5 IK6 IK7 IK8 IK9 IK10 Y /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE .
Resources	Elapsed Time	0:00:00.22
	Processor Time	0:00:00.22

[DataSet1] C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav

Correlations

		Integritas Kerja 1	Integritas Kerja 2	Integritas Kerja 3	Integritas Kerja 4	Integritas Kerja 5
Integritas Kerja 1	Pearson Correlation	1	.877**	.704**	.734**	.776**
	Sig. (2-tailed)		.000	.000	.000	.000
	N	53	53	53	53	53
Integritas Kerja 2	Pearson Correlation	.877**	1	.704**	.846**	.776**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	53	53	53	53	53
Integritas Kerja 3	Pearson Correlation	.704**	.704**	1	.898**	.835**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	53	53	53	53	53
Integritas Kerja 4	Pearson Correlation	.734**	.846**	.898**	1	.844**
	Sig. (2-tailed)	.000	.000	.000		.000
	N	53	53	53	53	53
Integritas Kerja 5	Pearson Correlation	.776**	.776**	.835**	.844**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	53	53	53	53	53
Integritas Kerja 6	Pearson Correlation	.675**	.772**	.717**	.798**	.848**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	53	53	53	53	53
Integritas Kerja 7	Pearson Correlation	.776**	.776**	.835**	.844**	1.000**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	53	53	53	53	53
Integritas Kerja 8	Pearson Correlation	.696**	.805**	.749**	.852**	.903**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	53	53	53	53	53
Integritas Kerja 9	Pearson Correlation	.753**	.753**	.823**	.734**	.891**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	53	53	53	53	53
Integritas Kerja 10	Pearson Correlation	.705**	.803**	.558**	.744**	.791**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	53	53	53	53	53
Integritas Kerja	Pearson Correlation	.847**	.897**	.862**	.918**	.960**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	53	53	53	53	53

Correlations

		Integritas Kerja 6	Integritas Kerja 7	Integritas Kerja 8	Integritas Kerja 9
Integritas Kerja 1	Pearson Correlation	.675**	.776**	.696**	.753**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Integritas Kerja 2	Pearson Correlation	.772**	.776**	.805**	.753**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Integritas Kerja 3	Pearson Correlation	.717**	.835**	.749**	.823**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Integritas Kerja 4	Pearson Correlation	.798**	.844**	.852**	.734**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Integritas Kerja 5	Pearson Correlation	.848**	1.000**	.903**	.891**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Integritas Kerja 6	Pearson Correlation	1	.848**	.839**	.772**
	Sig. (2-tailed)		.000	.000	.000
	N	53	53	53	53
Integritas Kerja 7	Pearson Correlation	.848**	1	.903**	.891**
	Sig. (2-tailed)	.000		.000	.000
	N	53	53	53	53
Integritas Kerja 8	Pearson Correlation	.839**	.903**	1	.805**
	Sig. (2-tailed)	.000	.000		.000
	N	53	53	53	53
Integritas Kerja 9	Pearson Correlation	.772**	.891**	.805**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	53	53	53	53
Integritas Kerja 10	Pearson Correlation	.808**	.791**	.788**	.705**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53
Integritas Kerja	Pearson Correlation	.901**	.960**	.926**	.897**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	53	53	53	53

Correlations

		Integritas Kerja 10	Integritas Kerja
Integritas Kerja 1	Pearson Correlation	.705**	.847**
	Sig. (2-tailed)	.000	.000
	N	53	53
Integritas Kerja 2	Pearson Correlation	.803**	.897**
	Sig. (2-tailed)	.000	.000
	N	53	53
Integritas Kerja 3	Pearson Correlation	.558**	.862**
	Sig. (2-tailed)	.000	.000
	N	53	53
Integritas Kerja 4	Pearson Correlation	.744**	.918**
	Sig. (2-tailed)	.000	.000
	N	53	53
Integritas Kerja 5	Pearson Correlation	.791**	.960**
	Sig. (2-tailed)	.000	.000
	N	53	53
Integritas Kerja 6	Pearson Correlation	.808**	.901**
	Sig. (2-tailed)	.000	.000
	N	53	53
Integritas Kerja 7	Pearson Correlation	.791**	.960**
	Sig. (2-tailed)	.000	.000
	N	53	53
Integritas Kerja 8	Pearson Correlation	.788**	.926**
	Sig. (2-tailed)	.000	.000
	N	53	53
Integritas Kerja 9	Pearson Correlation	.705**	.897**
	Sig. (2-tailed)	.000	.000
	N	53	53
Integritas Kerja 10	Pearson Correlation	1	.859**
	Sig. (2-tailed)		.000
	N	53	53
Integritas Kerja	Pearson Correlation	.859**	1
	Sig. (2-tailed)	.000	
	N	53	53

** . Correlation is significant at the 0.01 level (2-tailed).

RELIABILITY

```

/VARIABLES=GK1 GK2 GK3 GK4 GK5 GK6 GK7 GK8 GK9 GK10 GK11 GK12 GK13 GK14
GK15 GK16 GK17 GK18 GK19
/SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.

```

Reliability

Notes

Output Created	22-FEB-2023 08:47:04	
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=GK1 GK2 GK3 GK4 GK5 GK6 GK7 GK8 GK9 GK10 GK11 GK12 GK13 GK14 GK15 GK16 GK17 GK18 GK19 /SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.
Resources	Elapsed Time	0:00:00.20
	Memory Available	786944 bytes
	Largest Contiguous Area	786944 bytes
	Workspace Required	944 bytes
	Processor Time	0:00:00.16

[DataSet1] C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav

Scale: ALL VARIABLES

Case Processing Summary

	N	%
Cases Valid	53	100.0
Excluded ^a	0	.0
Total	53	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.868	19

RELIABILITY

```

/VARIABLES=KK1 KK2 KK3 KK4 KK5 KK6 KK7 KK8 KK9 KK10 KK11 KK12 KK13 KK14
KK15 KK16 KK17
/SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.

```

Reliability

Notes

Output Created	22-FEB-2023 08:47:30	
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=KK1 KK2 KK3 KK4 KK5 KK6 KK7 KK8 KK9 KK10 KK11 KK12 KK13 KK14 KK15 KK16 KK17 /SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.
Resources	Elapsed Time	0:00:00.19
	Memory Available	786944 bytes
	Largest Contiguous Area	786944 bytes
	Workspace Required	848 bytes
	Processor Time	0:00:00.19

[DataSet1] C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav

Scale: ALL VARIABLES

Case Processing Summary

	N	%
Cases Valid	53	100.0
Excluded ^a	0	.0
Total	53	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.957	17

RELIABILITY
/VARIABLES=IK1 IK2 IK3 IK4 IK5 IK6 IK7 IK8 IK9 IK10

/SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.

Reliability

Notes

Output Created		22-FEB-2023 08:47:54
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=IK1 IK2 IK3 IK4 IK5 IK6 IK7 IK8 IK9 IK10 /SCALE('ALL VARIABLES') ALL/MODEL=ALPHA.
Resources	Elapsed Time	0:00:00.13
	Memory Available	786944 bytes
	Largest Contiguous Area	786944 bytes
	Workspace Required	512 bytes
	Processor Time	0:00:00.13

[DataSet1] C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	53	100.0
	Excluded ^a	0	.0
	Total	53	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.974	10

COMPUTE X1 = X1 / 19 .
EXECUTE .

```

COMPUTE X2 = X2 / 17 .
EXECUTE .
COMPUTE Y = Y / 10 .
EXECUTE .
REGRESSION
  /DESCRIPTIVES MEAN STDDEV CORR SIG N
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA COLLIN TOL
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Y
  /METHOD=ENTER X1 X2
  /SCATTERPLOT=(*SRESID ,*ZPRED )
  /RESIDUALS DURBIN HIST(ZRESID) NORM(ZRESID)
  /SAVE RESID .

```

Regression

Notes

Output Created		22-FEB-2023 08:49:50
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /DESCRIPTIVES MEAN STDDEV CORR SIG N /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 X2 /SCATTERPLOT=(*SRESID ,*ZPRED) /RESIDUALS DURBIN HIST(ZRESID) NORM(ZRESID) /SAVE RESID .
Resources	Elapsed Time	0:00:00.95
	Memory Required	2612 bytes
	Additional Memory Required for Residual Plots	904 bytes
	Processor Time	0:00:00.92
Variables Created	RES_1	Unstandardized Residual

Descriptive Statistics

	Mean	Std. Deviation	N
Integritas Kerja	1.2321	.38966	53
Gaya Kepemimpinan	1.4747	.36632	53
Kepuasan Kerja	1.2908	.38338	53

Correlations

		Integritas Kerja	Gaya Kepemimpinan	Kepuasan Kerja
Pearson Correlation	Integritas Kerja	1.000	.839	.912
	Gaya Kepemimpinan	.839	1.000	.841
	Kepuasan Kerja	.912	.841	1.000
Sig. (1-tailed)	Integritas Kerja	.	.000	.000
	Gaya Kepemimpinan	.000	.	.000
	Kepuasan Kerja	.000	.000	.
N	Integritas Kerja	53	53	53
	Gaya Kepemimpinan	53	53	53
	Kepuasan Kerja	53	53	53

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Kepuasan Kerja, Gaya Kepemimpinan		Enter

a. All requested variables entered.

b. Dependent Variable: Integritas Kerja

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.922 ^a	.850	.844	.15398	2.216

a. Predictors: (Constant), Kepuasan Kerja, Gaya Kepemimpinan

b. Dependent Variable: Integritas Kerja

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	6.710	2	3.355	141.497	.000 ^a
	Residual	1.186	50	.024		
	Total	7.895	52			

a. Predictors: (Constant), Kepuasan Kerja, Gaya Kepemimpinan

b. Dependent Variable: Integritas Kerja

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.078	.089		-.882	.382
	Gaya Kepemimpinan	.259	.108	.243	2.401	.020
	Kepuasan Kerja	.719	.103	.708	6.986	.000

Coefficients^a

Model		Collinearity Statistics	
		Tolerance	VIF
1	(Constant)		
	Gaya Kepemimpinan	.293	3.419
	Kepuasan Kerja	.293	3.419

a. Dependent Variable: Integritas Kerja

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions		
				(Constant)	Gaya Kepemimpinan	Kepuasan Kerja
1	1	2.946	1.000	.01	.00	.00
	2	.044	8.193	.83	.02	.16
	3	.010	16.921	.16	.97	.84

a. Dependent Variable: Integritas Kerja

Residuals Statistics^a


	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	.9001	2.0310	1.2321	.35922	53
Std. Predicted Value	-.924	2.224	.000	1.000	53
Standard Error of Predicted Value	.022	.059	.035	.009	53
Adjusted Predicted Value	.8939	2.0874	1.2304	.35821	53
Residual	-.43096	.36725	.00000	.15099	53
Std. Residual	-2.799	2.385	.000	.981	53
Stud. Residual	-2.976	2.433	.005	1.015	53
Deleted Residual	-.48743	.38222	.00164	.16185	53
Stud. Deleted Residual	-3.248	2.565	-.002	1.051	53
Mahal. Distance	.069	6.732	1.962	1.599	53
Cook's Distance	.000	.387	.025	.060	53
Centered Leverage Value	.001	.129	.038	.031	53

a. Dependent Variable: Integritas Kerja

Charts


Histogram

Dependent Variable: Integritas Kerja




Mean = -6.05E-16
Std. Dev. = 0.981
N = 53

Normal P-P Plot of Regression Standardized Residual



Scatterplot

Dependent Variable: Integritas Kerja



```
NPART TESTS
/K-S (NORMAL) = RES_1
/MISSING ANALYSIS.
```

NPar Tests

Notes

Output Created	22-FEB-2023 08:50:41	
Comments		
Input	Data	C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	53
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax	NPAR TESTS /K-S(NORMAL)= RES_1 /MISSING ANALYSIS.	
Resources	Elapsed Time	0:00:00.13
	Number of Cases Allowed ^a	196736
	Processor Time	0:00:00.11

a. Based on availability of workspace memory.

[DataSet1] C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		53
Normal Parameters ^{a,b}	Mean	.0000000
	Std. Deviation	.15099191
Most Extreme Differences	Absolute	.126
	Positive	.091
	Negative	-.126
Kolmogorov-Smirnov Z		.918
Asymp. Sig. (2-tailed)		.369

a. Test distribution is Normal.

b. Calculated from data.

SAVE OUTFILE='C:\Program Files\SPSSEval\DhiaSTIKJakarta.sav'
/COMPRESSED.