
Importance per direction

Sun direction

We look at which side the living and dining room windows are on, then turn that into one of eight compass points using the site plan's north arrow. North and south facing homes get the least direct afternoon sun; west facing homes get the most.



Source: block floor plan and site plan north arrow.

Filter and floor priority

Floor level



Pick the lowest and highest storey you would accept, then choose whether higher or lower floors should rank first. Separately, the Rank page lists every matching unit on the highest, middlemost and lowest storeys of your list. Priority is worked out against each block’s own height, so a 33 storey block and a 49 storey block are treated fairly.

Source: unit distribution grid.




Corner unit

Corridor or corner unit

A corner unit sits at the end of a row. It shares a wall with one neighbour and usually has windows on two sides. Corridor units sit along the common corridor, next to other units.

Source: block floor plan (Berlayar Rise, Block 200A).



Further is better

Distance from rubbish chute


Straight line distance from the unit's front door to the nearest refuse chute, measured with the floor plan's scale bar. Further usually means less smell and less noise. A unit within 10 m counts as near.

Source: block floor plan, measured with its scale bar.

Importance

More than 30 m from the next block

Each unit gets a 15 m ring around its centre on the site plan, drawn to the plan's scale. If the rings of two facing units overlap, the units are less than 30 m apart.



Source: site plan, measured with its scale bar.

ayar Rise




Access to roof

Access to roof

Some units look onto, or step out towards, a roof drawn on the floor plan, such as “roof at 2nd storey only”. This usually applies only on the storey just above that roof.

Source: floor plan annotations, per storey (Berlayar Rise, Block 204B).



Near MRT

Near MRT


Straight line distance from the unit's block to the nearest MRT station, measured with the site plan's scale bar. Within 400 m, roughly a five minute walk, counts as near. The ring shows 100 m to scale.

Source: site plan, or the location plan when the station sits outside the site.

One meter per facility

Facilities nearby

“Has” means the facility is in your own block, for example at its first storey or on its roof. “Near” means it is not inside any residential block but sits within 50 m of your unit. Each facility type found in your selected blocks gets its own meter, so you can want a supermarket close by and keep a hardcourt away. A “has” counts fully and a “near” counts half.



PLAY FACILITIES

1. CHILDREN PLAYGROUND
2. ADULT FITNESS STATION
3. ELDERLY FITNESS STATION
4. HARDCOURT

SOCIAL AMENITIES

9. 3-STOREY PRESCHOOL WITH GREEN ROOF (INACCESSIBLE)
10. RESIDENTS' NETWORK CENTRE AT 1ST STOREY

COMMUNAL AREAS

5. PRECINCT PAVILION with Drop-Off Porch
6. PRECINCT PAVILION
7. DROP-OFF PORCH
8. SPACE RESERVED FOR FUTURE COMMUNITY USE

COMMERCIAL AMENITIES


11. EATING HOUSE AT 1ST STOREY
12. SHOPS AT 1ST STOREY
13. SUPERMARKET AT 1ST STOREY
14. RESTAURANT AT 1ST STOREY
15. CAFE AT 1ST STOREY


Source: numbered markers on the site plan and its legend.

2-Room Flexi only


Unit design

2-Room Flexi flats come in two layouts, Type 1 and Type 2, shown in different colours on the unit distribution grid. This meter only appears when your selected blocks contain 2-Room Flexi units.





Source: unit distribution legend and floor plans.



No longer on the site

Distance from lift

This image was used for the lift factor, which has since been removed from the website.